

\*ここに掲載している規格は英語版です。JSA Webdesk でご購入いただけます。  
\*規格の表示は部門別です。

## A.Ferrous Metals

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM A194/A194M - 18	Standard Specification for Carbon Steel, Alloy Steel, and Stainless Steel Nuts for Bolts for High Pressure or High Temperature Service, or Both	20181101	12	7,581円(本体7,020円)
ASTM A249/A249M - 18a	Standard Specification for Welded Austenitic Steel Boiler, Superheater, Heat-Exchanger, and Condenser Tubes	20181201	11	7,581円(本体7,020円)
ASTM A416/A416M - 18	Standard Specification for Low-Relaxation, Seven-Wire Steel Strand for Prestressed Concrete	20181201	5	6,739円(本体6,240円)
ASTM A450/A450M - 18a	Standard Specification for General Requirements for Carbon and Low Alloy Steel Tubes	20181101	10	6,739円(本体6,240円)
ASTM A518/A518M - 99(2018)	Standard Specification for Corrosion-Resistant High-Silicon Iron Castings	20181215	6	6,739円(本体6,240円)
ASTM A586 - 18	Standard Specification for Metallic-Coated Parallel and Helical Steel Wire Structural Strand	20181101	6	6,739円(本体6,240円)
ASTM A650/A650M - 18	Standard Specification for Tin Mill Products, Black Plate, Double Reduced	20181101	2	5,896円(本体5,460円)
ASTM A653/A653M - 18	Standard Specification for Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process	20181101	13	7,581円(本体7,020円)
ASTM A657/A657M - 18	Standard Specification for Tin Mill Products, Black Plate Electrolytic Chromium-Coated, Single and Double Reduced	20181101	8	6,739円(本体6,240円)
ASTM A755/A755M - 18	Standard Specification for Steel Sheet, Metallic Coated by the Hot-Dip Process and Prepainted by the Coil-Coating Process for Exterior Exposed Building Products	20181101	6	6,739円(本体6,240円)
ASTM A902 - 18a	Standard Terminology Relating to Metallic Coated Steel Products	20181201	9	6,739円(本体6,240円)
ASTM A955/A955M - 18b	Standard Specification for Deformed and Plain Stainless Steel Bars for Concrete Reinforcement	20181115	14	7,581円(本体7,020円)
ASTM A998/A998M - 18	Standard Practice for Structural Design of Reinforcements for Fittings in Factory-Made Corrugated Steel Pipe for Sewers and Other Applications	20181115	18	7,581円(本体7,020円)
ASTM A1111 - 18	Standard Specification for Cast Iron Closet Flanges for Use With Cast Iron Soil Pipe and Fittings in Gravity Flow Plumbing Drain, Waste, and Vent Sanitary Applications	20181115	6	6,739円(本体6,240円)

## B.Nonferrous Metals

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM B86 - 18	Standard Specification for Zinc and Zinc-Aluminum (ZA) Alloy Foundry and Die Castings	20181101	8	6,739円(本体6,240円)
ASTM B166 - 18	Standard Specification for Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674), and Nickel-Chromium-Molybdenum-Copper Alloy (UNS N06235) Rod, Bar, and Wire	20181201	9	6,739円(本体6,240円)
ASTM B167 - 18	Standard Specification for Nickel-Chromium-Aluminum Alloys (UNS N06699), Nickel-Chromium-Iron Alloys (UNS N06600, N06601, N06603, N06690, N06693, N06025, N06045, and N06696), Nickel-Chromium-Cobalt-Molybdenum Alloy (UNS N06617), Nickel-Iron-Chromium-Tungsten Alloy (UNS N06674), and Nickel-Chromium-Molybdenum-Copper Alloy (UNS N06235) Seamless Pipe and Tube	20181201	9	6,739円(本体6,240円)
ASTM B243 - 19	Standard Terminology of Powder Metallurgy	20190101	9	6,739円(本体6,240円)
ASTM B299/B299M - 18	Standard Specification for Titanium Sponge	20181001	3	5,896円(本体5,460円)
ASTM B523/B523M - 18	Standard Specification for Seamless and Welded Zirconium and Zirconium Alloy Tubes	20181001	5	6,739円(本体6,240円)
ASTM B664 - 18	Standard Specification for 80 % Silver-20 % Graphite Sliding Contact Material	20181101	2	5,896円(本体5,460円)
ASTM B688 - 18	Standard Specification for Chromium-Nickel-Molybdenum-Iron (UNS N08367) Plate, Sheet, and Strip	20181101	6	6,739円(本体6,240円)
ASTM B690 - 18	Standard Specification for Iron-Nickel-Chromium-Molybdenum Alloy (UNS N08367) Seamless Pipe and Tube	20181101	4	5,896円(本体5,460円)
ASTM B691 - 18	Standard Specification for Iron-Nickel-Chromium-Molybdenum Alloy (UNS N08367) Rod, Bar, and Wire	20181101	7	6,739円(本体6,240円)
ASTM B692 - 18	Standard Specification for 75 % Silver-25 % Graphite Sliding Contact Material	20181101	2	5,896円(本体5,460円)
ASTM B752/B752M - 18	Standard Specification for Castings, Zirconium-Base, Corrosion Resistant, for General Application	20181001	5	6,739円(本体6,240円)
ASTM B830 - 18	Standard Specification for Uniform Test Methods and Frequency	20180615	4	5,896円(本体5,460円)
ASTM B975 - 18	Standard Test Method for Measurement of Internal Stress of Metallic Coatings by Split Strip Evaluation (Deposit Stress Analyzer Method)	20181201	8	6,739円(本体6,240円)
ASTM B1008 - 18	Standard Test Method for Stress-Strain Testing for Overhead Electrical Conductors	20181101	10	6,739円(本体6,240円)

## C.Cementitious,Ceramic,Concrete,and Masonry materials

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM C76 - 19	Standard Specification for Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe	20190101	12	7,581円(本体7,020円)
ASTM C76M - 19	Standard Specification for Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe (Metric)	20190101	12	7,581円(本体7,020円)
ASTM C126 - 18	Standard Specification for Ceramic Glazed Structural Clay Facing Tile, Facing Brick, and Solid Masonry Units	20181201	5	6,739円(本体6,240円)
ASTM C140/C140M - 18a	Standard Test Methods for Sampling and Testing Concrete Masonry Units and Related Units	20181215	27	9,687円(本体8,970円)
ASTM C144 - 18	Standard Specification for Aggregate for Masonry Mortar	20181201	3	5,896円(本体5,460円)
ASTM C177 - 19	Standard Test Method for Steady-State Heat Flux Measurements and Thermal Transmission Properties by Means of the Guarded-Hot-Plate Apparatus	20190101	23	9,687円(本体8,970円)
ASTM C192/C192M - 18	Standard Practice for Making and Curing Concrete Test Specimens in the Laboratory	20181201	8	6,739円(本体6,240円)
ASTM C201 - 93(2019)	Standard Test Method for Thermal Conductivity of Refractories	20190101	6	6,739円(本体6,240円)
ASTM C273/C273M - 18	Standard Test Method for Shear Properties of Sandwich Core Materials	20181101	8	6,739円(本体6,240円)
ASTM C404 - 18	Standard Specification for Aggregates for Masonry Grout	20181201	3	5,896円(本体5,460円)
ASTM C497 - 19	Standard Test Methods for Concrete Pipe, Concrete Box Sections, Manhole Sections, or Tile	20190101	17	7,581円(本体7,020円)
ASTM C497M - 19	Standard Test Methods for Concrete Pipe, Concrete Box Sections, Manhole Sections, or Tile (Metric)	20190101	16	7,581円(本体7,020円)
ASTM C603 - 14(2019)	Standard Test Method for Extrusion Rate and Application Life of Elastomeric Sealants	20190101	2	5,896円(本体5,460円)
ASTM C692 - 13(2018)	Standard Test Method for Evaluating the Influence of Thermal Insulations on External Stress Corrosion Cracking Tendency of Austenitic Stainless Steel	20181101	8	6,739円(本体6,240円)
ASTM C719 - 14(2019)	Standard Test Method for Adhesion and Cohesion of Elastomeric Joint Sealants Under Cyclic Movement (Hockman Cycle)	20190101	6	6,739円(本体6,240円)
ASTM C795 - 08(2018)	Standard Specification for Thermal Insulation for Use in Contact with Austenitic Stainless Steel	20181101	4	5,896円(本体5,460円)
ASTM C930 - 19	Standard Classification of Potential Health and Safety Concerns Associated With Thermal Insulation Materials and Accessories	20190101	6	6,739円(本体6,240円)

ASTM C969 – 19	Standard Practice for Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines	20190101	3	5,896円 (本体5,460円)
ASTM C969M – 19	Standard Practice for Infiltration and Exfiltration Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric)	20190101	3	5,896円 (本体5,460円)
ASTM C985M – 19	Standard Specification for Nonreinforced Concrete Specified Strength Culvert, Storm Drain, and Sewer Pipe (Metric)	20190101	6	6,739円 (本体6,240円)
ASTM C1012/C1012M – 18b	Standard Test Method for Length Change of Hydraulic-Cement Mortars Exposed to a Sulfate Solution	20181215	9	6,739円 (本体6,240円)
ASTM C1103 – 19	Standard Practice for Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines	20190101	2	5,896円 (本体5,460円)
ASTM C1103M – 19	Standard Practice for Joint Acceptance Testing of Installed Precast Concrete Pipe Sewer Lines (Metric)	20190101	3	5,896円 (本体5,460円)
ASTM C1113/C1113M – 09(2019)	Standard Test Method for Thermal Conductivity of Refractories by Hot Wire (Platinum Resistance Thermometer Technique)	20190101	6	6,739円 (本体6,240円)
ASTM C1126 – 18	Standard Specification for Faced or Unfaced Rigid Cellular Phenolic Thermal Insulation	20181101	6	6,739円 (本体6,240円)
ASTM C1146 – 09(2018)	Standard Guide for Prefabricated Panel and H-bar Insulation Systems for Vessels, Ducts and Equipment Operating at Temperatures Above Ambient Air	20181101	4	5,896円 (本体5,460円)
ASTM C1180 – 18	Standard Terminology of Mortar and Grout for Unit Masonry	20181201	3	5,896円 (本体5,460円)
ASTM C1214 – 19	Standard Test Method for Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method	20190101	4	5,896円 (本体5,460円)
ASTM C1214M – 19	Standard Test Method for Concrete Pipe Sewerlines by Negative Air Pressure (Vacuum) Test Method (Metric)	20190101	4	5,896円 (本体5,460円)
ASTM C1280 – 18	Standard Specification for Application of Exterior Gypsum Panel Products for Use as Sheathing	20181101	4	5,896円 (本体5,460円)
ASTM C1369 – 19	Standard Specification for Secondary Edge Sealants for Structurally Glazed Insulating Glass Units	20190101	3	5,896円 (本体5,460円)
ASTM C1384 – 18e1	Standard Specification for Admixtures for Masonry Mortars	20180601	5	6,739円 (本体6,240円)
ASTM C1409 – 12(2018)	Standard Guide for Measuring and Estimating Quantities of Insulated Piping and Components	20181101	8	6,739円 (本体6,240円)
ASTM C1413 – 18	Standard Test Method for Isotopic Analysis of Hydrolyzed Uranium Hexafluoride and Uranyl Nitrate Solutions by Thermal Ionization Mass Spectrometry	20181101	4	5,896円 (本体5,460円)
ASTM C1428 – 18	Standard Test Method for Isotopic Analysis of Uranium Hexafluoride by Single-Standard Gas Source Multiple Collector Mass Spectrometer Method	20181101	4	5,896円 (本体5,460円)

ASTM C1586 - 18	Standard Guide for Quality Assurance of Mortars	20181215	3	5,896円 (本体5,460円)
ASTM C1600/C1600M - 18	Standard Specification for Rapid Hardening Hydraulic Cement	20181215	6	6,739円 (本体6,240円)
ASTM C1618 - 19	Standard Test Method for Concrete Sanitary Sewer Pipe by Negative (Vacuum) Air Pressure	20190101	3	5,896円 (本体5,460円)
ASTM C1618M - 19	Standard Test Method for Concrete Sanitary Sewer Pipe by Negative (Vacuum) Air Pressure (Metric)	20190101	3	5,896円 (本体5,460円)
ASTM C1628 - 17e1	Standard Specification for Joints for Concrete Gravity Flow Sewer Pipe, Using Rubber Gaskets	20170101	7	6,739円 (本体6,240円)
ASTM C1663 - 18	Standard Test Method for Measuring Waste Glass or Glass Ceramic Durability by Vapor Hydration Test	20181101	16	7,581円 (本体7,020円)
ASTM C1717 - 18	Standard Test Methods for Conducting Strength Tests of Masonry Wall Panels	20181215	7	6,739円 (本体6,240円)
ASTM C1743 - 18	Standard Practice for Installation and Use of Radiant Barrier Systems (RBS) in Residential Building Construction	20181101	5	6,739円 (本体6,240円)
ASTM C1781/C1781M - 18	Standard Test Method for Surface Infiltration Rate of Permeable Unit Pavement Systems	20181215	6	6,739円 (本体6,240円)
ASTM C1802 - 18b	Standard Specification for Design, Testing, Manufacture, Selection, and Installation of Fabricated Metal Horizontal Access Hatches for Utility, Water, and Wastewater Structures	20181201	26	9,687円 (本体8,970円)
ASTM C1825 - 18e1	Standard Guide for Developing Specifications for Masonry Units	20180701	5	6,739円 (本体6,240円)

## D.Miscellaneous Materials

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM D86 - 18	Standard Test Method for Distillation of Petroleum Products and Liquid Fuels at Atmospheric Pressure	20181201	29	9,687円 (本体8,970円)
ASTM D565 - 99(2019)	Standard Test Method for Carbonizable Substances in White Mineral Oil	20190101	3	5,896円 (本体5,460円)
ASTM D610 - 08(2019)	Standard Practice for Evaluating Degree of Rusting on Painted Steel Surfaces	20190101	6	6,739円 (本体6,240円)
ASTM D613 - 18a	Standard Test Method for Cetane Number of Diesel Fuel Oil	20181201	19	7,581円 (本体7,020円)
ASTM D664 - 18e2	Standard Test Method for Acid Number of Petroleum Products by Potentiometric Titration	20181101	11	7,581円 (本体7,020円)
ASTM D843 - 19	Standard Specification for Nitration Grade Xylene	20190101	2	5,896円 (本体5,460円)

ASTM D871 – 96(2019)	Standard Test Methods of Testing Cellulose Acetate	20190101	13	7,581円 (本体7,020円)
ASTM D975 – 18a	Standard Specification for Diesel Fuel Oils	20181201	28	9,687円 (本体8,970円)
ASTM D1066 – 18e1	Standard Practice for Sampling Steam	20180801	6	6,739円 (本体6,240円)
ASTM D1401 – 18b	Standard Test Method for Water Separability of Petroleum Oils and Synthetic Fluids	20181201	5	6,739円 (本体6,240円)
ASTM D1510 – 19	Standard Test Method for Carbon Black—Iodine Adsorption Number	20190101	10	6,739円 (本体6,240円)
ASTM D1519 – 95(2019)	Standard Test Methods for Rubber Chemicals—Determination of Melting Range	20190101	4	5,896円 (本体5,460円)
ASTM D1586/D1586M – 18	Standard Test Method for Standard Penetration Test (SPT) and Split-Barrel Sampling of Soils	20181201	26	9,687円 (本体8,970円)
ASTM D1835 – 18a	Standard Specification for Liquefied Petroleum (LP) Gases	20181201	6	6,739円 (本体6,240円)
ASTM D2148 – 18	Standard Test Methods for Bondable Silicone Rubber Tapes Used for Electrical Insulation	20181101	6	6,739円 (本体6,240円)
ASTM D2170/D2170M – 18	Standard Test Method for Kinematic Viscosity of Asphalts	20181215	11	7,581円 (本体7,020円)
ASTM D2171/D2171M – 18	Standard Test Method for Viscosity of Asphalts by Vacuum Capillary Viscometer	20181215	10	6,739円 (本体6,240円)
ASTM D2202 – 00(2019)	Standard Test Method for Slump of Sealants	20190101	4	5,896円 (本体5,460円)
ASTM D2386 – 18	Standard Test Method for Freezing Point of Aviation Fuels	20181201	5	6,739円 (本体6,240円)
ASTM D2414 – 18a	Standard Test Method for Carbon Black—Oil Absorption Number (OAN)	20181201	9	6,739円 (本体6,240円)
ASTM D2523/D2523M – 13(2019)e1	Standard Practice for Testing Load—Strain Properties of Roofing Membranes	20190101	3	5,896円 (本体5,460円)
ASTM D2699 – 18a	Standard Test Method for Research Octane Number of Spark-Ignition Engine Fuel	20181201	48	10,670円 (本体9,880円)
ASTM D2700 – 18a	Standard Test Method for Motor Octane Number of Spark-Ignition Engine Fuel	20181201	60	10,670円 (本体9,880円)
ASTM D2724 – 19	Standard Test Method for Bond Strength of Bonded, Fused, and Laminated Apparel Fabrics	20190101	5	6,739円 (本体6,240円)
ASTM D2746/D2746M – 18	Standard Test Method for Staining Tendency of Asphalt (Stain Index)	20181101	3	5,896円 (本体5,460円)

ASTM D2794 – 93(2019)	Standard Test Method for Resistance of Organic Coatings to the Effects of Rapid Deformation (Impact)	20190101	3	5,896円 (本体5,460円)
ASTM D2829/D2829M – 07(2019)e1	Standard Practice for Sampling and Analysis of Existing Built-Up Roof Systems	20190101	5	6,739円 (本体6,240円)
ASTM D2881 – 19	Standard Classification for Metalworking Fluids and Related Materials	20190101	3	5,896円 (本体5,460円)
ASTM D2949 – 18	Standard Specification for 3.25-in. Outside Diameter Poly(Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings	20181101	9	6,739円 (本体6,240円)
ASTM D2961/D2961M – 18a	Standard Practice for Single-Stage Total Moisture Less than 15 % in Coal Reduced to 2.36 mm [No. 8 Sieve] Topsize	20181201	3	5,896円 (本体5,460円)
ASTM D2962 – 10(2019)	Standard Practice for Calculating Volume-Temperature Correction For Coal-Tar Pitches	20190101	2	5,896円 (本体5,460円)
ASTM D3111 – 10(2018)	Standard Test Method for Flexibility Determination of Hot-Melt Adhesives by Mandrel Bend Test Method	20181215	3	5,896円 (本体5,460円)
ASTM D3161/D3161M – 19	Standard Test Method for Wind-Resistance of Steep Slope Roofing Products (Fan-Induced Method)	20190101	4	5,896円 (本体5,460円)
ASTM D3175 – 18	Standard Test Method for Volatile Matter in the Analysis Sample of Coal and Coke	20181201	12	7,581円 (本体7,020円)
ASTM D3251 – 19	Standard Test Method for Thermal Endurance Characteristics of Electrical Insulating Varnishes Applied Over Film-Insulated Magnet Wire	20190101	3	5,896円 (本体5,460円)
ASTM D3370 – 18	Standard Practices for Sampling Water from Flowing Process Streams	20181215	11	7,581円 (本体7,020円)
ASTM D3381/D3381M – 18	Standard Specification for Viscosity-Graded Asphalt Binder for Use in Pavement Construction	20181215	3	5,896円 (本体5,460円)
ASTM D3493 – 18a	Standard Test Method for Carbon Black-Oil Absorption Number of Compressed Sample (COAN)	20181201	4	5,896円 (本体5,460円)
ASTM D3549/D3549M – 18	Standard Test Method for Thickness or Height of Compacted Asphalt Mixture Specimens	20181215	4	5,896円 (本体5,460円)
ASTM D3566 – 03(2018)	Standard Practice for Rubber-Determination of Bromine in the Presence of Chlorine by Oxygen Combustion	20181101	3	5,896円 (本体5,460円)
ASTM D3597 – 02(2018)e1	Standard Performance Specification for Woven Upholstery Fabrics-Plain, Tufted, or Flocked	20181215	4	5,896円 (本体5,460円)
ASTM D3616 – 95(2019)	Standard Test Method for Rubber-Determination of Gel, Swelling Index, and Dilute Solution Viscosity	20190101	5	6,739円 (本体6,240円)
ASTM D3891 – 08(2019)	Standard Practice for Preparation of Glass Panels for Testing Paint, Varnish, Lacquer, and Related Products	20190101	2	5,896円 (本体5,460円)

ASTM D3971 – 89(2019)	Standard Test Method for Dichloromethane–Soluble Matter in Cellulose	20190101	2	5,896円 (本体5,460円)
ASTM D4040 – 10(2019)	Standard Test Method for Rheological Properties of Paste Printing and Vehicles by the Falling–Rod Viscometer	20190101	9	6,739円 (本体6,240円)
ASTM D4073/D4073M – 06(2019)e1	Standard Test Method for Tensile–Tear Strength of Bituminous Roofing Membranes	20190101	3	5,896円 (本体5,460円)
ASTM D4573 – 03(2018)	Standard Test Method for Rubber Chemicals–Determination of Oil Content in Oil–Treated Sulfur	20181101	3	5,896円 (本体5,460円)
ASTM D4765 – 13(2018)	Standard Test Method for Measurement of Fluorides in Workplace Atmospheres by Ion–Selective Electrodes	20181201	4	5,896円 (本体5,460円)
ASTM D4769 – 12(2018)e1	Standard Specification for Woven and Warp Knitted Comforter Fabrics	20181215	3	5,896円 (本体5,460円)
ASTM D4806 – 18a	Standard Specification for Denatured Fuel Ethanol for Blending with Gasolines for Use as Automotive Spark–Ignition Engine Fuel	20181201	9	6,739円 (本体6,240円)
ASTM D4814 – 19	Standard Specification for Automotive Spark–Ignition Engine Fuel	20190101	29	9,687円 (本体8,970円)
ASTM D5136 – 19	Standard Specification for High Purity p–Xylene	20190101	2	5,896円 (本体5,460円)
ASTM D5146 – 10(2019)	Standard Guide to Testing Solvent–Borne Architectural Coatings	20190101	11	7,581円 (本体7,020円)
ASTM D5237 – 14(2019)	Standard Guide for Evaluating Fabric Softeners	20190101	7	6,739円 (本体6,240円)
ASTM D5341/D5341M – 18	Standard Test Method for Measuring Coke Reactivity Index (CRI) and Coke Strength After Reaction (CSR)	20181201	5	6,739円 (本体6,240円)
ASTM D5397 – 19	Standard Test Method for Evaluation of Stress Crack Resistance of Polyolefin Geomembranes Using Notched Constant Tensile Load Test	20190101	7	6,739円 (本体6,240円)
ASTM D5427 – 09(2019)	Standard Practice for Accelerated Aging of Inflatable Restraint Fabrics	20190101	3	5,896円 (本体5,460円)
ASTM D5428 – 08(2019)	Standard Practice for Evaluating the Performance of Inflatable Restraint Modules	20190101	4	5,896円 (本体5,460円)
ASTM D5446 – 08(2019)	Standard Practice for Determining Physical Properties of Fabrics, Yarns, and Sewing Thread Used in Inflatable Restraints	20190101	5	6,739円 (本体6,240円)
ASTM D5777 – 18	Standard Guide for Using the Seismic Refraction Method for Subsurface Investigation	20181215	14	7,581円 (本体7,020円)
ASTM D5822 – 13(2019)	Standard Test Method for Determining Seam Strength in Inflatable Restraint Cushions	20190101	6	6,739円 (本体6,240円)
ASTM D5823 – 19	Standard Test Method for Tuft Height of Pile Floor Coverings	20190101	4	5,896円 (本体5,460円)



ASTM D5905 – 98(2018)	Standard Practice for the Preparation of Substitute Wastewater	20181201	3	5,896円 (本体5,460円)
ASTM D5922 – 18	Standard Guide for Analysis, Interpretation, and Modeling of Spatial Variation in Geostatistical Site Investigations	20181215	4	5,896円 (本体5,460円)
ASTM D5923 – 18	Standard Guide for Selection of Kriging Methods in Geostatistical Site Investigations	20181215	4	5,896円 (本体5,460円)
ASTM D5983 – 18	Standard Specification for Methyl Tertiary-Butyl Ether (MTBE) for Blending With Gasolines for Use as Automotive Spark-Ignition Engine Fuel	20181201	4	5,896円 (本体5,460円)
ASTM D5995 – 18	Standard Guide for Environmental Site Investigation in Cold Regions	20181215	5	6,739円 (本体6,240円)
ASTM D6061 – 01(2018)e1	Standard Practice for Evaluating the Performance of Respirable Aerosol Samplers	20181201	10	6,739円 (本体6,240円)
ASTM D6072/D6072M – 19	Standard Practice for Obtaining Samples of Geosynthetic Clay Liners	20190101	4	5,896円 (本体5,460円)
ASTM D6122 – 18	Standard Practice for Validation of the Performance of Multivariate Online, At-Line, and Laboratory Infrared Spectrophotometer Based Analyzer Systems	20180701	44	10,670円 (本体9,880円)
ASTM D6235 – 18	Standard Practice for Expedited Site Characterization of Vadose Zone and Groundwater Contamination at Hazardous Waste Contaminated Sites	20181215	50	10,670円 (本体9,880円)
ASTM D6274 – 18	Standard Guide for Conducting Borehole Geophysical Logging – Gamma	20181215	12	7,581円 (本体7,020円)
ASTM D6378 – 18a	Standard Test Method for Determination of Vapor Pressure (VPX) of Petroleum Products, Hydrocarbons, and Hydrocarbon-Oxygenate Mixtures (Triple Expansion Method)	20181201	11	7,581円 (本体7,020円)
ASTM D6387 – 19	Standard Test Methods for Composition of Turpentine and Related Terpene Products by Capillary Gas Chromatography	20190101	5	6,739円 (本体6,240円)
ASTM D6421 – 18	Standard Test Method for Evaluating Automotive Spark-Ignition Engine Fuel for Electronic Port Fuel Injector Fouling by Bench Procedure	20181201	10	6,739円 (本体6,240円)
ASTM D6423 – 18	Standard Test Method for Determination of pH <sub>e</sub> of Denatured Fuel Ethanol and Ethanol Fuel Blends	20181201	4	5,896円 (本体5,460円)
ASTM D6478 – 10(2019)	Standard Test Method for Determining Specific Packability of Fabrics Used in Inflatable Restraints	20190101	10	6,739円 (本体6,240円)
ASTM D6487 – 10(2019)	Standard Practice for Preparing Prints of Paste Printing Inks Using a Hand Operated Laboratory Flat-Bed Press	20190101	5	6,739円 (本体6,240円)
ASTM D6520 – 18	Standard Practice for the Solid Phase Micro Extraction (SPME) of Water and its Headspace for the Analysis of Volatile and Semi-Volatile Organic Compounds	20181215	6	6,739円 (本体6,240円)
ASTM D6531 – 00(2019)	Standard Test Method for Relative Tinting Strength of Aqueous Ink Systems by Instrumental Measurement	20190101	3	5,896円 (本体5,460円)

ASTM D6542 – 05(2018)e1	Standard Practice for Tonnage Calculation of Coal in a Stockpile	20181201	2	5,896円 (本体5,460円)
ASTM D6613 – 08(2019)	Standard Practice for Determining the Presence of Sizing in Nylon or Polyester Fabric	20190101	3	5,896円 (本体5,460円)
ASTM D6620 – 19	Standard Practice for Asbestos Detection Limit Based on Counts	20190101	11	7,581円 (本体7,020円)
ASTM D6624 – 19	Standard Practice for Determining a Flow-Proportioned Average Property Value (FPAPV) for a Collected Batch of Process Stream Material Using Stream Analyzer Data	20190101	4	5,896円 (本体5,460円)
ASTM D6684 – 18	Standard Specification for Materials and Manufacture of Articulating Concrete Block (ACB) Systems	20181201	4	5,896円 (本体5,460円)
ASTM D6814 – 02(2018)	Standard Test Method for Determination of Percent Devulcanization of Crumb Rubber Based on Crosslink Density	20181101	3	5,896円 (本体5,460円)
ASTM D6832 – 13(2018)	Standard Test Method for the Determination of Hexavalent Chromium in Workplace Air by Ion Chromatography and Spectrophotometric Measurement Using 1,5-diphenylcarbazide	20181201	11	7,581円 (本体7,020円)
ASTM D6933 – 18	Standard Test Method for Oversized Particles in Emulsified Asphalts (Sieve Test)	20181215	2	5,896円 (本体5,460円)
ASTM D7015/D7015M – 18	Standard Practices for Obtaining Intact Block (Cubical and Cylindrical) Samples of Soils	20181201	8	6,739円 (本体6,240円)
ASTM D7188 – 05(2019)	Standard Terminology for Printing Inks, Materials, and Processes	20190101	16	7,581円 (本体7,020円)
ASTM D7191 – 18	Standard Test Method for Determination of Moisture in Plastics by Relative Humidity Sensor	20181201	4	5,896円 (本体5,460円)
ASTM D7196 – 18	Standard Test Method for Raveling Test of Cold-Mixed Emulsified Asphalt Samples	20181215	3	5,896円 (本体5,460円)
ASTM D7237 – 18	Standard Test Method for Free Cyanide and Aquatic Free Cyanide with Flow Injection Analysis (FIA) Utilizing Gas Diffusion Separation and Amperometric Detection	20181201	11	7,581円 (本体7,020円)
ASTM D7496 – 18	Standard Test Method for Viscosity of Emulsified Asphalt by Saybolt Furol Viscometer	20181201	3	5,896円 (本体5,460円)
ASTM D7549 – 18	Standard Test Method for Evaluation of Heavy-Duty Engine Oils under High Output Conditions—Caterpillar C13 Test Procedure	20181215	38	9,687円 (本体8,970円)
ASTM D7573 – 18a	Standard Test Method for Total Carbon and Organic Carbon in Water by High Temperature Catalytic Combustion and Infrared Detection	20181215	8	6,739円 (本体6,240円)
ASTM D7661 – 18	Standard Test Method for Determining Compatibility of Personal Lubricants with Natural Rubber Latex Condoms	20180901	14	7,581円 (本体7,020円)
ASTM D7664 – 10(2018)e1	Standard Test Methods for Measurement of Hydraulic Conductivity of Unsaturated Soils	20101001	24	9,687円 (本体8,970円)

ASTM D7680 – 10(2019)	Standard Practice for Preparing Prints of Paste Printing Inks by a Motor-Driven Printability Tester	20190101	8	6,739円 (本体6,240円)
ASTM D7797 – 18	Standard Test Method for Determination of the Fatty Acid Methyl Esters Content of Aviation Turbine Fuel Using Flow Analysis by Fourier Transform Infrared Spectroscopy—Rapid Screening Method	20181201	6	6,739円 (本体6,240円)
ASTM D7822 – 18	Standard Practice for Dermal Wipe Sampling for the Subsequent Determination of Metals and Metalloids	20181201	5	6,739円 (本体6,240円)
ASTM D7854 – 18c	Standard Test Method for Carbon Black-Void Volume at Mean Pressure	20181201	4	5,896円 (本体5,460円)
ASTM D7859 – 19	Standard Practice for Spraying, Sampling, Packaging, and Test Specimen Preparation of Spray Polyurethane Foam (SPF) Insulation for Testing of Emissions Using Environmental Chambers	20190101	5	6,739円 (本体6,240円)
ASTM D8178 – 18	Standard Terminology Relating to Recovered Carbon Black (rCB)	20181101	2	5,896円 (本体5,460円)
ASTM D8181 – 18b	Standard Specification for Microemulsion Blendstock for Preparing Microemulsion Test Fuel Oils	20181201	7	6,739円 (本体6,240円)
ASTM D8193 – 18	Standard Test Method for Total Oil and Grease (TOG) and Total Petroleum Hydrocarbon (TPH) in Water and Wastewater with Solvent Extraction Using Non-Dispersive Mid-IR Transmission Spectroscopy	20181215	10	6,739円 (本体6,240円)
ASTM D8214 – 18	Standard Test Method for Forms of Sulfur in Coal by Inductively Coupled Plasma Atomic Emission Spectrometry	20181101	5	6,739円 (本体6,240円)
ASTM D8235 – 18	Standard Specification for Ethyl Tertiary-Butyl Ether (ETBE) for Blending with Gasolines for Use as Automotive Spark-Ignition Engine Fuel	20181201	4	5,896円 (本体5,460円)

## E.Miscellaneous Subjects

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM E29 – 13(2019)	Standard Practice for Using Significant Digits in Test Data to Determine Conformance with Specifications	20190101	5	6,739円 (本体6,240円)
ASTM E119 – 18ce1	Standard Test Methods for Fire Tests of Building Construction and Materials	20181101	37	9,687円 (本体8,970円)
ASTM E165/E165M – 18	Standard Practice for Liquid Penetrant Testing for General Industry	20181115	19	7,581円 (本体7,020円)
ASTM E176 – 18a	Standard Terminology of Fire Standards	20181215	27	9,687円 (本体8,970円)
ASTM E237 – 02(2019)	Standard Specification for Laboratory Glass Microvolumetric Vessels (Volumetric Flasks and Centrifuge Tubes)	20190101	5	6,739円 (本体6,240円)
ASTM E263 – 18	Standard Test Method for Measuring Fast-Neutron Reaction Rates by Radioactivation of Iron	20181201	5	6,739円 (本体6,240円)
ASTM E473 – 18	Standard Terminology Relating to Thermal Analysis and Rheology	20181201	3	5,896円 (本体5,460円)

ASTM E676 - 02(2019)	Standard Specification for Interchangeable Taper-Ground Joints	20190101	4	5,896円 (本体5,460円)
ASTM E705 - 18	Standard Test Method for Measuring Reaction Rates by Radioactivation of Neptunium-237	20181201	6	6,739円 (本体6,240円)
ASTM E853 - 18	Standard Practice for Analysis and Interpretation of Light-Water Reactor Surveillance Neutron Exposure Results	20181201	9	6,739円 (本体6,240円)
ASTM E989 - 18	Standard Classification for Determination of Single-Number Metrics for Impact Noise	20181101	3	5,896円 (本体5,460円)
ASTM E1157 - 87(2018)e1	Standard Specification for Sampling and Testing of Reusable Laboratory Glassware	20111201	5	6,739円 (本体6,240円)
ASTM E1221 - 12a(2018)	Standard Test Method for Determining Plane-Strain Crack-Arrest Fracture Toughness, K <sub>Ia</sub> , of Ferritic Steels	20181101	20	7,581円 (本体7,020円)
ASTM E1349 - 06(2018)	Standard Test Method for Reflectance Factor and Color by Spectrophotometry Using Bidirectional (45° :0° or 0° :45° ) Geometry	20181201	4	5,896円 (本体5,460円)
ASTM E1363 - 18	Standard Test Method for Temperature Calibration of Thermomechanical Analyzers	20181201	5	6,739円 (本体6,240円)
ASTM E1605 - 18b	Standard Terminology Relating to Lead in Buildings	20181215	10	6,739円 (本体6,240円)
ASTM E1995 - 18	Standard Test Method for Measurement of Smoke Obscuration Using a Conical Radiant Source in a Single Closed Chamber, With the Test Specimen Oriented Horizontally	20181201	24	9,687円 (本体8,970円)
ASTM E2092 - 18a	Standard Test Method for Distortion Temperature in Three-Point Bending by Thermomechanical Analysis	20181201	6	6,739円 (本体6,240円)
ASTM E2472 - 12(2018)	Standard Test Method for Determination of Resistance to Stable Crack Extension under Low-Constraint Conditions	20181101	26	9,687円 (本体8,970円)
ASTM E2652 - 18	Standard Test Method for Assessing Combustibility of Materials Using a Tube Furnace with a Cone-shaped Airflow Stabilizer, at 750° C	20181215	13	7,581円 (本体7,020円)
ASTM E2696 - 09(2018)	Standard Practice for Life and Reliability Testing Based on the Exponential Distribution	20181201	42	10,670円 (本体9,880円)
ASTM E2771 - 11e3	Standard Terminology for Homeland Security Applications	20111215	30	9,687円 (本体8,970円)
ASTM E2918 - 18a	Standard Test Method for Performance Validation of Thermomechanical Analyzers	20181201	7	6,739円 (本体6,240円)
ASTM E3039 - 18	Standard Test Method for Determination of Crack-Tip-Opening Angle of Pipe Steels Using DWTT-Type Specimens	20181101	9	6,739円 (本体6,240円)
ASTM E3180 - 18	Standard Test Method for Quantification of a Bacillus subtilis Biofilm Comprised of Vegetative Cells and Spores Grown Using the Colony Biofilm Model	20181001	4	5,896円 (本体5,460円)

## F.Materials for Specific Applications

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM F75 - 18	Standard Specification for Cobalt-28 Chromium-6 Molybdenum Alloy Castings and Casting Alloy for Surgical Implants (UNS R30075)	20181115	5	6,739円(本体6,240円)
ASTM F404 - 18a	Standard Consumer Safety Specification for High Chairs	20181115	24	9,687円(本体8,970円)
ASTM F412 - 19	Standard Terminology Relating to Plastic Piping Systems	20190101	20	7,581円(本体7,020円)
ASTM F645 - 18b	Standard Guide for Selection, Design, and Installation of Thermoplastic Water- Pressure Piping Systems	20181101	13	7,581円(本体7,020円)
ASTM F659 - 10(2018)	Standard Specification for Ski and Snowboard Goggles	20181115	9	6,739円(本体6,240円)
ASTM F860 - 07(2018)e1	Standard Specification for Hot Water Sanitizing Commercial Dishwashing Machines, Multiple Tank, Rackless Conveyor Type	20181201	6	6,739円(本体6,240円)
ASTM F887 - 18	Standard Specifications for Personal Climbing Equipment	20181115	33	9,687円(本体8,970円)
ASTM F962 - 04(2018)	Standard Specification for Oil Spill Response Boom Connection: Z-Connector	20181115	5	6,739円(本体6,240円)
ASTM F1021 - 18	Standard Specification for Feeders, Detergent, Rinse Agent, and Sanitizing Agent for Commercial Dishwashing and Glasswashing Machines	20181201	3	5,896円(本体5,460円)
ASTM F1084 - 08(2018)	Standard Guide for Sampling Oil/Water Mixtures for Oil Spill Recovery Equipment	20181101	3	5,896円(本体5,460円)
ASTM F1088 - 18	Standard Specification for Beta-Tricalcium Phosphate for Surgical Implantation	20181115	3	5,896円(本体5,460円)
ASTM F1112 - 06A(2018)e1	Standard Test Method for Static Testing of Tubeless Pneumatic Tires for Rate of Loss of Inflation Pressure	20181201	9	6,739円(本体6,240円)
ASTM F1193 - 18a	Standard Practice for Quality, Manufacture, and Construction of Amusement Rides and Devices	20181215	11	7,581円(本体7,020円)
ASTM F1371 - 13(2018)e1	Standard Specification for Vegetable Peeling Machines, Electric	20181201	5	6,739円(本体6,240円)
ASTM F1413/F1413M - 18	Standard Guide for Oil Spill Dispersant Application Equipment: Boom and Nozzle Systems	20181001	3	5,896円(本体5,460円)
ASTM F1460/F1460M - 18	Standard Practice for Calibrating Oil Spill Dispersant Application Equipment Boom and Nozzle Systems	20181001	3	5,896円(本体5,460円)
ASTM F1580 - 18	Standard Specification for Titanium and Titanium-6 Aluminum-4 Vanadium Alloy Powders for Coatings of Surgical Implants	20181115	4	5,896円(本体5,460円)

ASTM F1599 – 95(2018)	Standard Guide for Collecting Performance Data on Temporary Storage Devices	20181101	5	6,739円 (本体6,240円)
ASTM F1607 – 95(2018)	Standard Guide for Reporting of Test Performance Data for Oil Spill Response Pumps	20181101	3	5,896円 (本体5,460円)
ASTM F1674 – 18	Standard Test Method for Joint Restraint Products for Use with PVC Pipe	20181101	4	5,896円 (本体5,460円)
ASTM F1702 – 10(2018)	Standard Test Method for Measuring Impact-Attenuation Characteristics of Natural Playing Surface Systems Using a Lightweight Portable Apparatus	20181201	5	6,739円 (本体6,240円)
ASTM F1807 – 18a	Standard Specification for Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) Tubing	20181101	9	6,739円 (本体6,240円)
ASTM F1821 – 18	Standard Consumer Safety Specification for Toddler Beds	20181201	11	7,581円 (本体7,020円)
ASTM F1960 – 18a	Standard Specification for Cold Expansion Fittings with PEX Reinforcing Rings for Use with Cross-linked Polyethylene (PEX) and Polyethylene of Raised Temperature (PE-RT) Tubing	20181101	7	6,739円 (本体6,240円)
ASTM F1967 – 18	Standard Consumer Safety Specification for Infant Bath Seats	20181215	17	7,581円 (本体7,020円)
ASTM F2007 – 18	Standard Practice for Design, Manufacture, and Operation of Concession Go-Karts and Facilities	20181101	5	6,739円 (本体6,240円)
ASTM F2043 – 13(2018)	Standard Classification for Bicycle Usage	20181101	3	5,896円 (本体5,460円)
ASTM F2080 – 18	Standard Specification for Cold-Expansion Fittings with Metal Compression-Sleeves for Crosslinked Polyethylene (PEX) Pipe and SDR9 Polyethylene of Raised Temperature (PE-RT) Pipe	20181101	7	6,739円 (本体6,240円)
ASTM F2159 – 18a	Standard Specification for Plastic Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) Tubing	20181101	7	6,739円 (本体6,240円)
ASTM F2315 – 18	Standard Guide for Immobilization or Encapsulation of Living Cells or Tissue in Alginate Gels	20181101	8	6,739円 (本体6,240円)
ASTM F2426 – 13(2018)e1	Standard Guide on Wing Interface Documentation for Powered Parachute Aircraft	20181101	3	5,896円 (本体5,460円)
ASTM F2434 – 18	Standard Specification for Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Cross-linked Polyethylene/Aluminum/Cross-linked Polyethylene (PEX-AL-PEX) Tubing	20181101	6	6,739円 (本体6,240円)
ASTM F2440 – 18	Standard Specification for Indoor Wall/Feature Padding	20181101	2	5,896円 (本体5,460円)
ASTM F2450 – 18	Standard Guide for Assessing Microstructure of Polymeric Scaffolds for Use in Tissue-Engineered Medical Products	20181115	11	7,581円 (本体7,020円)
ASTM F2554 – 18	Standard Practice for Measurement of Positional Accuracy of Computer Assisted Surgical Systems	20181101	11	7,581円 (本体7,020円)

ASTM F2675/F2675M - 19	Standard Test Method for Determining Arc Ratings of Hand Protective Products Developed and Used for Electrical Arc Flash Protection	20190101	13	7,581円 (本体7,020円)
ASTM F2735 - 18	Standard Specification for Plastic Insert Fittings For SDR9 Cross-linked Polyethylene (PEX) and Polyethylene of Raised Temperature (PE-RT) Tubing	20181101	6	6,739円 (本体6,240円)
ASTM F2764/F2764M - 18a	Standard Specification for 6 to 60 in. [150 to 1500 mm] Polypropylene (PP) Corrugated Double and Triple Wall Pipe and Fittings for Non-Pressure Sanitary Sewer Applications	20181101	9	6,739円 (本体6,240円)
ASTM F2795 - 18	Standard Test Method for Performance of Self-Contained Soft Serve and Shake Freezers	20180901	13	7,581円 (本体7,020円)
ASTM F2983 - 13(2018)	Standard Guide for Manufacturers for Labeling and Care Instructions for Wrestling Mats	20181101	2	5,896円 (本体5,460円)
ASTM F3027 - 18	Standard Guide for Training of Personnel Operating in Mountainous Terrain (Mountain Endorsement)	20181101	4	5,896円 (本体5,460円)
ASTM F3117/F3117M - 18c	Standard Specification for Crew Interface in Aircraft	20181101	18	7,581円 (本体7,020円)
ASTM F3173/F3173M - 18	Standard Specification for Aircraft Handling Characteristics	20181201	9	6,739円 (本体6,240円)
ASTM F3219 - 18	Standard Specification for 3 to 30 in. (75 To 750 mm) Polypropylene (PP) Corrugated Single Wall Pipe and Fittings	20181101	6	6,739円 (本体6,240円)
ASTM F3246 - 18	Standard Specification for Quality Assurance for Manufacturers of Aircraft Systems	20181201	3	5,896円 (本体5,460円)
ASTM F3283/F3283M - 18	Standard Specification for the Manufacturing of High-Voltage Proximity Alarm to be used for the Detection of Overhead High Voltage Alternating Current (AC)	20181001	14	7,581円 (本体7,020円)
ASTM F3297 - 19	Standard Practice for Corrections Application for Non-Lethal Electric Security Fences	20190101	4	5,896円 (本体5,460円)
ASTM F3317 - 18a	Standard Consumer Safety Specification for Infant Floor Seats	20181101	10	6,739円 (本体6,240円)
ASTM F3329 - 18	Standard Specification for Carbon and Alloy Steel Metric Rivets	20181115	4	5,896円 (本体5,460円)
ASTM F3338 - 18	Standard Specification for Design of Electric Propulsion Units for General Aviation Aircraft	20181201	12	7,581円 (本体7,020円)
ASTM F3347 - 18	Standard Specification for Metal Press Insert Fittings with Factory Assembled Stainless Steel Press Sleeve for SDR9 Cross-linked Polyethylene (PEX) Tubing	20181101	6	6,739円 (本体6,240円)
ASTM F3348 - 18	Standard Specification for Plastic Press Insert Fittings with Factory Assembled Stainless Steel Press Sleeve for SDR9 Cross-linked Polyethylene (PEX) Tubing	20181101	6	6,739円 (本体6,240円)
ASTM F3359 - 18	Standard Test Method for Determining Bending Yield Moment of Staples	20181201	4	5,896円 (本体5,460円)

ASTM F3361 - 18	Standard Guide for Classifying Alterations for In-Service Aircraft under FAA Authority Oversight	20181201	9	6,739円 (本体6,240円)
ASTM F3362 - 18	Standard Guide for Onboard Communication & Safety Systems Personnel Certification	20181201	5	6,739円 (本体6,240円)

## G. Corrosion, Deterioration, and Degradation of Materials

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM G51 - 18	Standard Test Method for Measuring pH of Soil for Use in Corrosion Testing	20181101	4	5,896円 (本体5,460円)
ASTM G67 - 18	Standard Test Method for Determining the Susceptibility to Intergranular Corrosion of 5XXX Series Aluminum Alloys by Mass Loss After Exposure to Nitric Acid (NAMLT Test)	20181001	5	6,739円 (本体6,240円)
ASTM G121 - 18	Standard Practice for Preparation of Contaminated Test Coupons for the Evaluation of Cleaning Agents	20181201	5	6,739円 (本体6,240円)