

*ここに掲載している規格は英語版です。JSA Webdesk でご購入いただけます。
*規格の表示は部門別です。

A.Ferrous Metals

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM A49 - 12(2019)	Standard Specification for Heat-Treated Carbon Steel Joint Bars, Microalloyed Joint Bars, and Forged Carbon Steel Compromise Joint Bars	20190301	4	5,896円(本体5,460円)
ASTM A335/A335M - 19	Standard Specification for Seamless Ferritic Alloy-Steel Pipe for High-Temperature Service	20190301	11	7,581円(本体7,020円)
ASTM A340 - 19	Standard Terminology of Symbols and Definitions Relating to Magnetic Testing	20190215	18	7,581円(本体7,020円)
ASTM A368 - 95a(2019)	Standard Specification for Stainless Steel Wire Strand	20190301	3	5,896円(本体5,460円)
ASTM A403/A403M - 19	Standard Specification for Wrought Austenitic Stainless Steel Piping Fittings	20190301	10	6,739円(本体6,240円)
ASTM A478 - 97(2019)	Standard Specification for Chromium-Nickel Stainless Steel Weaving and Knitting Wire	20190301	2	5,896円(本体5,460円)
ASTM A492 - 95(2019)	Standard Specification for Stainless Steel Rope Wire	20190301	2	5,896円(本体5,460円)
ASTM A513/A513M - 19	Standard Specification for Electric-Resistance-Welded Carbon and Alloy Steel Mechanical Tubing	20190301	20	7,581円(本体7,020円)
ASTM A587 - 96(2019)	Standard Specification for Electric-Resistance-Welded Low-Carbon Steel Pipe for the Chemical Industry	20190301	6	6,739円(本体6,240円)
ASTM A743/A743M - 19	Standard Specification for Castings, Iron-Chromium, Iron-Chromium-Nickel, Corrosion Resistant, for General Application	20190301	8	6,739円(本体6,240円)
ASTM A813/A813M - 14(2019)	Standard Specification for Single- or Double-Welded Austenitic Stainless Steel Pipe	20190301	8	6,739円(本体6,240円)
ASTM A814/A814M - 15(2019)	Standard Specification for Cold-Worked Welded Austenitic Stainless Steel Pipe	20190301	7	6,739円(本体6,240円)
ASTM A908 - 03(2019)	Standard Specification for Stainless Steel Needle Tubing	20190301	2	5,896円(本体5,460円)
ASTM A943/A943M - 01(2019)	Standard Specification for Spray-Formed Seamless Austenitic Stainless Steel Pipes	20190301	7	6,739円(本体6,240円)

ASTM A949/A949M - 01(2019)	Standard Specification for Spray-Formed Seamless Ferritic/Austenitic Stainless Steel Pipe	20190301	5	6,739円 (本体6,240円)
ASTM A960/A960M - 19	Standard Specification for Common Requirements for Wrought Steel Piping Fittings	20190301	10	6,739円 (本体6,240円)
ASTM A961/A961M - 19	Standard Specification for Common Requirements for Steel Flanges, Forged Fittings, Valves, and Parts for Piping Applications	20190301	9	6,739円 (本体6,240円)
ASTM A985/A985M - 19	Standard Specification for Steel Investment Castings General Requirements, for Pressure-Containing Parts	20190301	12	7,581円 (本体7,020円)
ASTM A995/A995M - 19	Standard Specification for Castings, Austenitic-Ferritic (Duplex) Stainless Steel, for Pressure-Containing Parts	20190301	6	6,739円 (本体6,240円)

B.Nonferrous Metals

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM B354 - 19	Standard Terminology Relating to Uninsulated Metallic Electrical Conductors	20190201	6	6,739円 (本体6,240円)
ASTM B400/B400M - 19	Standard Specification for Compact Round Concentric-Lay-Stranded Aluminum 1350 Conductors	20190301	6	6,739円 (本体6,240円)

C.Cementitious,Ceramic,Concrete,and Masonry materials

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM C94/C94M - 18	Standard Specification for Ready-Mixed Concrete	20181215	15	7,581円 (本体7,020円)
ASTM C168 - 19	Standard Terminology Relating to Thermal Insulation	20190301	7	6,739円 (本体6,240円)
ASTM C233/C233M - 18	Standard Test Method for Air-Entraining Admixtures for Concrete	20181215	6	6,739円 (本体6,240円)
ASTM C270 - 19	Standard Specification for Mortar for Unit Masonry	20190201	14	7,581円 (本体7,020円)
ASTM C591 - 19	Standard Specification for Unfaced Preformed Rigid Cellular Polyisocyanurate Thermal Insulation	20190301	10	6,739円 (本体6,240円)
ASTM C704/C704M - 15e1	Standard Test Method for Abrasion Resistance of Refractory Materials at Room Temperature	20150301	12	7,581円 (本体7,020円)
ASTM C717 - 19	Standard Terminology of Building Seals and Sealants	20190301	13	7,581円 (本体7,020円)
ASTM C791 - 19	Standard Test Methods for Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Boron Carbide	20190201	28	9,687円 (本体8,970円)
ASTM C809 - 19	Standard Test Methods for Chemical, Mass Spectrometric, and Spectrochemical Analysis of Nuclear-Grade Aluminum Oxide and AluminumOxide-Boron Carbide Composite Pellets	20190201	7	6,739円 (本体6,240円)

ASTM C892 - 19	Standard Specification for High-Temperature Fiber Blanket Thermal Insulation	20190301	6	6,739円 (本体6,240円)
ASTM C932 - 06(2019)	Standard Specification for Surface-Applied Bonding Compounds for Exterior Plastering	20190301	5	6,739円 (本体6,240円)
ASTM C1043 - 19	Standard Practice for Guarded-Hot-Plate Design Using Circular Line-Heat Sources	20190301	16	7,581円 (本体7,020円)
ASTM C1063 - 19	Standard Specification for Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-Based Plaster	20190201	11	7,581円 (本体7,020円)
ASTM C1071 - 19	Standard Specification for Fibrous Glass Duct Lining Insulation (Thermal and Sound Absorbing Material)	20190301	4	5,896円 (本体5,460円)
ASTM C1088 - 19	Standard Specification for Thin Veneer Brick Units Made From Clay or Shale	20190301	5	6,739円 (本体6,240円)
ASTM C1338 - 19	Standard Test Method for Determining Fungi Resistance of Insulation Materials and Facings	20190301	3	5,896円 (本体5,460円)
ASTM C1339/C1339M - 18	Standard Test Method for Flowability and Bearing Area of Chemical-Resistant Polymer Machinery Grouts	20181215	6	6,739円 (本体6,240円)
ASTM C1397 - 13(2019)	Standard Practice for Application of Class PB Exterior Insulation and Finish Systems (EIFS) and EIFS with Drainage	20190301	9	6,739円 (本体6,240円)
ASTM C1468 - 19	Standard Test Method for Transthickness Tensile Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperature	20190215	18	7,581円 (本体7,020円)
ASTM C1478 - 19	Standard Specification for Storm Drain Resilient Connectors Between Reinforced Concrete Storm Sewer Structures, Pipes, and Laterals	20190301	3	5,896円 (本体5,460円)
ASTM C1478M - 19	Standard Specification for Storm Drain Resilient Connectors Between Reinforced Concrete Storm Sewer Structures, Pipes, and Laterals (Metric)	20190301	3	5,896円 (本体5,460円)
ASTM C1526 - 19	Standard Specification for Serpentine Dimension Stone	20190201	2	5,896円 (本体5,460円)
ASTM C1558 - 19	Standard Guide for Development of Standard Data Records for Computerization of Thermal Transmission Test Data for Thermal Insulation	20190301	11	7,581円 (本体7,020円)
ASTM C1639 - 19	Standard Specification for Fabrication Of Cellular Glass Pipe And Tubing Insulation	20190301	4	5,896円 (本体5,460円)
ASTM C1697 - 18	Standard Specification for Blended Supplementary Cementitious Materials	20181201	5	6,739円 (本体6,240円)
ASTM C1787 - 14(2019)	Standard Specification for Installation of Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications	20190301	3	5,896円 (本体5,460円)
ASTM C1788 - 14(2019)	Standard Specification for Non Metallic Plaster Bases (Lath) Used with Portland Cement Based Plaster in Vertical Wall Applications	20190301	2	5,896円 (本体5,460円)

D.Miscellaneous Materials

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM D229 - 19	Standard Test Methods for Rigid Sheet and Plate Materials Used for Electrical Insulation	20190301	18	7,581円(本体7,020円)
ASTM D1079 - 18e1	Standard Terminology Relating to Roofing and Waterproofing	20181215	11	7,581円(本体7,020円)
ASTM D1165 - 18	Standard Nomenclature of Commercial Hardwoods and Softwoods	20181201	8	6,739円(本体6,240円)
ASTM D1655 - 19	Standard Specification for Aviation Turbine Fuels	20190301	23	9,687円(本体8,970円)
ASTM D1686 - 19	Standard Test Method for Color of Solid Aromatic Hydrocarbons and Related Materials in the Molten State (Platinum-Cobalt Scale)	20190115	3	5,896円(本体5,460円)
ASTM D2035 - 19	Standard Practice for Coagulation-Flocculation Jar Test of Water	20190301	4	5,896円(本体5,460円)
ASTM D2216 - 19	Standard Test Methods for Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass	20190301	7	6,739円(本体6,240円)
ASTM D2425 - 19	Standard Test Method for Hydrocarbon Types in Middle Distillates by Mass Spectrometry	20190115	14	7,581円(本体7,020円)
ASTM D2519 - 19	Standard Test Method for Bond Strength of Electrical Insulating Varnishes by the Helical Coil Test	20190301	3	5,896円(本体5,460円)
ASTM D2643/D2643M - 08(2019)	Standard Specification for Prefabricated Bituminous Geomembrane Used as Canal and Ditch Liner (Exposed Type)	20190215	3	5,896円(本体5,460円)
ASTM D2686 - 19	Standard Specification for Polytetrafluoroethylene-Backed Pressure-Sensitive Electrical Insulating Tape	20190301	2	5,896円(本体5,460円)
ASTM D2726/D2726M - 19	Standard Test Method for Bulk Specific Gravity and Density of Non-Absorptive Compacted Asphalt Mixtures	20190301	4	5,896円(本体5,460円)
ASTM D2846/D2846M - 19	Standard Specification for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Hot- and Cold-Water Distribution Systems	20190201	12	7,581円(本体7,020円)
ASTM D2961/D2961M - 19	Standard Practice for Single-Stage Total Moisture Less than 15 % in Coal Reduced to 2.36 mm [No. 8 Sieve] Topsize	20190301	3	5,896円(本体5,460円)
ASTM D3462/D3462M - 19	Standard Specification for Asphalt Shingles Made from Glass Felt and Surfaced with Mineral Granules	20190201	4	5,896円(本体5,460円)
ASTM D3632 - 98(2019)	Standard Test Method for Accelerated Aging of Adhesive Joints by the Oxygen-Pressure Method	20190301	9	6,739円(本体6,240円)
ASTM D3983 - 98(2019)	Standard Test Method for Measuring Strength and Shear Modulus of Nonrigid Adhesives by the Thick-Adherend Tensile-Lap Specimen	20190301	11	7,581円(本体7,020円)

ASTM D4027 – 98(2019)	Standard Test Method for Measuring Shear Properties of Structural Adhesives by the Modified-Rail Test	20190301	9	6,739円 (本体6,240円)
ASTM D4259 – 18	Standard Practice for Preparation of Concrete by Abrasion Prior to Coating Application	20181215	3	5,896円 (本体5,460円)
ASTM D4502 – 92(2019)	Standard Test Method for Heat and Moisture Resistance of Wood-Adhesive Joints	20190301	15	7,581円 (本体7,020円)
ASTM D4544 – 19	Standard Practice for Estimating Peat Deposit Thickness	20190201	3	5,896円 (本体5,460円)
ASTM D4761 – 18	Standard Test Methods for Mechanical Properties of Lumber and Wood-Based Structural Materials	20181101	11	7,581円 (本体7,020円)
ASTM D4792/D4792M – 13(2019)	Standard Test Method for Potential Expansion of Aggregates from Hydration Reactions	20190215	3	5,896円 (本体5,460円)
ASTM D4806 – 19	Standard Specification for Denatured Fuel Ethanol for Blending with Gasolines for Use as Automotive Spark-Ignition Engine Fuel	20190301	9	6,739円 (本体6,240円)
ASTM D5114/D5114M – 90(2018)e1	Standard Test Method for Laboratory Froth Flotation of Coal in a Mechanical Cell	20181101	7	6,739円 (本体6,240円)
ASTM D5213 – 19	Standard Specification for Polymeric Resin Film for Electrical Insulation and Dielectric Applications	20190301	7	6,739円 (本体6,240円)
ASTM D5229/D5229M – 14e1	Standard Test Method for Moisture Absorption Properties and Equilibrium Conditioning of Polymer Matrix Composite Materials	20140515	19	7,581円 (本体7,020円)
ASTM D5341/D5341M – 19	Standard Test Method for Measuring Coke Reactivity Index (CRI) and Coke Strength After Reaction (CSR)	20190101	5	6,739円 (本体6,240円)
ASTM D5457 – 19	Standard Specification for Computing Reference Resistance of Wood-Based Materials and Structural Connections for Load and Resistance Factor Design	20190101	12	7,581円 (本体7,020円)
ASTM D5572 – 95(2019)	Standard Specification for Adhesives Used for Finger Joints in Nonstructural Lumber Products	20190201	17	7,581円 (本体7,020円)
ASTM D5751 – 99(2019)	Standard Specification for Adhesives Used for Laminate Joints in Nonstructural Lumber Products	20190201	11	7,581円 (本体7,020円)
ASTM D5878 – 19	Standard Guides for Using Rock-Mass Classification Systems for Engineering Purposes	20190201	30	9,687円 (本体8,970円)
ASTM D6172/D6172M – 18	Standard Test Method for Determining the Volume of Bulk Materials Using Contours or Cross Sections Created by Direct Operator Compilation Using Photogrammetric Procedures	20181201	8	6,739円 (本体6,240円)
ASTM D6325 – 98(2019)	Standard Test Method for Determining Open Assembly Time of Carpet Mastic Adhesives	20190301	2	5,896円 (本体5,460円)
ASTM D6556 – 19	Standard Test Method for Carbon Black-Total and External Surface Area by Nitrogen Adsorption	20190101	6	6,739円 (本体6,240円)

ASTM D6700 – 19	Standard Guide for Use of Scrap Tires as Tire-Derived Fuel	20190201	8	6,739円 (本体6,240円)
ASTM D6707/D6707M – 06(2019)	Standard Specification for Circular-Knit Geotextile for Use in Subsurface Drainage Applications	20190215	2	5,896円 (本体5,460円)
ASTM D6799 – 13(2019)	Standard Terminology Relating to Inflatable Restraints	20190101	4	5,896円 (本体5,460円)
ASTM D7148 – 19	Standard Test Method for Determining the Ionic Resistivity (ER) of Alkaline Battery Separator Using a Carbon Electrode in an Electrolyte Bath Measuring System	20190301	7	6,739円 (本体6,240円)
ASTM D7318 – 19	Standard Test Method for Existent Inorganic Sulfate in Ethanol by Potentiometric Titration	20190214	6	6,739円 (本体6,240円)
ASTM D7383 – 19	Standard Test Methods for Axial Rapid Load (Compressive Force Pulse) Testing of Deep Foundations	20190301	9	6,739円 (本体6,240円)
ASTM D7566 – 19	Standard Specification for Aviation Turbine Fuel Containing Synthesized Hydrocarbons	20190301	35	9,687円 (本体8,970円)
ASTM D7626 – 19	Standard Test Methods for Determining the Organic Treat Loading of Organophilic Clay	20190201	6	6,739円 (本体6,240円)
ASTM D7803 – 19	Standard Practice for Preparation of Zinc (Hot-Dip Galvanized) Coated Iron and Steel Product and Hardware Surfaces for Powder Coating	20190201	5	6,739円 (本体6,240円)
ASTM D8016 – 18e1	Standard Test Method for Silica, Precipitated, Hydrated—Sears Number	20180601	4	5,896円 (本体5,460円)
ASTM D8157 – 19	Standard Guide for Qualification Testing of Coatings Used in Coating Service Level I in Nuclear Power Plants	20190301	4	5,896円 (本体5,460円)
ASTM D8233 – 19	Standard Guide for Packaging and Labeling of Consumer Resin Cannabis Products for Sale to Adult Consumers, Legally Authorized Medical Users, and Caregivers in a Business-to-Consumer Retail Environment (Retailers)	20190201	8	6,739円 (本体6,240円)
ASTM D8236 – 18	Standard Practice for Preparing an Equilibrium Liquid/Vapor Sample of Live Crude Oil, Condensates, or Liquid Petroleum Products Using a Manual Piston Cylinder for Subsequent Liquid Analysis or Gas Analysis	20181215	10	6,739円 (本体6,240円)
ASTM D8243 – 19	Standard Test Method for Determination of APS Reductase to Estimate Sulfate Reducing Bacterial Bioburdens in Water – Enzyme-Linked Immunosorbent Assay Method	20190101	9	6,739円 (本体6,240円)
ASTM D8245 – 19	Standard Guide for Disposal of Resin-Containing Cannabis Raw Materials and Downstream Products	20190115	7	6,739円 (本体6,240円)
ASTM D8249 – 19	Standard Practice for Use of Rotary Kiln Produced Porous Ceramic as a Mineral Amendment in Topsoil Used for Landscaping and Related Purposes	20190301	3	5,896円 (本体5,460円)

E.Miscellaneous Subjects

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM E145 – 19	Standard Specification for Gravity-Convection and Forced-Ventilation Ovens	20190301	3	5,896円 (本体5,460円)

ASTM E164 - 19	Standard Practice for Contact Ultrasonic Testing of Weldments	20190201	24	9,687円 (本体8,970円)
ASTM E566 - 19	Standard Practice for Electromagnetic (Eddy Current/Magnetic Induction) Sorting of Ferrous Metals	20190201	5	6,739円 (本体6,240円)
ASTM E927 - 19	Standard Classification for Solar Simulators for Electrical Performance Testing of Photovoltaic Devices	20190201	8	6,739円 (本体6,240円)
ASTM E981 - 19	Standard Test Method for Estimating Sensory Irritancy of Airborne Chemicals	20190201	12	7,581円 (本体7,020円)
ASTM E1032 - 19	Standard Practice for Radiographic Examination of Weldments Using Industrial X-Ray Film	20190201	7	6,739円 (本体6,240円)
ASTM E1109 - 19	Standard Test Method for Determining the Bulk Density of Solid Waste Fractions	20190201	3	5,896円 (本体5,460円)
ASTM E1135 - 19	Standard Test Method for Comparing the Brightness of Fluorescent Penetrants	20190201	3	5,896円 (本体5,460円)
ASTM E1232 - 07(2019)	Standard Test Method for Temperature Limit of Flammability of Chemicals	20190201	11	7,581円 (本体7,020円)
ASTM E1491 - 06(2019)	Standard Test Method for Minimum Autoignition Temperature of Dust Clouds	20190215	10	6,739円 (本体6,240円)
ASTM E1564 - 00(2019)	Standard Guide for Design and Maintenance of Low-Temperature Storage Facilities for Maintaining Cryopreserved Biological Materials	20190201	3	5,896円 (本体5,460円)
ASTM E1565 - 00(2019)	Standard Guide for Inventory Control and Handling of Biological Material Maintained at Low Temperatures	20190201	3	5,896円 (本体5,460円)
ASTM E1566 - 00(2019)	Standard Guide for Handling Hazardous Biological Materials in Liquid Nitrogen	20190201	2	5,896円 (本体5,460円)
ASTM E1820 - 18ae1	Standard Test Method for Measurement of Fracture Toughness	20181101	65	11,512円 (本体10,660円)
ASTM E2019 - 03(2019)	Standard Test Method for Minimum Ignition Energy of a Dust Cloud in Air	20190215	9	6,739円 (本体6,240円)
ASTM E2023 - 19	Standard Practice for Fabrication of Neutron Radiographic Sensitivity Indicators	20190201	8	6,739円 (本体6,240円)
ASTM E2111 - 12(2018)	Standard Quantitative Carrier Test Method to Evaluate the Bactericidal, Fungicidal, Mycobactericidal, and Sporicidal Potencies of Liquid Chemicals	20180915	10	6,739円 (本体6,240円)
ASTM E2135 - 10A(2017)e1	Standard Terminology for Property and Asset Management	20170501	15	7,581円 (本体7,020円)
ASTM E2177 - 19	Standard Test Method for Measuring the Coefficient of Retroreflected Luminance (RL) of Pavement Markings in a Standard Condition of Wetness	20190101	6	6,739円 (本体6,240円)

ASTM E2256 - 19	Standard Guide for Hydraulic Integrity of New, Repaired, or Reconstructed Aboveground Storage Tank Bottoms for Petroleum Service	20190101	17	7,581円 (本体7,020円)
ASTM E2397/E2397M - 19	Standard Practice for Determination of Dead Loads and Live Loads Associated with Vegetative (Green) Roof Systems	20190201	6	6,739円 (本体6,240円)
ASTM E2398/E2398M - 19	Standard Test Method for Water Capture and Media Retention of Geocomposite Drain Layers for Vegetative (Green) Roof Systems	20190201	3	5,896円 (本体5,460円)
ASTM E2454 - 19	Standard Guide for Sensory Evaluation Methods to Determine the Sensory Shelf Life of Consumer Products	20190201	9	6,739円 (本体6,240円)
ASTM E2871 - 19	Standard Test Method for Determining Disinfectant Efficacy Against Biofilm Grown in the CDC Biofilm Reactor Using the Single Tube Method	20190101	8	6,739円 (本体6,240円)
ASTM E2874 - 19	Standard Test Method for Determining the Fire-Test Response Characteristics of a Building Spandrel-Panel Assembly Due to External Spread of Fire	20190201	17	7,581円 (本体7,020円)
ASTM E2888 - 12(2019)	Standard Practice for Process for Inactivation of Rodent Retrovirus by pH	20190201	3	5,896円 (本体5,460円)
ASTM E2900 - 19	Standard Practice for Spacecraft Hardware Thermal Vacuum Bakeout	20190201	10	6,739円 (本体6,240円)
ASTM E2916 - 19	Standard Terminology for Digital and Multimedia Evidence Examination	20190301	9	6,739円 (本体6,240円)
ASTM E2917 - 19	Standard Practice for Forensic Science Practitioner Training, Continuing Education, and Professional Development Programs	20190215	4	5,896円 (本体5,460円)
ASTM E2931 - 13(2019)	Standard Test Method for Limiting Oxygen (Oxidant) Concentration of Combustible Dust Clouds	20190215	9	6,739円 (本体6,240円)
ASTM E3048 - 19	Standard Test Method for Determination of Time to Burn-Through Using the Intermediate Scale Calorimeter (ICAL) Radiant Panel	20190201	5	6,739円 (本体6,240円)
ASTM E3069 - 19	Standard Guide for Evaluation and Rehabilitation of Mass Masonry Walls for Changes to Thermal and Moisture Properties of the Wall	20190201	7	6,739円 (本体6,240円)
ASTM E3174 - 19	Standard Practice for Determination of Kinetic Reaction Model Using Differential Scanning Calorimetry	20190215	6	6,739円 (本体6,240円)

F.Materials for Specific Applications

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM F702 - 18	Standard Specification for Polysulfone Resin for Medical Applications	20181201	4	5,896円 (本体5,460円)
ASTM F710 - 19	Standard Practice for Preparing Concrete Floors to Receive Resilient Flooring	20190201	8	6,739円 (本体6,240円)
ASTM F894 - 19	Standard Specification for Polyethylene (PE) Large Diameter Profile Wall Sewer and Drain Pipe	20190201	11	7,581円 (本体7,020円)

ASTM F939 - 19	Standard Practice for Selection of Release Torque Values for Alpine Ski Bindings	20190101	7	6,739円 (本体6,240円)
ASTM F1279 - 19	Standard Guide for Ecological Considerations for the Restriction of the Use of Surface Washing Agents: Permeable Land Surfaces	20190301	3	5,896円 (本体5,460円)
ASTM F1280 - 19	Standard Guide for Ecological Considerations for the Use of Surface Washing Agents: Impermeable Surfaces	20190301	2	5,896円 (本体5,460円)
ASTM F1523 - 94(2018)	Standard Guide for Selection of Booms in Accordance With Water Body Classifications	20181101	2	5,896円 (本体5,460円)
ASTM F1637 - 19	Standard Practice for Safe Walking Surfaces	20190215	3	5,896円 (本体5,460円)
ASTM F1871 - 18	Standard Specification for Folded/Formed Poly (Vinyl Chloride) Pipe Type A for Existing Sewer and Conduit Rehabilitation	20181115	5	6,739円 (本体6,240円)
ASTM F2042 - 18	Standard Guide for Silicone Elastomers, Gels, and Foams Used in Medical Applications Part II—Crosslinking and Fabrication	20181201	7	6,739円 (本体6,240円)
ASTM F2152 - 07(2018)	Standard Guide for In-Situ Burning of Spilled Oil: Fire-Resistant Boom	20181001	4	5,896円 (本体5,460円)
ASTM F2205 - 19	Standard Guide for Ecological Considerations for the Use of Chemical Dispersants in Oil Spill Response: Tropical Environments	20190201	7	6,739円 (本体6,240円)
ASTM F2230 - 19	Standard Guide for In-situ Burning of Oil Spills on Water: Ice Conditions	20190301	7	6,739円 (本体6,240円)
ASTM F2421 - 19a	Standard Test Method for Measurement of Resilient Floor Plank by Dial Gauge	20190201	4	5,896円 (本体5,460円)
ASTM F2471 - 19	Standard Practice for Installation of Thick Poured Lightweight Cellular Concrete Underlays and Preparation of the Surface to Receive Resilient Flooring	20190201	4	5,896円 (本体5,460円)
ASTM F2532 - 19	Standard Guide for Determining Net Environmental Benefit of Dispersant Use	20190301	5	6,739円 (本体6,240円)
ASTM F2579 - 18	Standard Specification for Amorphous Poly(lactide) and Poly(lactide-co-glycolide) Resins for Surgical Implants	20181215	12	7,581円 (本体7,020円)
ASTM F2620 - 19	Standard Practice for Heat Fusion Joining of Polyethylene Pipe and Fittings	20190201	25	9,687円 (本体8,970円)
ASTM F2658 - 07(2019)	Standard Specification for Type PSM Poly(Vinyl Chloride) (PVC) SDR 51 and SDR 64 Sewer Pipe and Fittings	20190201	10	6,739円 (本体6,240円)
ASTM F2715 - 19	Standard Specification for Temporary Protective Equipotential Bond Mat To Be Used on De-Energized Equipment	20190201	6	6,739円 (本体6,240円)
ASTM F2878 - 19	Standard Test Method for Protective Clothing Material Resistance to Hypodermic Needle Puncture	20190201	6	6,739円 (本体6,240円)

ASTM F2888 - 19	Standard Practice for Platelet Leukocyte Count—An In-Vitro Measure for Hemocompatibility Assessment of Cardiovascular Materials	20190201	5	6,739円 (本体6,240円)
ASTM F2916 - 19	Standard Practice for Environmental Impact Analysis of Commercial Food Service Equipment	20190115	9	6,739円 (本体6,240円)
ASTM F3062/F3062M - 19	Standard Specification for Aircraft Powerplant Installation	20190201	11	7,581円 (本体7,020円)
ASTM F3093/F3093M - 19	Standard Specification for Aeroelasticity Requirements	20190215	3	5,896円 (本体5,460円)
ASTM F3125/F3125M - 18	Standard Specification for High Strength Structural Bolts and Assemblies, Steel and Alloy Steel, Heat Treated, Inch Dimensions 120 ksi and 150 ksi Minimum Tensile Strength, and Metric Dimensions 830 MPa and 1040 MPa Minimum Tensile Strength	20181201	13	7,581円 (本体7,020円)
ASTM F3128 - 19	Standard Specification for Poly(Vinyl Chloride) (PVC) Schedule 40 Drain, Waste, and Vent Pipe with a Cellular Core	20190301	8	6,739円 (本体6,240円)
ASTM F3275 - 19	Standard Guide for Using a Force Tester to Evaluate Performance of a Brush Part Designed to Clean the Internal Channel of a Medical Device	20190115	12	7,581円 (本体7,020円)
ASTM F3276 - 19	Standard Guide for Using a Force Tester to Evaluate the Performance of a Brush Part Designed to Clean the External Surface of a Medical Device	20190215	11	7,581円 (本体7,020円)
ASTM F3298 - 19	Standard Specification for Design, Construction, and Verification of Lightweight Unmanned Aircraft Systems (UAS)	20190201	33	9,687円 (本体8,970円)
ASTM F3306 - 19	Standard Test Method for Ion Release Evaluation of Medical Implants	20190201	6	6,739円 (本体6,240円)
ASTM F3324 - 19	Standard Test Method for Measurement of Cut Resistance to Chainsaw in Leg-Protective Devices	20190201	13	7,581円 (本体7,020円)
ASTM F3325 - 19	Standard Specification for Leg-Protective Devices for Chainsaw Users	20190201	8	6,739円 (本体6,240円)
ASTM F3353 - 19	Standard Guide for Shipboard Use of Lithium-Ion (Li-ion) Batteries	20190215	4	5,896円 (本体5,460円)
ASTM F3363 - 19	Standard Specification for Unvented Liquid/Gel Fuel-Burning Portable Devices	20190215	5	6,739円 (本体6,240円)
ASTM F3365 - 19	Standard Practice for Compliance Audits to ASTM Standards on Unmanned Aircraft Systems	20190201	5	6,739円 (本体6,240円)

G. Corrosion, Deterioration, and Degradation of Materials

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM G2/G2M - 19	Standard Test Method for Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680° F (360° C) or in Steam at 750° F (400° C)	20190101	8	6,739円 (本体6,240円)

ASTM G16 - 13(2019)	Standard Guide for Applying Statistics to Analysis of Corrosion Data	20190215	14	7,581円 (本体7,020円)
ASTM G135 - 95(2019)	Standard Guide for Computerized Exchange of Corrosion Data for Metals	20190215	10	6,739円 (本体6,240円)