

ASTM規格

--- 2019-05 新刊情報 ---

日本規格協会グループ

*ここに掲載している規格は英語版です。JSA Webdesk でご購入いただけます。
*規格の表示は部門別です。

A.Ferrous Metals

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM A106/A106M - 19	Standard Specification for Seamless Carbon Steel Pipe for High-Temperature Service	20190501	9	6,739円 (本体6,240円)
ASTM A128/A128M - 19	Standard Specification for Steel Castings, Austenitic Manganese	20190501	3	5,896円 (本体5,460円)
ASTM A135/A135M - 19	Standard Specification for Electric-Resistance-Welded Steel Pipe	20190501	10	6,739円 (本体6,240円)
ASTM A179/A179M - 19	Standard Specification for Seamless Cold-Drawn Low-Carbon Steel Heat-Exchanger and Condenser Tubes	20190501	3	5,896円 (本体5,460円)
ASTM A210/A210M - 19	Standard Specification for Seamless Medium-Carbon Steel Boiler and Superheater Tubes	20190501	3	5,896円 (本体5,460円)
ASTM A214/A214M - 19	Standard Specification for Electric-Resistance-Welded Carbon Steel Heat-Exchanger and Condenser Tubes	20190501	3	5,896円 (本体5,460円)
ASTM A471/A471M - 19	Standard Specification for Vacuum-Treated Alloy Steel Forgings for Turbine Rotor Disks and Wheels	20190501	5	6,739円 (本体6,240円)
ASTM A473 - 19	Standard Specification for Stainless Steel Forgings	20190501	6	6,739円 (本体6,240円)
ASTM A536 - 84(2019)e1	Standard Specification for Ductile Iron Castings	20190501	6	6,739円 (本体6,240円)
ASTM A668/A668M - 19	Standard Specification for Steel Forgings, Carbon and Alloy, for General Industrial Use	20190501	10	6,739円 (本体6,240円)
ASTM A788/A788M - 19	Standard Specification for Steel Forgings, General Requirements	20190501	18	7,581円 (本体7,020円)

B.Nonferrous Metals

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM B68/B68M - 19	Standard Specification for Seamless Copper Tube, Bright Annealed	20190401	6	6,739円 (本体6,240円)
ASTM B70 - 90(2019)	Standard Test Method for Change of Resistance With Temperature of Metallic Materials for Electrical Heating	20190401	2	5,896円 (本体5,460円)

ASTM B75/B75M - 19	Standard Specification for Seamless Copper Tube	20190401	8	6,739円 (本体6,240円)
ASTM B78 - 90(2019)	Standard Test Method of Accelerated Life of Iron-Chromium-Aluminum Alloys for Electrical Heating	20190401	5	6,739円 (本体6,240円)
ASTM B84 - 07(2019)	Standard Test Method for Temperature-Resistance Constants of Alloy Wires for Precision Resistors	20190401	5	6,739円 (本体6,240円)
ASTM B124/B124M - 19	Standard Specification for Copper and Copper Alloy Forging Rod, Bar, and Shapes	20190401	8	6,739円 (本体6,240円)
ASTM B130 - 19	Standard Specification for Commercial Bronze Strip for Bullet Jackets	20190401	7	6,739円 (本体6,240円)
ASTM B150/B150M - 19	Standard Specification for Aluminum Bronze Rod, Bar, and Shapes	20190401	7	6,739円 (本体6,240円)
ASTM B160 - 05(2019)	Standard Specification for Nickel Rod and Bar	20190401	6	6,739円 (本体6,240円)
ASTM B161 - 05(2019)	Standard Specification for Nickel Seamless Pipe and Tube	20190401	4	5,896円 (本体5,460円)
ASTM B162 - 99(2019)	Standard Specification for Nickel Plate, Sheet, and Strip	20190401	9	6,739円 (本体6,240円)
ASTM B164 - 03(2019)	Standard Specification for Nickel-Copper Alloy Rod, Bar, and Wire	20190401	9	6,739円 (本体6,240円)
ASTM B166 - 19	Standard Specification for Nickel-Chromium-Aluminum Alloy, Nickel-Chromium-Iron Alloys, Nickel-Chromium-Cobalt-Molybdenum Alloy, Nickel-Iron-Chromium-Tungsten Alloy, and Nickel-Chromium-Molybdenum-Copper Alloy Rod, Bar, and Wire	20190401	9	6,739円 (本体6,240円)
ASTM B187/B187M - 19	Standard Specification for Copper, Bus Bar, Rod, and Shapes and General Purpose Rod, Bar, and Shapes	20190415	9	6,739円 (本体6,240円)
ASTM B249/B249M - 19	Standard Specification for General Requirements for Wrought Copper and Copper-Alloy Rod, Bar, Shapes and Forgings	20190401	14	7,581円 (本体7,020円)
ASTM B281 - 88(2019)e1	Standard Practice for Preparation of Copper and Copper-Base Alloys for Electroplating and Conversion Coatings	20190401	4	5,896円 (本体5,460円)
ASTM B283/B283M - 19	Standard Specification for Copper and Copper-Alloy Die Forgings (Hot-Pressed)	20190401	16	7,581円 (本体7,020円)
ASTM B315 - 19	Standard Specification for Seamless Copper Alloy Pipe and Tube	20190401	10	6,739円 (本体6,240円)
ASTM B320 - 60(2019)	Standard Practice for Preparation of Iron Castings for Electroplating	20190401	4	5,896円 (本体5,460円)
ASTM B366/B366M - 19	Standard Specification for Factory-Made Wrought Nickel and Nickel Alloy Fittings	20190401	9	6,739円 (本体6,240円)
ASTM B371/B371M - 19	Standard Specification for Copper-Zinc-Silicon Alloy Rod	20190401	4	5,896円 (本体5,460円)

ASTM B407 – 08a(2019)	Standard Specification for Nickel–Iron–Chromium Alloy Seamless Pipe and Tube	20190401	6	6,739円 (本体6,240円)
ASTM B432 – 19	Standard Specification for Copper and Copper Alloy Clad Steel Plate	20190401	7	6,739円 (本体6,240円)
ASTM B446 – 19	Standard Specification for Nickel–Chromium–Molybdenum–Columbium Alloy (UNS N06625), Nickel–Chromium–Molybdenum–Silicon Alloy (UNS N06219), and Nickel–Chromium–Molybdenum–Tungsten Alloy (UNS N06650) Rod and Bar	20190401	5	6,739円 (本体6,240円)
ASTM B453/B453M – 19	Standard Specification for Copper–Zinc–Lead Alloy (Leaded–Brass) Rod, Bar, and Shapes	20190401	6	6,739円 (本体6,240円)
ASTM B474/B474M – 19	Standard Specification for Electric Fusion Welded Nickel and Nickel Alloy Pipe	20190401	7	6,739円 (本体6,240円)
ASTM B481 – 68(2019)	Standard Practice for Preparation of Titanium and Titanium Alloys for Electroplating	20190401	3	5,896円 (本体5,460円)
ASTM B482 – 85(2019)	Standard Practice for Preparation of Tungsten and Tungsten Alloys for Electroplating	20190401	2	5,896円 (本体5,460円)
ASTM B493/B493M – 14(2019)	Standard Specification for Zirconium and Zirconium Alloy Forgings	20190401	3	5,896円 (本体5,460円)
ASTM B514 – 05(2019)	Standard Specification for Welded Nickel–Iron–Chromium Alloy Pipe	20190401	3	5,896円 (本体5,460円)
ASTM B552 – 19	Standard Specification for Seamless and Welded Copper–Nickel Tubes for Water Desalting Plants	20190401	8	6,739円 (本体6,240円)
ASTM B558 – 79(2019)	Standard Practice for Preparation of Nickel Alloys for Electroplating	20190401	2	5,896円 (本体5,460円)
ASTM B569 – 19	Standard Specification for Brass Strip in Narrow Widths and Light Gage for Heat–Exchanger Tubing	20190401	5	6,739円 (本体6,240円)
ASTM B577 – 19	Standard Test Methods for Detection of Cuprous Oxide (Hydrogen Embrittlement Susceptibility) in Copper	20190401	4	5,896円 (本体5,460円)
ASTM B580 – 79(2019)	Standard Specification for Anodic Oxide Coatings on Aluminum	20190401	3	5,896円 (本体5,460円)
ASTM B587 – 19	Standard Specification for Welded Brass Tube	20190401	10	6,739円 (本体6,240円)
ASTM B629 – 77(2019)	Standard Practice for Preparation of Molybdenum and Molybdenum Alloys for Electroplating	20190401	2	5,896円 (本体5,460円)
ASTM B668 – 14(2019)	Standard Specification for UNS N08028 and N08029 Seamless Pipe and Tube	20190401	2	5,896円 (本体5,460円)
ASTM B694 – 19	Standard Specification for Copper, Copper–Alloy, Copper–Clad Bronze (CCB), Copper–Clad Stainless Steel (CCS), and Copper–Clad Alloy Steel (CAS) Sheet and Strip for Electrical Cable Shielding	20190401	8	6,739円 (本体6,240円)

ASTM B751 - 19	Standard Specification for General Requirements for Nickel and Nickel Alloy Welded Tube	20190401	7	6,739円 (本体6,240円)
ASTM B775/B775M - 19	Standard Specification for General Requirements for Nickel and Nickel Alloy Welded Pipe	20190401	7	6,739円 (本体6,240円)
ASTM B776 - 12(2019)	Standard Specification for Hafnium and Hafnium Alloy Strip, Sheet, and Plate	20190401	9	6,739円 (本体6,240円)
ASTM B829 - 19	Standard Specification for General Requirements for Nickel and Nickel Alloys Seamless Pipe and Tube	20190401	7	6,739円 (本体6,240円)
ASTM B849 - 02(2019)	Standard Specification for Pre-Treatments of Iron or Steel for Reducing Risk of Hydrogen Embrittlement	20190401	3	5,896円 (本体5,460円)
ASTM B880 - 14(2019)	Standard Specification for General Requirements for Chemical Check Analysis Limits for Nickel, Nickel Alloys and Cobalt Alloys	20190401	4	5,896円 (本体5,460円)
ASTM B883 - 19	Standard Specification for Metal Injection Molded (MIM) Materials	20190401	7	6,739円 (本体6,240円)
ASTM B884 - 11(2019)	Standard Specification for Niobium-Titanium Alloy Billets, Bar, and Rod for Superconducting Applications	20190401	6	6,739円 (本体6,240円)
ASTM B886 - 19	Standard Test Method for Determination of Magnetic Saturation (Ms) of Cemented Carbides	20190401	3	5,896円 (本体5,460円)
ASTM B891/B891M - 19	Standard Specification for Seamless and Welded Titanium and Titanium Alloy Condenser and Heat Exchanger Tubes with Enhanced Surface for Improved Heat Transfer	20190401	8	6,739円 (本体6,240円)
ASTM B906 - 19	Standard Specification for General Requirements for Flat-Rolled Nickel and Nickel Alloys Plate, Sheet, and Strip	20190401	17	7,581円 (本体7,020円)
ASTM B919 - 19	Standard Specification for Welded Copper Heat Exchanger Tubes With Internal Enhancement	20190401	7	6,739円 (本体6,240円)
ASTM B936 - 19	Standard Specification for Copper-Chromium-Iron-Titanium Alloy Plate, Sheet, Strip and Rolled Bar	20190401	4	5,896円 (本体5,460円)
ASTM B952/B952M - 19	Standard Specification for Zinc Alloys in Ingot Form for Spin Casting	20190401	3	5,896円 (本体5,460円)
ASTM B981/B981M - 19	Standard Specification for Low-Leaded Brass Rod, Bar, Wire, and Shapes	20190401	3	5,896円 (本体5,460円)
ASTM B989 - 19	Standard Specification for High Fluidity (HF) Zinc-Aluminum Alloy in Ingot Form for Thin Wall Die Castings	20190401	3	5,896円 (本体5,460円)

C.Cementitious, Ceramic, Concrete, and Masonry materials

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM C150/C150M - 19a	Standard Specification for Portland Cement	20190412	10	6,739円 (本体6,240円)

ASTM C182 - 19	Standard Test Method for Thermal Conductivity of Insulating Firebrick	20190401	3	5,896円 (本体5,460円)
ASTM C196 - 00(2019)	Standard Specification for Expanded or Exfoliated Vermiculite Thermal Insulating Cement	20190401	3	5,896円 (本体5,460円)
ASTM C202 - 19	Standard Test Method for Thermal Conductivity of Refractory Brick	20190401	4	5,896円 (本体5,460円)
ASTM C204 - 18e1	Standard Test Methods for Fineness of Hydraulic Cement by Air-Permeability Apparatus	20181001	11	7,581円 (本体7,020円)
ASTM C232/C232M - 14(2019)	Standard Test Method for Bleeding of Concrete	20190401	3	5,896円 (本体5,460円)
ASTM C428/C428M - 05(2019)	Standard Specification for Asbestos-Cement Nonpressure Sewer Pipe	20190415	5	6,739円 (本体6,240円)
ASTM C458/C458M - 98(2019)	Standard Test Method for Organic Fiber Content of Asbestos-Cement Products	20190415	2	5,896円 (本体5,460円)
ASTM C459/C459M - 97(2019)	Standard Test Methods for Asbestos-Cement Flat Products	20190415	3	5,896円 (本体5,460円)
ASTM C500/C500M - 07(2019)	Standard Test Methods for Asbestos-Cement Pipe	20190415	5	6,739円 (本体6,240円)
ASTM C516 - 19	Standard Specification for Vermiculite Loose Fill Thermal Insulation	20190415	4	5,896円 (本体5,460円)
ASTM C541/C541M - 98(2019)	Standard Specification for Linings for Asbestos-Cement Pipe	20190415	3	5,896円 (本体5,460円)
ASTM C551/C551M - 07(2019)	Standard Specification for Asbestos-Cement Fiberboard Insulating Panels	20190415	4	5,896円 (本体5,460円)
ASTM C613 - 19	Standard Test Method for Constituent Content of Composite Prepreg by Soxhlet Extraction	20190415	8	6,739円 (本体6,240円)
ASTM C636/C636M - 19	Standard Practice for Installation of Metal Ceiling Suspension Systems for Acoustical Tile and Lay-In Panels	20190401	5	6,739円 (本体6,240円)
ASTM C681 - 14(2019)	Standard Test Method for Volatility of Oil- and Resin-Based, Knife-Grade, Channel Glazing Compounds	20190501	2	5,896円 (本体5,460円)
ASTM C771 - 14(2019)	Standard Test Method for Weight Loss After Heat Aging of Preformed Tape Sealants	20190501	2	5,896円 (本体5,460円)
ASTM C772 - 03(2019)	Standard Test Method for Oil Migration or Plasticizer Bleed-Out of Preformed Tape Sealants	20190501	2	5,896円 (本体5,460円)
ASTM C858 - 19	Standard Specification for Underground Precast Concrete Utility Structures	20190501	4	5,896円 (本体5,460円)
ASTM C864 - 05(2019)	Standard Specification for Dense Elastomeric Compression Seal Gaskets, Setting Blocks, and Spacers	20190501	3	5,896円 (本体5,460円)

ASTM C879 – 03(2019)	Standard Test Methods for Release Papers Used with Preformed Tape Sealants	20190501	3	5,896円 (本体5,460円)
ASTM C926 – 19	Standard Specification for Application of Portland Cement-Based Plaster	20190501	14	7,581円 (本体7,020円)
ASTM C935 – 19	Standard Specification for General Requirements for Prestressed Concrete Poles Statically Cast	20190501	4	5,896円 (本体5,460円)
ASTM C1045 – 19	Standard Practice for Calculating Thermal Transmission Properties Under Steady-State Conditions	20190401	13	7,581円 (本体7,020円)
ASTM C1089 – 19	Standard Specification for Spun Cast Prestressed Concrete Poles	20190501	3	5,896円 (本体5,460円)
ASTM C1096/C1096M – 07(2019)	Standard Test Method for Determination of Wood Fiber in Asbestos Cement	20190415	3	5,896円 (本体5,460円)
ASTM C1120/C1120M – 98(2019)	Standard Test Method for Wash Test of Asbestos	20190415	3	5,896円 (本体5,460円)
ASTM C1126 – 19	Standard Specification for Faced or Unfaced Rigid Cellular Phenolic Thermal Insulation	20190401	6	6,739円 (本体6,240円)
ASTM C1242 – 19	Standard Guide for Selection, Design, and Installation of Dimension Stone Attachment Systems	20190401	21	9,687円 (本体8,970円)
ASTM C1253 – 14(2019)	Standard Test Method for Determining the Outgassing Potential of Sealant Backing	20190501	5	6,739円 (本体6,240円)
ASTM C1258 – 19	Standard Test Method for Elevated Temperature and Humidity Resistance of Vapor Retarders for Insulation	20190415	2	5,896円 (本体5,460円)
ASTM C1485 – 19	Standard Test Method for Critical Radiant Flux of Exposed Attic Floor Insulation Using an Electric Radiant Heat Energy Source	20190401	6	6,739円 (本体6,240円)
ASTM C1493 – 19	Standard Test Method for Non-Destructive Assay of Nuclear Material in Waste by Passive and Active Neutron Counting Using a Differential Die-Away System	20190315	14	7,581円 (本体7,020円)
ASTM C1577 – 19	Standard Specification for Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers Designed According to AASHTO LRFD	20190401	21	9,687円 (本体8,970円)
ASTM C1738/C1738M – 19	Standard Practice for High-Shear Mixing of Hydraulic Cement Pastes	20190501	3	5,896円 (本体5,460円)
ASTM C1810/C1810M – 19	Standard Guide for Comparing Performance of Concrete-Making Materials Using Mortar Mixtures	20190201	5	6,739円 (本体6,240円)
ASTM C1859 – 19	Standard Practice for Determination of Thermal Resistance of Pneumatically Installed Loose-Fill Building Insulation (Behind Netting) for Enclosed Applications of the Building Thermal Envelope	20190415	9	6,739円 (本体6,240円)
ASTM C1860 – 19	Standard Test Methods for Measurement of Tensile Strength or Bond Strength of Portland Cement-Based Plaster by Direct Tension	20190301	11	7,581円 (本体7,020円)

ASTM C1878 - 19	Standard Test Method for Surface Water Resistance of Vapor Retarders for Thermal Insulation	20190401	3	5,896円 (本体5,460円)
-----------------	---	----------	---	-------------------

D.Miscellaneous Materials

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM D34 - 08(2019)	Standard Guide for Chemical Analysis of White Pigments	20190501	1	5,896円 (本体5,460円)
ASTM D50 - 90(2019)	Standard Test Methods for Chemical Analysis of Yellow, Orange, Red, and Brown Pigments Containing Iron and Manganese	20190501	5	6,739円 (本体6,240円)
ASTM D85 - 05(2019)	Standard Specification for Ochre Pigment	20190501	2	5,896円 (本体5,460円)
ASTM D210 - 05(2019)	Standard Specification for Bone Black Pigment	20190501	2	5,896円 (本体5,460円)
ASTM D228/D228M - 19	Standard Test Methods for Sampling, Testing, and Analysis of Asphalt Roll Roofing, Cap Sheets, and Shingles Used in Roofing and Waterproofing	20190501	13	7,581円 (本体7,020円)
ASTM D242/D242M - 19	Standard Specification for Mineral Filler for Asphalt Mixtures	20190501	2	5,896円 (本体5,460円)
ASTM D263 - 05(2019)	Standard Specification for Chrome Oxide Green Pigment	20190501	2	5,896円 (本体5,460円)
ASTM D751 - 19	Standard Test Methods for Coated Fabrics	20190501	20	7,581円 (本体7,020円)
ASTM D883 - 19a	Standard Terminology Relating to Plastics	20190415	17	7,581円 (本体7,020円)
ASTM D975 - 19a	Standard Specification for Diesel Fuel Oils	20190415	28	9,687円 (本体8,970円)
ASTM D1002 - 10(2019)	Standard Test Method for Apparent Shear Strength of Single-Lap-Joint Adhesively Bonded Metal Specimens by Tension Loading (Metal-to-Metal)	20190401	6	6,739円 (本体6,240円)
ASTM D1146 - 00(2018)e1	Standard Test Method for Blocking Point of Potentially Adhesive Layers	20181101	3	5,896円 (本体5,460円)
ASTM D1169 - 19	Standard Test Method for Specific Resistance (Resistivity) of Electrical Insulating Liquids	20190401	8	6,739円 (本体6,240円)
ASTM D1183 - 03(2019)	Standard Practices for Resistance of Adhesives to Cyclic Laboratory Aging Conditions	20190401	3	5,896円 (本体5,460円)
ASTM D1839 - 14(2019)	Standard Test Method for Amyl Nitrate in Diesel Fuels	20190415	3	5,896円 (本体5,460円)
ASTM D1849 - 95(2019)	Standard Test Method for Package Stability of Paint	20190401	2	5,896円 (本体5,460円)
ASTM D1938 - 19	Standard Test Method for Tear-Propagation Resistance (Trouser Tear) of Plastic Film and Thin Sheeting by a Single-Tear Method	20190401	5	6,739円 (本体6,240円)

ASTM D2161 - 19	Standard Practice for Conversion of Kinematic Viscosity to Saybolt Universal Viscosity or to Saybolt Furol Viscosity	20190501	25	9,687円 (本体8,970円)
ASTM D2222 - 19	Standard Test Method for Methanol Extract of Vinyl Chloride Resins	20190401	2	5,896円 (本体5,460円)
ASTM D2377 - 14(2019)	Standard Test Method for Tack-Free Time of Caulking Compounds and Sealants	20190501	2	5,896円 (本体5,460円)
ASTM D2380 - 04(2019)	Standard Test Method for Methanol Content of Formaldehyde Solutions	20190401	2	5,896円 (本体5,460円)
ASTM D2589/D2589M - 88(2019)	Standard Test Method for McNett Wet Classification of Dual Asbestos Fiber	20190415	5	6,739円 (本体6,240円)
ASTM D2590/D2590M - 98(2019)	Standard Test Method for Sampling Chrysotile Asbestos	20190415	6	6,739円 (本体6,240円)
ASTM D2694 - 05(2019)	Standard Specification for Diethylene Glycol,	20190401	2	5,896円 (本体5,460円)
ASTM D2728 - 98(2019)	Standard Practice for Paving Uses and Application Temperatures for Road Tars	20190501	2	5,896円 (本体5,460円)
ASTM D2752/D2752M - 88(2019)	Standard Test Methods for Air Permeability of Asbestos Fibers	20190415	10	6,739円 (本体6,240円)
ASTM D2821 - 19	Standard Test Method for Measuring the Relative Stiffness of Leather by Means of a Torsional Wire Apparatus	20190401	4	5,896円 (本体5,460円)
ASTM D2842 - 19	Standard Test Method for Water Absorption of Rigid Cellular Plastics	20190501	10	6,739円 (本体6,240円)
ASTM D2846/D2846M - 19a	Standard Specification for Chlorinated Poly(Vinyl Chloride) (CPVC) Plastic Hot- and Cold-Water Distribution Systems	20190401	13	7,581円 (本体7,020円)
ASTM D2947/D2947M - 88(2019)	Standard Test Method for Screen Analysis of Asbestos Fibers	20190415	5	6,739円 (本体6,240円)
ASTM D2985/D2985M - 92(2019)	Standard Test Method for Color of Asbestos	20190415	9	6,739円 (本体6,240円)
ASTM D2987/D2987M - 88(2019)	Standard Test Method for Moisture Content of Asbestos Fiber	20190415	2	5,896円 (本体5,460円)
ASTM D3012 - 19	Standard Test Method for Thermal-Oxidative Stability of Polypropylene Using a Specimen Rotator Within an Oven	20190401	7	6,739円 (本体6,240円)
ASTM D3130 - 11(2019)	Standard Specification for n-Propyl Acetate (96 % Grade)	20190401	2	5,896円 (本体5,460円)
ASTM D3230 - 19	Standard Test Method for Salts in Crude Oil (Electrometric Method)	20190501	7	6,739円 (本体6,240円)
ASTM D3241 - 19	Standard Test Method for Thermal Oxidation Stability of Aviation Turbine Fuels	20190301	25	9,687円 (本体8,970円)

ASTM D3258 – 04(2019)	Standard Test Method for Porosity of White or Near White Paint Films by Staining	20190401	2	5,896円 (本体5,460円)
ASTM D3306 – 19	Standard Specification for Glycol Base Engine Coolant for Automobile and Light-Duty Service	20190401	7	6,739円 (本体6,240円)
ASTM D3321 – 19	Standard Test Method for Use of the Refractometer for Field Test Determination of the Freezing Point of Aqueous Engine Coolants	20190401	4	5,896円 (本体5,460円)
ASTM D3364 – 99(2019)	Standard Test Method for Flow Rates for Poly(Vinyl Chloride) with Molecular Structural Implications	20190501	5	6,739円 (本体6,240円)
ASTM D3419 – 12(2019)	Standard Practice for In-Line Screw-Injection Molding Test Specimens From Thermosetting Compounds	20190501	4	5,896円 (本体5,460円)
ASTM D3479/D3479M – 19	Standard Test Method for Tension-Tension Fatigue of Polymer Matrix Composite Materials	20190401	6	6,739円 (本体6,240円)
ASTM D3546 – 05(2019)	Standard Test Method for Formic Acid in Glacial Acetic Acid	20190401	3	5,896円 (本体5,460円)
ASTM D3596 – 19	Standard Practice for Determination of Gels (Fisheyes) In General-Purpose Poly(Vinyl Chloride) (PVC) Resins	20190401	3	5,896円 (本体5,460円)
ASTM D3611 – 06(2019)	Standard Practice for Accelerated Aging of Pressure-Sensitive Tapes	20190401	4	5,896円 (本体5,460円)
ASTM D3622 – 11(2019)	Standard Specification for 1-Propanol (n-Propyl Alcohol)	20190401	2	5,896円 (本体5,460円)
ASTM D3639/D3639M – 92(2019)	Standard Test Method for Classification of Asbestos by Quebec Standard Test	20190415	3	5,896円 (本体5,460円)
ASTM D3748 – 14(2019)	Standard Practice for Evaluating High-Density Rigid Cellular Plastics	20190401	2	5,896円 (本体5,460円)
ASTM D3749 – 19	Standard Test Method for Residual Vinyl Chloride Monomer in Poly(Vinyl Chloride) Resins by Gas Chromatographic Headspace Technique	20190401	4	5,896円 (本体5,460円)
ASTM D3752 – 98(2019)	Standard Test Method for Strength Imparted by Asbestos to a Cementitious Matrix	20190415	7	6,739円 (本体6,240円)
ASTM D3815/D3815M – 05(2019)	Standard Practice for Accelerated Weathering of Pressure-Sensitive Tapes by Open-Flame Carbon-Arc Exposure Apparatus	20190401	3	5,896円 (本体5,460円)
ASTM D3878 – 19	Standard Terminology for Composite Materials	20190415	7	6,739円 (本体6,240円)
ASTM D3942 – 19	Standard Test Method for Determination of the Unit Cell Dimension of a Faujasite-Type Zeolite	20190401	4	5,896円 (本体5,460円)
ASTM D4046 – 14(2019)	Standard Test Method for Alkyl Nitrate in Diesel Fuels by Spectrophotometry	20190415	3	5,896円 (本体5,460円)
ASTM D4054 – 19	Standard Practice for Evaluation of New Aviation Turbine Fuels and Fuel Additives	20190501	46	10,670円 (本体9,880円)

ASTM D4161 – 14(2019)	Standard Specification for “Fiberglass” (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Joints Using Flexible Elastomeric Seals	20190401	4	5,896円 (本体5,460円)
ASTM D4175 – 19	Standard Terminology Relating to Petroleum Products, Liquid Fuels, and Lubricants	20190501	62	11,512円 (本体10,660円)
ASTM D4360 – 11(2019)	Standard Specification for Methyl n-Amyl Ketone	20190401	2	5,896円 (本体5,460円)
ASTM D4443 – 19	Standard Test Method for Determining Residual Vinyl Chloride Monomer Content in PPB Range in Vinyl Chloride Homo- and Co-Polymers by Headspace Gas Chromatography	20190401	4	5,896円 (本体5,460円)
ASTM D4614 – 11(2019)	Standard Specification for Ethyl Acetate (All Grades)	20190401	2	5,896円 (本体5,460円)
ASTM D4650 – 19	Standard Specification for Normal Butane Thermophysical Property Tables	20190401	11	7,581円 (本体7,020円)
ASTM D4674 – 19	Standard Practice for Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments	20190415	8	6,739円 (本体6,240円)
ASTM D4968 – 19	Standard Practice for Annual Review of Test Methods and Specifications for Plastics	20190501	15	7,581円 (本体7,020円)
ASTM D4994 – 19	Standard Practice for Recovery of Viruses from Wastewater Sludges	20190401	6	6,739円 (本体6,240円)
ASTM D5002 – 18e1	Standard Test Method for Density, Relative Density, and API Gravity of Crude Oils by Digital Density Analyzer	20181201	6	6,739円 (本体6,240円)
ASTM D5105 – 05(2019)	Standard Practice for Performing Accelerated Outdoor Weathering of Pressure-Sensitive Tapes Using Concentrated Natural Sunlight	20190401	3	5,896円 (本体5,460円)
ASTM D5164 – 05(2019)	Standard Specification for Propylene Glycol and Dipropylene Glycol	20190401	2	5,896円 (本体5,460円)
ASTM D5245 – 19	Standard Practice for Cleaning Laboratory Glassware, Plasticware, and Equipment Used in Microbiological Analyses	20190401	5	6,739円 (本体6,240円)
ASTM D5259 – 19	Standard Test Method for Isolation and Enumeration of Enterococci from Water by the Membrane Filter Procedure	20190401	6	6,739円 (本体6,240円)
ASTM D5347 – 19	Standard Test Method for Determination of the Ash Content of Fats and Oils	20190401	2	5,896円 (本体5,460円)
ASTM D5577 – 19	Standard Guide for Techniques to Separate and Identify Contaminants in Recycled Plastics	20190401	6	6,739円 (本体6,240円)
ASTM D5685 – 19	Standard Specification for “Fiberglass” (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe Fittings	20190401	5	6,739円 (本体6,240円)
ASTM D5798 – 19a	Standard Specification for Ethanol Fuel Blends for Flexible-Fuel Automotive Spark-Ignition Engines	20190501	10	6,739円 (本体6,240円)
ASTM D5888 – 19	Standard Guide for Storage and Handling of Geosynthetic Clay Liners	20190501	3	5,896円 (本体5,460円)

ASTM D6109 – 19	Standard Test Methods for Flexural Properties of Unreinforced and Reinforced Plastic Lumber and Related Products	20190401	7	6,739円 (本体6,240円)
ASTM D6204 – 19	Standard Test Method for Rubber—Measurement of Unvulcanized Rheological Properties Using Rotorless Shear Rheometers	20190501	12	7,581円 (本体7,020円)
ASTM D6228 – 19	Standard Test Method for Determination of Sulfur Compounds in Natural Gas and Gaseous Fuels by Gas Chromatography and Flame Photometric Detection	20190401	9	6,739円 (本体6,240円)
ASTM D6252/D6252M – 98(2019)	Standard Test Method for Peel Adhesion of Pressure-Sensitive Label Stocks at a 90° Angle	20190401	4	5,896円 (本体5,460円)
ASTM D6339 – 11(2019)	Standard Classification System for and Basis for Specifications for Syndiotactic Polystyrene Molding and Extrusion (SPS)	20190401	6	6,739円 (本体6,240円)
ASTM D6358 – 19	Standard Classification System and Basis for Specification for Poly (Phenylene Sulfide) (PPS) Injection Molding, Extrusion and Blow Molding Materials Using ISO Methods	20190401	8	6,739円 (本体6,240円)
ASTM D6496/D6496M – 19	Standard Test Method for Determining Average Bonding Peel Strength Between Top and Bottom Layers of Needle-Punched Geosynthetic Clay Liners	20190501	3	5,896円 (本体5,460円)
ASTM D6503 – 19	Standard Test Method for Enterococci in Water Using Enterolert	20190401	7	6,739円 (本体6,240円)
ASTM D6551/D6551M – 05(2019)	Standard Practice for Accelerated Weathering of Pressure-Sensitive Tapes by Xenon-Arc Exposure Apparatus	20190401	3	5,896円 (本体5,460円)
ASTM D6583 – 13(2019)	Standard Test Method for Porosity of Paint Film by Mineral Oil Absorption	20190401	3	5,896円 (本体5,460円)
ASTM D6601 – 19	Standard Test Method for Rubber Properties—Measurement of Cure and After-Cure Dynamic Properties Using a Rotorless Shear Rheometer	20190501	12	7,581円 (本体7,020円)
ASTM D6686 – 01(2019)	Standard Test Method for Evaluation of Tannin Stain Resistance of Coatings	20190401	3	5,896円 (本体5,460円)
ASTM D6736 – 08(2019)	Standard Test Method for Burnish Resistance of Latex Paints	20190401	3	5,896円 (本体5,460円)
ASTM D6768/D6768M – 19	Standard Test Method for Tensile Strength of Geosynthetic Clay Liners	20190501	3	5,896円 (本体5,460円)
ASTM D6873/D6873M – 19	Standard Practice for Bearing Fatigue Response of Polymer Matrix Composite Laminates	20190401	10	6,739円 (本体6,240円)
ASTM D6890 – 18	Standard Test Method for Determination of Ignition Delay and Derived Cetane Number (DCN) of Diesel Fuel Oils by Combustion in a Constant Volume Chamber	20181201	19	7,581円 (本体7,020円)
ASTM D7072 – 04(2019)	Standard Practice for Evaluating Accelerated Efflorescence of Latex Coatings	20190401	2	5,896円 (本体5,460円)
ASTM D7132 – 19	Standard Test Method for Determination of Retained Blowing Agent in Extruded Polystyrene Foam	20190401	5	6,739円 (本体6,240円)

ASTM D7225 - 13(2019)e1	Standard Guide for Blood Cleaning Efficiency of Detergents and Washer-Disinfectors	20190501	3	5,896円 (本体5,460円)
ASTM D7260 - 19	Standard Practice for Optimization, Calibration, and Validation of Inductively Coupled Plasma-Atomic Emission Spectrometry (ICP-AES) for Elemental Analysis of Petroleum Products and Lubricants	20190501	10	6,739円 (本体6,240円)
ASTM D7267 - 19	Standard Test Method for Edge Ravel Resistance of Finished Loop Pile, Pile Yarn Floor Covering	20190401	4	5,896円 (本体5,460円)
ASTM D7455 - 19	Standard Practice for Sample Preparation of Petroleum and Lubricant Products for Elemental Analysis	20190501	9	6,739円 (本体6,240円)
ASTM D7517 - 19	Standard Specification for Fully-Formulated 1,3 Propanediol (PDO) Base Engine Coolant for Heavy-Duty Engines	20190401	4	5,896円 (本体5,460円)
ASTM D7540 - 09(2019)	Standard Practice for Dispersion of Chromatic Pigments with a Mechanical Muller	20190401	3	5,896円 (本体5,460円)
ASTM D7615/D7615M - 19	Standard Practice for Open-Hole Fatigue Response of Polymer Matrix Composite Laminates	20190401	8	6,739円 (本体6,240円)
ASTM D7672 - 14e1	Standard Specification for Evaluating Structural Capacities of Rim Board Products and Assemblies	20141001	17	7,581円 (本体7,020円)
ASTM D7736 - 19	Standard Test Method for Determination of Acids and Glycol Esters in Ethylene Glycol	20190401	6	6,739円 (本体6,240円)
ASTM D7786 - 13(2019)	Standard Test Method for Determining Enamel Holdout	20190401	3	5,896円 (本体5,460円)
ASTM D7862 - 19	Standard Specification for Butanol for Blending with Gasoline for Use as Automotive Spark-Ignition Engine Fuel	20190501	5	6,739円 (本体6,240円)
ASTM D7964/D7964M - 19	Standard Test Method for Determining Activity of Fluid Catalytic Cracking (FCC) Catalysts in a Fluidized Bed	20190401	6	6,739円 (本体6,240円)
ASTM D8181 - 19	Standard Specification for Microemulsion Blendstock for Preparing Microemulsion Test Fuel Oils	20190501	8	6,739円 (本体6,240円)
ASTM D8247 - 19	Standard Test Method for Determination of Total Fluorine and Total Chlorine in Coal by Oxidative Pyrohydrolytic Combustion Followed by Ion Chromatography Detection	20190201	7	6,739円 (本体6,240円)

E. Miscellaneous Subjects

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM E6 - 15e2	Standard Terminology Relating to Methods of Mechanical Testing	20151201	12	7,581円 (本体7,020円)
ASTM E21 - 17e1	Standard Test Methods for Elevated Temperature Tension Tests of Metallic Materials	20171201	8	6,739円 (本体6,240円)
ASTM E74 - 18e1	Standard Practices for Calibration and Verification for Force-Measuring Instruments	20180201	19	7,581円 (本体7,020円)

ASTM E84 - 19a	Standard Test Method for Surface Burning Characteristics of Building Materials	20190415	26	9,687円 (本体8,970円)
ASTM E140 - 12B(2019)e1	Standard Hardness Conversion Tables for Metals Relationship Among Brinell Hardness, Vickers Hardness, Rockwell Hardness, Superficial Hardness, Knoop Hardness, Scleroscope Hardness, and Leeb Hardness	20190415	25	9,687円 (本体8,970円)
ASTM E264 - 19	Standard Test Method for Measuring Fast-Neutron Reaction Rates by Radioactivation of Nickel	20190401	4	5,896円 (本体5,460円)
ASTM E455 - 19	Standard Test Method for Static Load Testing of Framed Floor or Roof Diaphragm Constructions for Buildings	20190401	6	6,739円 (本体6,240円)
ASTM E539 - 19	Standard Test Method for Analysis of Titanium Alloys by Wavelength Dispersive X-Ray Fluorescence Spectrometry	20190301	10	6,739円 (本体6,240円)
ASTM E605/E605M - 19	Standard Test Methods for Thickness and Density of Sprayed Fire-Resistive Material (SFRM) Applied to Structural Members	20190401	6	6,739円 (本体6,240円)
ASTM E609 - 19	Standard Terminology Relating to Pesticides	20190401	2	5,896円 (本体5,460円)
ASTM E983 - 19	Standard Guide for Minimizing Unwanted Electron Beam Effects in Auger Electron Spectroscopy	20190401	5	6,739円 (本体6,240円)
ASTM E996 - 19	Standard Practice for Reporting Data in Auger Electron Spectroscopy and X-ray Photoelectron Spectroscopy	20190401	3	5,896円 (本体5,460円)
ASTM E1007 - 19	Standard Test Method for Field Measurement of Tapping Machine Impact Sound Transmission Through Floor-Ceiling Assemblies and Associated Support Structures	20190401	12	7,581円 (本体7,020円)
ASTM E1110 - 06(2019)	Standard Classification for Determination of Articulation Class	20190401	2	5,896円 (本体5,460円)
ASTM E1179 - 13(2019)	Standard Specification for Sound Sources Used for Testing Open Office Components and Systems	20190401	3	5,896円 (本体5,460円)
ASTM E1317 - 19	Standard Test Method for Flammability of Surface Finishes	20190415	19	7,581円 (本体7,020円)
ASTM E1664 - 19	Standard Classification for Serviceability of an Office Facility for Layout and Building Factors	20190401	15	7,581円 (本体7,020円)
ASTM E1757 - 19	Standard Practice for Preparation of Biomass for Compositional Analysis	20190401	5	6,739円 (本体6,240円)
ASTM E1958 - 19	Standard Guide for Sensory Claim Substantiation	20190301	26	9,687円 (本体8,970円)
ASTM E1971 - 19	Standard Guide for Stewardship for the Cleaning of Commercial and Institutional Buildings	20190415	9	6,739円 (本体6,240円)
ASTM E2029 - 11(2019)	Standard Test Method for Volumetric and Mass Flow Rate Measurement in a Duct Using Tracer Gas Dilution	20190415	10	6,739円 (本体6,240円)

ASTM E2047 – 10(2019)	Standard Test Method for Wet Insulation Integrity Testing of Photovoltaic Arrays	20190401	4	5,896円 (本体5,460円)
ASTM E2073 – 19	Standard Test Method for Photopic Luminance of Photoluminescent (Phosphorescent) Markings	20190501	5	6,739円 (本体6,240円)
ASTM E2112 – 19b	Standard Practice for Installation of Exterior Windows, Doors and Skylights	20190415	88	12,495円 (本体11,570円)
ASTM E2188 – 19	Standard Test Method for Insulating Glass Unit Performance	20190401	5	6,739円 (本体6,240円)
ASTM E2189 – 19	Standard Test Method for Testing Resistance to Fogging in Insulating Glass Units	20190401	5	6,739円 (本体6,240円)
ASTM E2190 – 19	Standard Specification for Insulating Glass Unit Performance and Evaluation	20190401	4	5,896円 (本体5,460円)
ASTM E2249 – 19	Standard Test Method for Laboratory Measurement of Airborne Transmission Loss of Building Partitions and Elements Using Sound Intensity	20190401	15	7,581円 (本体7,020円)
ASTM E2430/E2430M – 19	Standard Specification for Expanded Polystyrene (“EPS”) Thermal Insulation Boards for Use in Exterior Insulation and Finish Systems (“EIFS”)	20190401	2	5,896円 (本体5,460円)
ASTM E2452 – 12(2019)	Standard Practice for Equipment Management Process Maturity (EMPM) Model	20190501	9	6,739円 (本体6,240円)
ASTM E2579 – 19	Standard Practice for Specimen Preparation and Mounting of Wood Products to Assess Surface Burning Characteristics	20190401	5	6,739円 (本体6,240円)
ASTM E2586 – 19	Standard Practice for Calculating and Using Basic Statistics	20190401	22	9,687円 (本体8,970円)
ASTM E2605 – 13(2019)	Standard Practice for Receiving Assets	20190501	2	5,896円 (本体5,460円)
ASTM E2709 – 19	Standard Practice for Demonstrating Capability to Comply with an Acceptance Procedure	20190401	8	6,739円 (本体6,240円)
ASTM E2728 – 19	Standard Guide for Water Stewardship in the Design, Construction, and Operation of Buildings	20190501	10	6,739円 (本体6,240円)
ASTM E2820 – 13(2019)	Standard Test Method for Evaluating Thermal EMF Properties of Base-Metal Thermocouple Connectors	20190501	6	6,739円 (本体6,240円)
ASTM E2870 – 19	Standard Practice for Evaluating Relative Effectiveness of Antimicrobial Handwashing Formulations using the Palmar Surface and Mechanical Hand Sampling	20190401	6	6,739円 (本体6,240円)
ASTM E2895 – 19	Standard Practice for Producing High Titers of Viable and Semi-Purified Spores of Clostridium difficile using a Liquid Medium	20190401	6	6,739円 (本体6,240円)
ASTM E2916 – 19e1	Standard Terminology for Digital and Multimedia Evidence Examination	20190301	9	6,739円 (本体6,240円)

ASTM E2964 - 19	Standard Test Method for Measurement of the Normalized Insertion Loss of Doors	20190401	10	6,739円 (本体6,240円)
ASTM E2989 - 19	Standard Guide for Assessment of Continued Applicability of Reaction to Fire Test Reports Used in Building Regulation	20190501	3	5,896円 (本体5,460円)
ASTM E3010 - 15(2019)	Standard Practice for Installation, Commissioning, Operation, and Maintenance Process (ICOMP) of Photovoltaic Arrays	20190401	11	7,581円 (本体7,020円)
ASTM E3062/E3062M - 19	Standard Specification for Indoor Ballistic Test Ranges for Small Arms and Fragmentation Testing of Ballistic-resistant Items	20190501	4	5,896円 (本体5,460円)
ASTM E3076 - 18	Standard Practice for Determination of the Slope in the Linear Region of a Test Record	20181115	7	6,739円 (本体6,240円)
ASTM E3078/E3078M - 19	Standard Practice for Conditioning of Hard Armor Test Items	20190501	7	6,739円 (本体6,240円)
ASTM E3093 - 19	Standard Guide for Structured Small Group Product Evaluations	20190201	19	7,581円 (本体7,020円)
ASTM E3107/E3107M - 19	Standard Test Method for Resistance to Penetration and Backface Deformation for Ballistic-resistant Torso Body Armor and Shoot Packs	20190501	9	6,739円 (本体6,240円)
ASTM E3110/E3110M - 19	Standard Test Method for Collection of Ballistic Limit Data for Ballistic-resistant Torso Body Armor and Shoot Packs	20190501	13	7,581円 (本体7,020円)
ASTM E3112/E3112M - 19	Standard Test Method for Ballistic-resistant Products and Shoot Packs	20190501	8	6,739円 (本体6,240円)
ASTM E3190 - 19	Standard Practice for Preparation of Fixed Radiological/Surrogate Contamination on Porous Test Coupon Surfaces for Evaluation of Decontamination Techniques	20190401	5	6,739円 (本体6,240円)
ASTM E3192/E3192M - 19	Standard Practice for Soft Armor Conditioning by Tumbling	20190501	5	6,739円 (本体6,240円)

F.Materials for Specific Applications

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM F269 - 60(2019)	Standard Test Method for Sag of Tungsten Wire	20190401	2	5,896円 (本体5,460円)
ASTM F288 - 96(2019)	Standard Specification for Tungsten Wire for Electron Devices and Lamps	20190401	5	6,739円 (本体6,240円)
ASTM F289 - 96(2019)	Standard Specification for Molybdenum Wire and Rod for Electronic Applications	20190401	4	5,896円 (本体5,460円)
ASTM F364 - 96(2019)	Standard Specification for Molybdenum Flattened Wire for Electron Tubes	20190401	3	5,896円 (本体5,460円)
ASTM F395 - 19	Standard Terminology Relating to Vacuum Cleaners	20190401	3	5,896円 (本体5,460円)

ASTM F406 - 19	Standard Consumer Safety Specification for Non-Full-Size Baby Cribs/Play Yards	20190315	43	10,670円 (本体9,880円)
ASTM F478 - 14a(2019)	Standard Specification for In-Service Care of Insulating Line Hose and Covers	20190401	4	5,896円 (本体5,460円)
ASTM F623 - 19	Standard Performance Specification for Foley Catheter	20190301	10	6,739円 (本体6,240円)
ASTM F1169 - 19	Standard Consumer Safety Specification for Full-Size Baby Cribs	20190315	20	7,581円 (本体7,020円)
ASTM F1378 - 18	Standard Specification for Shoulder Prostheses	20181215	6	6,739円 (本体6,240円)
ASTM F1583 - 95(2019)	Standard Practice for Communications Procedures—Phonetics	20190401	5	6,739円 (本体6,240円)
ASTM F1591 - 95(2019)	Standard Practice for Visual Signals Between Persons on the Ground and in Aircraft During Ground Emergencies	20190401	3	5,896円 (本体5,460円)
ASTM F1592 - 12(2019)	Standard Test Methods for Detention Hollow Metal Vision Systems	20190401	13	7,581円 (本体7,020円)
ASTM F1643 - 05(2019)	Standard Test Methods for Detention Sliding Door Locking Device Assembly	20190401	11	7,581円 (本体7,020円)
ASTM F1758 - 05(2019)	Standard Test Methods for Detention Hinges Used on Detention-Grade Swinging Doors	20190401	8	6,739円 (本体6,240円)
ASTM F1807 - 19	Standard Specification for Metal Insert Fittings Utilizing a Copper Crimp Ring, or Alternate Stainless Steel Clamps, for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) Tubing	20190401	9	6,739円 (本体6,240円)
ASTM F1819 - 19	Standard Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood Using a Mechanical Pressure Technique	20190501	8	6,739円 (本体6,240円)
ASTM F1887 - 14(2019)	Standard Test Method for Measuring the Coefficient of Restitution (COR) of Baseballs and Softballs	20190401	4	5,896円 (本体5,460円)
ASTM F1915 - 05(2019)	Standard Test Methods for Glazing for Detention Facilities	20190401	8	6,739円 (本体6,240円)
ASTM F1967 - 19	Standard Consumer Safety Specification for Infant Bath Seats	20190501	17	7,581円 (本体7,020円)
ASTM F1972 - 19	Standard Guide for Terminology Relating to Candles and Associated Accessory Items	20190401	4	5,896円 (本体5,460円)
ASTM F2047 - 00(2019)	Standard Practice for Workers' Compensation Coverage of Emergency Services Volunteers	20190401	5	6,739円 (本体6,240円)
ASTM F2129 - 19a	Standard Test Method for Conducting Cyclic Potentiodynamic Polarization Measurements to Determine the Corrosion Susceptibility of Small Implant Devices	20190115	9	6,739円 (本体6,240円)

ASTM F2159 - 19	Standard Specification for Plastic Insert Fittings Utilizing a Copper Crimp Ring, or Alternate Stainless Steel Clamps for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Polyethylene of Raised Temperature (PE-RT) Tubing	20190401	8	6,739円 (本体6,240円)
ASTM F2313 - 18	Standard Specification for Poly(glycolide) and Poly(glycolide-co-lactide) Resins for Surgical Implants with Mole Fractions Greater Than or Equal to 70% Glycolide	20181215	10	6,739円 (本体6,240円)
ASTM F2322 - 12(2019)	Standard Test Methods for Physical Assault on Vertical Fixed Barriers for Detention and Correctional Facilities	20190401	8	6,739円 (本体6,240円)
ASTM F2374 - 19	Standard Practice for Design, Manufacture, Operation, and Maintenance of Inflatable Amusement Devices	20190401	32	9,687円 (本体8,970円)
ASTM F2436 - 14(2019)	Standard Test Method for Measuring the Performance of Synthetic Rope Rescue Belay Systems Using a Drop Test	20190401	8	6,739円 (本体6,240円)
ASTM F2542 - 05(2019)	Standard Test Methods for Physical Assault on Ventilation Grilles for Detention and Correctional Facilities	20190401	5	6,739円 (本体6,240円)
ASTM F2623 - 19	Standard Specification for Polyethylene of Raised Temperature (PE-RT) Systems for Non-Potable Water Applications	20190415	10	6,739円 (本体6,240円)
ASTM F2764/F2764M - 19	Standard Specification for 6 to 60 in. [150 to 1500 mm] Polypropylene (PP) Corrugated Double and Triple Wall Pipe and Fittings for Non-Pressure Sanitary Sewer Applications	20190401	9	6,739円 (本体6,240円)
ASTM F2788/F2788M - 19	Standard Specification for Metric and Inch-sized Crosslinked Polyethylene (PEX) Pipe	20190415	13	7,581円 (本体7,020円)
ASTM F2817 - 13(2019)	Standard Specification for Poly (Vinyl Chloride) (PVC) Gas Pressure Pipe and Fittings For Maintenance or Repair	20190501	8	6,739円 (本体6,240円)
ASTM F2855 - 19	Standard Specification for Chlorinated Poly(Vinyl Chloride)/Aluminum/Chlorinated Poly(Vinyl Chloride) (CPVC-AL-CPVC) Composite Pressure Tubing	20190401	7	6,739円 (本体6,240円)
ASTM F2881/F2881M - 19	Standard Specification for 12 to 60 in. [300 to 1500 mm] Polypropylene (PP) Dual Wall Pipe and Fittings for Non-Pressure Storm Sewer Applications	20190401	8	6,739円 (本体6,240円)
ASTM F2894 - 19	Standard Test Method for Evaluation of Materials, Protective Clothing, and Equipment for Heat Resistance Using a Hot Air Circulating Oven	20190401	7	6,739円 (本体6,240円)
ASTM F2901 - 19	Standard Guide for Selecting Tests to Evaluate Potential Neurotoxicity of Medical Devices	20190301	5	6,739円 (本体6,240円)
ASTM F2958 - 14(2019)	Standard Guide for Helicopter Inland Search and Rescue (SAR) Technician	20190401	8	6,739円 (本体6,240円)
ASTM F3006 - 19	Standard Specification for Ball Drop Impact Resistance of Laminated Architectural Flat Glazing	20190415	3	5,896円 (本体5,460円)
ASTM F3007 - 19	Standard Test Method for Ball Drop Impact Resistance of Laminated Architectural Flat Glass	20190415	4	5,896円 (本体5,460円)
ASTM F3020 - 19	Performance Standard for Hand-Worn Metal Detectors Used in Safety and Security	20190401	55	10,670円 (本体9,880円)

ASTM F3026 - 14(2019)	Standard Guide for Helicopter Inland Search and Rescue (SAR) Crew Chief	20190401	8	6,739円 (本体6,240円)
ASTM F3108 - 19	Standard Guide for Clinical Outcomes for Clinical Trials and/or Clinical Registries for Knee Reconstructive Surgery	20190401	7	6,739円 (本体6,240円)
ASTM F3174/F3174M - 19	Standard Specification for Establishing Operating Limitations and Information for Aeroplanes	20190501	4	5,896円 (本体5,460円)
ASTM F3202 - 19	Standard Specification for Solid Wall Poly (Vinyl Chloride) PVC Fittings for Joining Corrugated Wall High Density Polyethylene (PE) and Polypropylene (PP) Piping	20190401	5	6,739円 (本体6,240円)
ASTM F3219 - 19	Standard Specification for 3 to 30 in. (75 To 750 mm) Polypropylene (PP) Corrugated Single Wall Pipe and Fittings	20190401	6	6,739円 (本体6,240円)
ASTM F3232/F3232M - 19	Standard Specification for Flight Controls in Small Aircraft	20190501	7	6,739円 (本体6,240円)
ASTM F3245 - 19	Standard Guide for Aircraft Electronics Technician Personnel Certification	20190401	7	6,739円 (本体6,240円)
ASTM F3278 - 19	Standard Performance Specification for Hand-Held Metal Detectors Used in Safety and Security	20190401	64	11,512円 (本体10,660円)
ASTM F3292 - 19	Standard Practice for Inspection of Spinal Implants Undergoing Testing	20190301	4	5,896円 (本体5,460円)
ASTM F3347 - 19	Standard Specification for Metal Press Insert Fittings with Factory Assembled Stainless Steel Press Sleeve for SDR9 Cross-linked Polyethylene (PEX) Tubing	20190401	6	6,739円 (本体6,240円)
ASTM F3348 - 19	Standard Specification for Plastic Press Insert Fittings with Factory Assembled Stainless Steel Press Sleeve for SDR9 Cross-linked Polyethylene (PEX) Tubing	20190401	7	6,739円 (本体6,240円)
ASTM F3356 - 19	Standard Specification for Conformity Assessment of Metal Detectors Used in Safety and Security	20190401	6	6,739円 (本体6,240円)
ASTM F3369 - 19	Standard Guide for Assessing the Skeletal Myoblast Phenotype	20190201	9	6,739円 (本体6,240円)
ASTM F3369 - 19e1	Standard Guide for Assessing the Skeletal Myoblast Phenotype	20190201	8	6,739円 (本体6,240円)
ASTM F3371 - 19	Standard Specification for Polyolefin Pipe and Fittings for Drainage, Waste, and Vent Applications	20190401	10	6,739円 (本体6,240円)