

# ASTM規格

# --- 2019-07 新刊情報 ---

日本規格協会グループ

\*ここに掲載している規格は英語版です。JSA Webdesk でご購入いただけます。  
\*規格の表示は部門別です。

## A.Ferrous Metals

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM A36/A36M - 19	Standard Specification for Carbon Structural Steel	20190701	3	5,896円(本体5,460円)
ASTM A252/A252M - 19	Standard Specification for Welded and Seamless Steel Pipe Piles	20190701	6	6,739円(本体6,240円)
ASTM A340 - 19a	Standard Terminology of Symbols and Definitions Relating to Magnetic Testing	20190615	18	7,581円(本体7,020円)
ASTM A564/A564M - 19	Standard Specification for Hot-Rolled and Cold-Finished Age-Hardening Stainless Steel Bars and Shapes	20190501	8	6,739円(本体6,240円)
ASTM A653/A653M - 19	Standard Specification for Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process	20190701	13	7,581円(本体7,020円)
ASTM A775/A775M - 19	Standard Specification for Epoxy-Coated Steel Reinforcing Bars	20190601	11	7,581円(本体7,020円)
ASTM A934/A934M - 19	Standard Specification for Epoxy-Coated Prefabricated Steel Reinforcing Bars	20190601	17	7,581円(本体7,020円)

## B.Nonferrous Metals

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM B381 - 13(2019)	Standard Specification for Titanium and Titanium Alloy Forgings	20190701	8	6,739円(本体6,240円)
ASTM B479 - 19	Standard Specification for Annealed Aluminum and Aluminum-Alloy Foil for Flexible Barrier, Food Contact, and Other Applications	20190615	7	6,739円(本体6,240円)
ASTM B594 - 19	Standard Practice for Ultrasonic Inspection of Aluminum-Alloy Wrought Products	20190501	10	6,739円(本体6,240円)
ASTM B831 - 19	Standard Test Method for Shear Testing of Thin Aluminum Alloy Products	20190501	5	6,739円(本体6,240円)
ASTM B908 - 19	Standard Practice for the Use of Color Codes for Zinc Casting Alloy Ingot	20190701	3	5,896円(本体5,460円)
ASTM B914 - 19	Standard Practice for Color Codes on Zinc and Zinc Alloy Ingot for Use in Hot-Dip Galvanizing of Steel	20190701	2	5,896円(本体5,460円)

## C.Cementitious,Ceramic,Concrete,and Masonry materials

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM C67/C67M - 19	Standard Test Methods for Sampling and Testing Brick and Structural Clay Tile	20190701	17	7,581円 (本体7,020円)
ASTM C219 - 19	Standard Terminology Relating to Hydraulic Cement	20190601	4	5,896円 (本体5,460円)
ASTM C270 - 19a	Standard Specification for Mortar for Unit Masonry	20190501	14	7,581円 (本体7,020円)
ASTM C270 - 19ae1	Standard Specification for Mortar for Unit Masonry	20190501	14	7,581円 (本体7,020円)
ASTM C443 - 19a	Standard Specification for Joints for Concrete Pipe and Manholes, Using Rubber Gaskets	20190701	5	6,739円 (本体6,240円)
ASTM C443M - 19a	Standard Specification for Joints for Concrete Pipe and Manholes, Using Rubber Gaskets (Metric)	20190701	5	6,739円 (本体6,240円)
ASTM C452 - 19	Standard Test Method for Potential Expansion of Portland-Cement Mortars Exposed to Sulfate	20190615	3	5,896円 (本体5,460円)
ASTM C511 - 19	Standard Specification for Mixing Rooms, Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the Testing of Hydraulic Cements and Concretes	20190615	3	5,896円 (本体5,460円)
ASTM C840 - 19	Standard Specification for Application and Finishing of Gypsum Board	20190601	21	9,687円 (本体8,970円)
ASTM C857 - 19	Standard Practice for Minimum Structural Design Loading for Underground Precast Concrete Utility Structures	20190701	6	6,739円 (本体6,240円)
ASTM C887 - 19	Standard Specification for Packaged, Dry, Combined Materials for Surface Bonding Mortar	20190601	13	7,581円 (本体7,020円)
ASTM C890 - 19	Standard Practice for Minimum Structural Design Loading for Monolithic or Sectional Precast Concrete Water and Wastewater Structures	20190701	5	6,739円 (本体6,240円)
ASTM C919 - 19	Standard Practice for Use of Sealants in Acoustical Applications	20190501	5	6,739円 (本体6,240円)
ASTM C1006/C1006M - 19	Standard Test Method for Splitting Tensile Strength of Masonry Units	20190615	4	5,896円 (本体5,460円)
ASTM C1021 - 08(2019)	Standard Practice for Laboratories Engaged in Testing of Building Sealants	20190101	3	5,896円 (本体5,460円)
ASTM C1222 - 19	Standard Practice for Evaluation of Laboratories Testing Hydraulic Cement	20190615	5	6,739円 (本体6,240円)
ASTM C1327 - 15(2019)	Standard Test Method for Vickers Indentation Hardness of Advanced Ceramics	20190701	10	6,739円 (本体6,240円)

ASTM C1361 – 10(2019)	Standard Practice for Constant-Amplitude, Axial, Tension-Tension Cyclic Fatigue of Advanced Ceramics at Ambient Temperatures	20190701	9	6,739円 (本体6,240円)
ASTM C1405 – 19	Standard Specification for Glazed Brick (Single Fired, Brick Units)	20190501	7	6,739円 (本体6,240円)
ASTM C1424 – 15(2019)	Standard Test Method for Monotonic Compressive Strength of Advanced Ceramics at Ambient Temperature	20190701	14	7,581円 (本体7,020円)
ASTM C1465 – 08(2019)	Standard Test Method for Determination of Slow Crack Growth Parameters of Advanced Ceramics by Constant Stress-Rate Flexural Testing at Elevated Temperatures	20190701	15	7,581円 (本体7,020円)
ASTM C1468 – 19a	Standard Test Method for Transthickness Tensile Strength of Continuous Fiber-Reinforced Advanced Ceramics at Ambient Temperature	20190701	18	7,581円 (本体7,020円)
ASTM C1629/C1629M – 19	Standard Classification for Abuse-Resistant Nondecorated Interior Gypsum Panel Products and Fiber-Reinforced Cement Panels	20190601	11	7,581円 (本体7,020円)
ASTM C1683 – 10(2019)	Standard Practice for Size Scaling of Tensile Strengths Using Weibull Statistics for Advanced Ceramics	20190701	18	7,581円 (本体7,020円)
ASTM C1714/C1714M – 19a	Standard Specification for Preblended Dry Mortar Mix for Unit Masonry	20190501	4	5,896円 (本体5,460円)
ASTM C1716/C1716M – 19	Standard Specification for Compression Testing Machine Requirements for Concrete Masonry Units, Related Units, and Prisms	20190501	9	6,739円 (本体6,240円)
ASTM C1743 – 19	Standard Practice for Installation and Use of Radiant Barrier Systems (RBS) in Residential Building Construction	20190601	5	6,739円 (本体6,240円)
ASTM C1880 – 19	Standard Practice for Sampling Gaseous Uranium Hexafluoride using Alumina Pellets	20190601	6	6,739円 (本体6,240円)
ASTM C1883 – 19	Standard Practice for Sampling of Gaseous Enriched Uranium Hexafluoride	20190615	10	6,739円 (本体6,240円)
ASTM C1891 – 19	Standard Test Method for Fineness of Hydraulic Cement by Air Jet Sieving at 45- $\mu$ m (No. 325)	20190615	4	5,896円 (本体5,460円)

## D.Miscellaneous Materials

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM D16 – 19	Standard Terminology for Paint, Related Coatings, Materials, and Applications	20190701	10	6,739円 (本体6,240円)
ASTM D91 – 02(2019)	Standard Test Method for Precipitation Number of Lubricating Oils	20190501	3	5,896円 (本体5,460円)
ASTM D217 – 19	Standard Test Methods for Cone Penetration of Lubricating Grease	20190501	14	7,581円 (本体7,020円)
ASTM D217 – 19a	Standard Test Methods for Cone Penetration of Lubricating Grease	20190701	14	7,581円 (本体7,020円)

ASTM D388 - 19	Standard Classification of Coals by Rank	20190601	8	6,739円 (本体6,240円)
ASTM D396 - 19	Standard Specification for Fuel Oils	20190501	13	7,581円 (本体7,020円)
ASTM D445 - 19	Standard Test Method for Kinematic Viscosity of Transparent and Opaque Liquids (and Calculation of Dynamic Viscosity)	20190601	18	7,581円 (本体7,020円)
ASTM D586 - 19	Standard Test Method for Ash and Organic Matter Content of Degradable Erosion Control Products	20190501	4	5,896円 (本体5,460円)
ASTM D883 - 19b	Standard Terminology Relating to Plastics	20190601	17	7,581円 (本体7,020円)
ASTM D1336 - 07(2019)	Standard Test Method for Distortion of Yarn in Woven Fabrics	20190701	5	6,739円 (本体6,240円)
ASTM D1387 - 89(2019)	Standard Test Method for Saponification Number (Empirical) of Synthetic and Natural Waxes	20190701	2	5,896円 (本体5,460円)
ASTM D1403 - 19	Standard Test Methods for Cone Penetration of Lubricating Grease Using One-Quarter and One-Half Scale Cone Equipment	20190501	9	6,739円 (本体6,240円)
ASTM D1404/D1404M - 99(2019)	Standard Test Method for Estimation of Deleterious Particles in Lubricating Grease	20190601	4	5,896円 (本体5,460円)
ASTM D1412/D1412M - 19	Standard Test Method for Equilibrium Moisture of Coal at 96 to 97 Percent Relative Humidity and 30 ° C	20190601	6	6,739円 (本体6,240円)
ASTM D1440 - 07(2019)	Standard Test Method for Length and Length Distribution of Cotton Fibers (Array Method)	20190701	6	6,739円 (本体6,240円)
ASTM D1442 - 06(2019)	Standard Test Method for Maturity of Cotton Fibers (Sodium Hydroxide Swelling and Polarized Light Procedures)	20190701	6	6,739円 (本体6,240円)
ASTM D1464 - 12(2019)	Standard Practice for Differential Dyeing Behavior of Cotton	20190701	3	5,896円 (本体5,460円)
ASTM D1566 - 19	Standard Terminology Relating to Rubber	20190701	17	7,581円 (本体7,020円)
ASTM D1646 - 19	Standard Test Methods for Rubber—Viscosity, Stress Relaxation, and Pre-Vulcanization Characteristics (Mooney Viscometer)	20190701	12	7,581円 (本体7,020円)
ASTM D1747 - 09(2019)	Standard Test Method for Refractive Index of Viscous Materials	20190501	6	6,739円 (本体6,240円)
ASTM D1831 - 19	Standard Test Method for Roll Stability of Lubricating Grease	20190501	4	5,896円 (本体5,460円)
ASTM D1968 - 19	Standard Terminology Relating to Paper and Paper Products	20190401	9	6,739円 (本体6,240円)
ASTM D1985 - 13(2019)	Standard Practice for Preparing Concrete Blocks for Testing Sealants, for Joints and Cracks	20190615	2	5,896円 (本体5,460円)

ASTM D2084 - 19	Standard Test Method for Rubber Property—Vulcanization Using Oscillating Disk Cure Meter	20190701	12	7,581円 (本体7,020円)
ASTM D2163 - 14(2019)	Standard Test Method for Determination of Hydrocarbons in Liquefied Petroleum (LP) Gases and Propane/Propene Mixtures by Gas Chromatography	20190501	12	7,581円 (本体7,020円)
ASTM D2501 - 14(2019)	Standard Test Method for Calculation of Viscosity–Gravity Constant (VGC) of Petroleum Oils	20190501	4	5,896円 (本体5,460円)
ASTM D2502 - 14(2019)	Standard Test Method for Estimation of Mean Relative Molecular Mass of Petroleum Oils from Viscosity Measurements	20190501	4	5,896円 (本体5,460円)
ASTM D2511 - 93(2019)	Standard Test Method for Thermal Shock Sensitivity of Solid Film Lubricants	20190501	2	5,896円 (本体5,460円)
ASTM D2603 - 19	Standard Test Method for Sonic Shear Stability of Polymer–Containing Oils	20190601	4	5,896円 (本体5,460円)
ASTM D2699 - 19	Standard Test Method for Research Octane Number of Spark–Ignition Engine Fuel	20190601	47	10,670円 (本体9,880円)
ASTM D2700 - 19	Standard Test Method for Motor Octane Number of Spark–Ignition Engine Fuel	20190601	60	10,670円 (本体9,880円)
ASTM D2714 - 94(2019)	Standard Test Method for Calibration and Operation of the Falex Block-on-Ring Friction and Wear Testing Machine	20190501	4	5,896円 (本体5,460円)
ASTM D2719 - 19	Standard Test Methods for Wood Structural Panels in Shear Through-the-Thickness	20190401	10	6,739円 (本体6,240円)
ASTM D2864 - 19	Standard Terminology Relating to Electrical Insulating Liquids and Gases	20190601	7	6,739円 (本体6,240円)
ASTM D2872 - 19	Standard Test Method for Effect of Heat and Air on a Moving Film of Asphalt (Rolling Thin-Film Oven Test)	20190615	6	6,739円 (本体6,240円)
ASTM D2885 - 19a	Standard Test Method for Determination of Octane Number of Spark–Ignition Engine Fuels by On–Line Direct Comparison Technique	20190601	17	7,581円 (本体7,020円)
ASTM D2981 - 94(2019)	Standard Test Method for Wear Life of Solid Film Lubricants in Oscillating Motion	20190501	4	5,896円 (本体5,460円)
ASTM D3107 - 07(2019)	Standard Test Methods for Stretch Properties of Fabrics Woven from Stretch Yarns	20190701	6	6,739円 (本体6,240円)
ASTM D3111 - 19	Standard Practice for Flexibility Determination of Hot–Melt Adhesives by Mandrel Bend Test	20190401	3	5,896円 (本体5,460円)
ASTM D3120 - 08(2019)	Standard Test Method for Trace Quantities of Sulfur in Light Liquid Petroleum Hydrocarbons by Oxidative Microcoulometry	20190501	10	6,739円 (本体6,240円)
ASTM D3143/D3143M - 19	Standard Test Method for Flash Point of Cutback Asphalt with Tag Open–Cup Apparatus	20190615	5	6,739円 (本体6,240円)

ASTM D3181 – 15(2019)	Standard Guide for Conducting Wear Tests on Textiles	20190701	6	6,739円 (本体6,240円)
ASTM D3228 – 08(2019)	Standard Test Method for Total Nitrogen in Lubricating Oils and Fuel Oils by Modified Kjeldahl Method	20190501	5	6,739円 (本体6,240円)
ASTM D3279 – 19	Standard Test Method for n-Heptane Insolubles	20190615	4	5,896円 (本体5,460円)
ASTM D3440 – 13(2019)	Standard Guide for Preparing Specifications for Water-Emulsion Floor Polishes	20190701	3	5,896円 (本体5,460円)
ASTM D3498 – 19a	Standard Specification for Adhesives for Field-Gluing Wood Structural Panels (Plywood or Oriented Strand Board) to Wood Based Floor System Framing	20190601	8	6,739円 (本体6,240円)
ASTM D3595 – 14(2019)e1	Standard Specification for Polychlorotrifluoroethylene (PCTFE) Extruded Plastic Sheet and Film	20190501	3	5,896円 (本体5,460円)
ASTM D3633/D3633M – 12(2019)	Standard Test Method for Electrical Resistivity of Membrane-Pavement Systems	20190701	4	5,896円 (本体5,460円)
ASTM D3702 – 94(2019)	Standard Test Method for Wear Rate and Coefficient of Friction of Materials in Self-Lubricated Rubbing Contact Using a Thrust Washer Testing Machine	20190501	6	6,739円 (本体6,240円)
ASTM D3739 – 19	Standard Practice for Calculation and Adjustment of the Langelier Saturation Index for Reverse Osmosis	20190701	4	5,896円 (本体5,460円)
ASTM D3773/D3773M – 10(2019)	Standard Test Methods for Length of Woven Fabric	20190701	4	5,896円 (本体5,460円)
ASTM D3895 – 19	Standard Test Method for Oxidative-Induction Time of Polyolefins by Differential Scanning Calorimetry	20190501	7	6,739円 (本体6,240円)
ASTM D3924 – 16(2019)	Standard Specification for Standard Environment for Conditioning and Testing Paint, Varnish, Lacquer, and Related Materials	20190601	2	5,896円 (本体5,460円)
ASTM D4037 – 02(2019)	Standard Performance Specification for Woven, Knitted, or Flocked Bedspread Fabrics	20190415	3	5,896円 (本体5,460円)
ASTM D4101 – 17e1	Standard Classification System and Basis for Specification for Polypropylene Injection and Extrusion Materials	20171201	17	7,581円 (本体7,020円)
ASTM D4111 – 12(2019)	Standard Performance Specification for Woven Napery and Tablecloth Fabrics: Household and Institutional	20190415	3	5,896円 (本体5,460円)
ASTM D4113 – 02(2019)	Standard Performance Specification for Woven Slipcover Fabrics	20190415	3	5,896円 (本体5,460円)
ASTM D4209 – 07(2019)	Standard Practice for Determining Volatile and Nonvolatile Content of Cellulosics, Emulsions, Resin Solutions, Shellac, and Varnishes	20190701	3	5,896円 (本体5,460円)
ASTM D4359 – 90(2019)	Standard Test Method for Determining Whether a Material Is a Liquid or a Solid	20190701	2	5,896円 (本体5,460円)

ASTM D4425 – 19	Standard Test Method for Oil Separation from Lubricating Grease by Centrifuging (Koppers Method)	20190601	4	5,896円 (本体5,460円)
ASTM D4516 – 19	Standard Practice for Standardizing Reverse Osmosis Performance Data	20190701	3	5,896円 (本体5,460円)
ASTM D4577 – 19	Standard Test Method for Compression Resistance of a Container Under Constant Load	20190401	8	6,739円 (本体6,240円)
ASTM D4735 – 19	Standard Test Method for Determination of Trace Thiophene in Refined Benzene by Gas Chromatography	20190601	6	6,739円 (本体6,240円)
ASTM D4860 – 14(2019)	Standard Test Method for Free Water and Particulate Contamination in Middle Distillate Fuels (Clear and Bright Numerical Rating)	20190601	7	6,739円 (本体6,240円)
ASTM D4892 – 14(2019)e1	Standard Test Method for Density of Solid Pitch (Helium Pycnometer Method)	20190601	3	5,896円 (本体5,460円)
ASTM D4956 – 19	Standard Specification for Retroreflective Sheeting for Traffic Control	20190701	15	7,581円 (本体7,020円)
ASTM D5035 – 11(2019)	Standard Test Method for Breaking Force and Elongation of Textile Fabrics (Strip Method)	20190701	8	6,739円 (本体6,240円)
ASTM D5059 – 14(2019)	Standard Test Methods for Lead in Gasoline by X-Ray Spectroscopy	20190501	5	6,739円 (本体6,240円)
ASTM D5139 – 19	Standard Specification for Sample Preparation for Qualification Testing of Coatings to be Used in Nuclear Power Plants	20190601	4	5,896円 (本体5,460円)
ASTM D5199 – 12(2019)	Standard Test Method for Measuring the Nominal Thickness of Geosynthetics	20190615	4	5,896円 (本体5,460円)
ASTM D5276 – 19	Standard Test Method for Drop Test of Loaded Containers by Free Fall	20190401	13	7,581円 (本体7,020円)
ASTM D5289 – 19	Standard Test Method for Rubber Property—Vulcanization Using Rotorless Cure Meters	20190701	9	6,739円 (本体6,240円)
ASTM D5384 – 14(2019)	Standard Test Methods for Chlorine in Used Petroleum Products (Field Test Kit Method)	20190501	4	5,896円 (本体5,460円)
ASTM D5587 – 15(2019)	Standard Test Method for Tearing Strength of Fabrics by Trapezoid Procedure	20190701	7	6,739円 (本体6,240円)
ASTM D5603 – 19a	Standard Classification for Rubber Compounding Materials—Recycled Vulcanizate Rubber	20190701	4	5,896円 (本体5,460円)
ASTM D5621 – 19	Standard Test Method for Sonic Shear Stability of Hydraulic Fluids	20190601	3	5,896円 (本体5,460円)
ASTM D5648 – 01(2019)	Standard Test Method for Torque–Tension Relationship of Adhesives Used on Threaded Fasteners (Lubricity)	20190601	2	5,896円 (本体5,460円)

ASTM D5854 - 19a	Standard Practice for Mixing and Handling of Liquid Samples of Petroleum and Petroleum Products	20190501	22	9,687円 (本体8,970円)
ASTM D5965 - 19	Standard Test Methods for Density of Coating Powders	20190701	4	5,896円 (本体5,460円)
ASTM D6062 - 19	Standard Guide for Personal Samplers of Health-Related Aerosol Fractions	20190401	4	5,896円 (本体5,460円)
ASTM D6081 - 19	Standard Practice for Aquatic Toxicity Testing of Lubricants: Sample Preparation and Results Interpretation	20190501	8	6,739円 (本体6,240円)
ASTM D6161 - 19	Standard Terminology Used for Microfiltration, Ultrafiltration, Nanofiltration, and Reverse Osmosis Membrane Processes	20190701	17	7,581円 (本体7,020円)
ASTM D6207 - 03(2019)	Standard Test Method for Dimensional Stability of Fabrics to Changes in Humidity and Temperature	20190701	6	6,739円 (本体6,240円)
ASTM D6259 - 15(2019)	Standard Practice for Determination of a Pooled Limit of Quantitation for a Test Method	20190501	4	5,896円 (本体5,460円)
ASTM D6290 - 19	Standard Test Method for Color Determination of Plastic Pellets	20190601	7	6,739円 (本体6,240円)
ASTM D6300 - 19	Standard Practice for Determination of Precision and Bias Data for Use in Test Methods for Petroleum Products and Lubricants	20190601	42	10,670円 (本体9,880円)
ASTM D6424 - 04a(2019)	Standard Practice for Octane Rating Naturally Aspirated Spark Ignition Aircraft Engines	20190501	10	6,739円 (本体6,240円)
ASTM D6443 - 14(2019)e1	Standard Test Method for Determination of Calcium, Chlorine, Copper, Magnesium, Phosphorus, Sulfur, and Zinc in Unused Lubricating Oils and Additives by Wavelength Dispersive X-ray Fluorescence Spectrometry (Mathematical Correction Procedure)	20190501	8	6,739円 (本体6,240円)
ASTM D6468 - 08(2019)	Standard Test Method for High Temperature Stability of Middle Distillate Fuels	20190501	6	6,739円 (本体6,240円)
ASTM D6480 - 19	Standard Test Method for Wipe Sampling of Surfaces, Indirect Preparation, and Analysis for Asbestos Structure Number Surface Loading by Transmission Electron Microscopy	20190601	16	7,581円 (本体7,020円)
ASTM D6481 - 14(2019)	Standard Test Method for Determination of Phosphorus, Sulfur, Calcium, and Zinc in Lubrication Oils by Energy Dispersive X-ray Fluorescence Spectroscopy	20190501	5	6,739円 (本体6,240円)
ASTM D6514 - 03(2019)	Standard Test Method for High Temperature Universal Oxidation Test for Turbine Oils	20190501	7	6,739円 (本体6,240円)
ASTM D6666 - 04(2019)	Standard Guide for Evaluation of Aqueous Polymer Quenchants	20190501	14	7,581円 (本体7,020円)
ASTM D6667 - 14(2019)	Standard Test Method for Determination of Total Volatile Sulfur in Gaseous Hydrocarbons and Liquefied Petroleum Gases by Ultraviolet Fluorescence	20190501	8	6,739円 (本体6,240円)
ASTM D6795 - 19	Standard Test Method for Measuring the Effect on Filterability of Engine Oils After Treatment with Water and Dry Ice and a Short (30 min) Heating Time	20190501	6	6,739円 (本体6,240円)



ASTM D6812 – 04a(2019)	Standard Practice for Ground-Based Octane Rating Procedures for Turbocharged/Supercharged Spark Ignition Aircraft Engines	20190501	14	7,581円 (本体7,020円)
ASTM D6828 – 02(2019)	Standard Test Method for Stiffness of Fabric by Blade/Slot Procedure	20190701	5	6,739円 (本体6,240円)
ASTM D6910/D6910M – 19	Standard Test Method for Marsh Funnel Viscosity of Construction Slurries	20190515	4	5,896円 (本体5,460円)
ASTM D7112 – 19	Standard Test Method for Determining Stability and Compatibility of Heavy Fuel Oils and Crude Oils by Heavy Fuel Oil Stability Analyzer (Optical Detection)	20190601	11	7,581円 (本体7,020円)
ASTM D7309 – 19	Standard Test Method for Determining Flammability Characteristics of Plastics and Other Solid Materials Using Microscale Combustion Calorimetry	20190501	13	7,581円 (本体7,020円)
ASTM D7317 – 07(2019)	Standard Test Method for Coagulated Pentane Insolubles in Used Lubricating Oils by Paper Filtration (LMOA Method)	20190501	5	6,739円 (本体6,240円)
ASTM D7389 – 07(2019)	Standard Test Method for Acid Number (Empirical) of Maleic Anhydride (MAH) Grafted Waxes	20190701	2	5,896円 (本体5,460円)
ASTM D7579 – 09(2019)	Standard Test Method for Pyrolysis Solids Content in Pyrolysis Liquids by Filtration of Solids in Methanol	20190501	4	5,896円 (本体5,460円)
ASTM D7601 – 19	Standard Practice for Pressure Driven Membrane Separation Element/Bundle Evaluation	20190701	4	5,896円 (本体5,460円)
ASTM D7636/D7636M – 11(2019)	Standard Practice for Sampling and Analysis of Modified Bitumen Roof Systems	20190701	2	5,896円 (本体5,460円)
ASTM D7646 – 10(2019)	Standard Test Method for Determination of Cooling Characteristics of Aqueous Polymer Quenchants for Aluminum Alloys by Cooling Curve Analysis	20190501	6	6,739円 (本体6,240円)
ASTM D7718 – 11(2019)	Standard Practice for Obtaining In-Service Samples of Lubricating Grease	20190501	7	6,739円 (本体6,240円)
ASTM D7861 – 14(2019)	Standard Test Method for Determination of Fatty Acid Methyl Esters (FAME) in Diesel Fuel by Linear Variable Filter (LVF) Array Based Mid-Infrared Spectroscopy	20190501	7	6,739円 (本体6,240円)
ASTM D7923 – 19	Standard Test Method for Water in Ethanol and Hydrocarbon Blends by Karl Fischer Titration	20190601	9	6,739円 (本体6,240円)
ASTM D7963 – 19	Standard Test Method for Determination of Contamination Level of Fatty Acid Methyl Esters in Middle Distillate and Residual Fuels Using Flow Analysis by Fourier Transform Infrared Spectroscopy—Rapid Screening Method	20190601	7	6,739円 (本体6,240円)
ASTM D7973 – 19	Standard Guide for Monitoring Failure Mode Progression in Plain Bearings	20190501	9	6,739円 (本体6,240円)
ASTM D7998 – 19	Standard Test Method for Measuring the Effect of Temperature on the Cohesive Strength Development of Adhesives using Lap Shear Bonds under Tensile Loading	20190601	7	6,739円 (本体6,240円)
ASTM D8007 – 15(2019)	Standard Test Method for Wale and Course Count of Weft Knitted Fabrics	20190701	6	6,739円 (本体6,240円)

ASTM D8049 – 19	Standard Test Method for Determining Concentration, Count, and Size Distribution of Solid Particles and Water in Light and Middle Distillate Fuels by Direct Imaging Analyzer	20190501	6	6,739円 (本体6,240円)
ASTM D8111 – 19	Standard Test Method for Evaluation of Automotive Engine Oils in the Sequence IIIH, Spark-Ignition Engine	20190501	38	9,687円 (本体8,970円)
ASTM D8114 – 19	Standard Test Method for Measurement of Effects of Automotive Engine Oils on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VIE Spark Ignition	20190501	77	11,512円 (本体10,660円)
ASTM D8121/D8121M – 19	Standard Test Method for Approximating the Shear Strength of Cohesive Soils by the Handheld Vane Shear Device	20190501	11	7,581円 (本体7,020円)
ASTM D8151 – 19	Standard Practice for Obtaining Rainfall Runoff from Unvegetated Rolled and Hydraulic Erosion Control Products (RECPs and HECPs) for Acute Ecotoxicity Testing	20190615	8	6,739円 (本体6,240円)
ASTM D8184 – 18e1	Standard Test Method for Ferrous Wear Debris Monitoring in In-Service Fluids Using a Particle Quantifier Instrument	20180515	7	6,739円 (本体6,240円)
ASTM D8189 – 19	Standard Test Method for Tackiness of Asphalt Binders and Emulsified Asphalt Residue Using the Dynamic Shear Rheometer (DSR)	20190701	3	5,896円 (本体5,460円)
ASTM D8208 – 19	Standard Practice for Collection of Non-Fibrous Nanoparticles Using a Nanoparticle Respiratory Deposition (NRD) Sampler	20190601	8	6,739円 (本体6,240円)
ASTM D8215 – 19a	Standard Practice for Statistical Modeling of Uncertainty in Assessment of In-place Coal Resources	20190601	12	7,581円 (本体7,020円)
ASTM D8229 – 19	Standard Guide for Corrective Action and Preventive Action (CAPA) for the Cannabis Industry	20190601	8	6,739円 (本体6,240円)
ASTM D8231 – 19	Standard Practice for the Use of a Low Voltage Electronic Scanning System for Detecting and Locating Breaches in Roofing and Waterproofing Membranes	20190701	8	6,739円 (本体6,240円)
ASTM D8248 – 19	Standard Terminology for Smart Textiles	20190515	1	5,896円 (本体5,460円)
ASTM D8254 – 19	Standard Test Method for Flash and Fire Points of Asphalt by Cleveland Open Cup Tester	20190501	8	6,739円 (本体6,240円)
ASTM D8255 – 19	Standard Guide for Work of Fracture Measurements on Small Nuclear Graphite Specimens	20190501	9	6,739円 (本体6,240円)
ASTM D8256 – 19	Standard Test Method for Evaluation of Automotive Engine Oils for Inhibition of Deposit Formation in the Sequence VH Spark-Ignition Engine Fueled with Gasoline and Operated Under Low-Temperature, Light-Duty Conditions	20190501	89	12,495円 (本体11,570円)
ASTM D8267 – 19	Standard Test Method for Determination of Saturated Hydrocarbon, Aromatic, and Diaromatic Content of Aviation Turbine Fuels Using Gas Chromatography with Vacuum Ultraviolet Absorption Spectroscopy Detection (GC-VUV)	20190601	12	7,581円 (本体7,020円)
ASTM D8268 – 19	Standard Practice for Rubber Compounding Materials—Evaluation of Recycled Vulcanizate Particulate Rubber	20190701	2	5,896円 (本体5,460円)

## E.Miscellaneous Subjects

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM E9 - 19	Standard Test Methods of Compression Testing of Metallic Materials at Room Temperature	20190415	10	6,739円(本体6,240円)
ASTM E84 - 19b	Standard Test Method for Surface Burning Characteristics of Building Materials	20190701	26	9,687円(本体8,970円)
ASTM E100 - 19	Standard Specification for ASTM Hydrometers	20190501	10	6,739円(本体6,240円)
ASTM E135 - 19	Standard Terminology Relating to Analytical Chemistry for Metals, Ores, and Related Materials	20190515	5	6,739円(本体6,240円)
ASTM E154/E154M - 08a(2019)	Standard Test Methods for Water Vapor Retarders Used in Contact with Earth Under Concrete Slabs, on Walls, or as Ground Cover	20190701	7	6,739円(本体6,240円)
ASTM E287 - 02(2019)	Standard Specification for Laboratory Glass Graduated Burets	20190701	3	5,896円(本体5,460円)
ASTM E535 - 19	Standard Practice for Preparation of Fire-Test-Response Standards	20190701	8	6,739円(本体6,240円)
ASTM E608/E608M - 13(2019)	Standard Specification for Mineral-Insulated, Metal-Sheathed Base Metal Thermocouples	20190501	8	6,739円(本体6,240円)
ASTM E648 - 19	Standard Test Method for Critical Radiant Flux of Floor-Covering Systems Using a Radiant Heat Energy Source	20190715	16	7,581円(本体7,020円)
ASTM E1066/E1066M - 19	Standard Practice for Ammonia Colorimetric Leak Testing	20190501	5	6,739円(本体6,240円)
ASTM E1413 - 19	Standard Practice for Separation of Ignitable Liquid Residues from Fire Debris Samples by Dynamic Headspace Concentration onto an Adsorbent Tube	20190601	6	6,739円(本体6,240円)
ASTM E1725 - 19	Standard Test Methods for Fire Tests of Fire-Resistive Barrier Systems for Electrical System Components	20190601	11	7,581円(本体7,020円)
ASTM E2079 - 19	Standard Test Methods for Limiting Oxygen (Oxidant) Concentration in Gases and Vapors	20190701	10	6,739円(本体6,240円)
ASTM E2174 - 19	Standard Practice for On-Site Inspection of Installed Firestops	20190701	7	6,739円(本体6,240円)
ASTM E2215 - 19	Standard Practice for Evaluation of Surveillance Capsules from Light-Water Moderated Nuclear Power Reactor Vessels	20190601	9	6,739円(本体6,240円)
ASTM E2224 - 19	Standard Guide for Forensic Analysis of Fibers by Infrared Spectroscopy	20190601	5	6,739円(本体6,240円)
ASTM E2228 - 19	Standard Guide for Microscopical Examination of Textile Fibers	20190601	11	7,581円(本体7,020円)

ASTM E2307 - 19	Standard Test Method for Determining Fire Resistance of Perimeter Fire Barriers Using Intermediate-Scale, Multi-story Test Apparatus	20190701	21	9,687円 (本体8,970円)
ASTM E2312 - 11(2019)	Standard Practice for Tests of Cleanroom Materials	20190701	3	5,896円 (本体5,460円)
ASTM E2352 - 19	Standard Practice for Aerospace Cleanrooms and Associated Controlled Environments—Cleanroom Operations	20190501	14	7,581円 (本体7,020円)
ASTM E2432 - 19	Standard Guide for General Principles of Sustainability Relative to Buildings	20190701	6	6,739円 (本体6,240円)
ASTM E2618 - 13(2019)	Standard Test Method for Measurement of Particulate Emissions and Heating Efficiency of Solid Fuel-Fired Hydronic Heating Appliances	20190701	19	7,581円 (本体7,020円)
ASTM E2629 - 19	Standard Guide for Verification of Process Analytical Technology (PAT) Enabled Control Systems	20190615	7	6,739円 (本体6,240円)
ASTM E2825 - 19	Standard Guide for Forensic Digital Image Processing	20190601	6	6,739円 (本体6,240円)
ASTM E3017 - 19	Standard Practice for Examining Magnetic Card Readers	20190601	17	7,581円 (本体7,020円)
ASTM E3024/E3024M - 19	Standard Practice for Magnetic Particle Testing for General Industry	20190601	19	7,581円 (本体7,020円)
ASTM E3057 - 19	Standard Test Method for Measuring Heat Flux Using Directional Flame Thermometers with Advanced Data Analysis Techniques	20190601	25	9,687円 (本体8,970円)
ASTM E3189 - 19	Standard Practice for Separation of Ignitable Liquid Residues from Fire Debris Samples by Static Headspace Concentration onto an Adsorbent Tube	20190601	6	6,739円 (本体6,240円)
ASTM E3213 - 19	Standard Practice for Part-to-Itself Examination Using Process Compensated Resonance Testing Via Swept Sine Input for Metallic and Non-Metallic Parts	20190501	9	6,739円 (本体6,240円)
ASTM E3214 - 19	Standard Classification for Industrial Microorganisms	20190601	6	6,739円 (本体6,240円)

## F.Materials for Specific Applications

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM F91 - 06(2019)	Standard Practice for Testing for Leaks in the Filters Associated With Laminar Flow Clean Rooms and Clean Work Stations by Use of a Condensation Nuclei Detector	20190701	2	5,896円 (本体5,460円)
ASTM F146 - 12(2019)e1	Standard Test Methods for Fluid Resistance of Gasket Materials	20190501	5	6,739円 (本体6,240円)
ASTM F148 - 13(2019)	Standard Test Method for Binder Durability of Cork Composition Gasket Materials	20190501	2	5,896円 (本体5,460円)
ASTM F400 - 19	Standard Consumer Safety Specification for Lighters	20190501	12	7,581円 (本体7,020円)

ASTM F495 – 99a(2019)	Standard Test Method for Weight Loss of Gasket Materials Upon Exposure to Elevated Temperatures	20190501	2	5,896円 (本体5,460円)
ASTM F607 – 03(2019)	Standard Test Method for Adhesion of Gasket Materials to Metal Surfaces	20190501	4	5,896円 (本体5,460円)
ASTM F696 – 06(2019)	Standard Specification for Leather Protectors for Rubber Insulating Gloves and Mittens	20190601	3	5,896円 (本体5,460円)
ASTM F799 – 19	Standard Specification for Cobalt-28 Chromium-6 Molybdenum Alloy Forgings for Surgical Implants (UNS R31537, R31538, R31539)	20190515	4	5,896円 (本体5,460円)
ASTM F876 – 19	Standard Specification for Crosslinked Polyethylene (PEX) Tubing	20190701	11	7,581円 (本体7,020円)
ASTM F1134 – 15(2019)	Standard Specification for Insulation Resistance Monitor for Shipboard Electrical Motors and Generators	20190701	3	5,896円 (本体5,460円)
ASTM F1137/F1137M – 19	Standard Specification for Phosphate/Oil Corrosion Protective Coatings for Fasteners	20190615	3	5,896円 (本体5,460円)
ASTM F1209 – 19	Standard Guide for Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Ponds and Sloughs	20190701	4	5,896円 (本体5,460円)
ASTM F1414 – 19	Standard Test Method for Measurement of Cut Resistance to Chainsaw in Lower Body (Legs) Protective Clothing	20190601	15	7,581円 (本体7,020円)
ASTM F1496 – 13(2019)	Standard Test Method for Performance of Convection Ovens	20190501	20	7,581円 (本体7,020円)
ASTM F1605 – 14(2019)	Standard Test Method for Performance of Double-Sided Griddles	20190501	16	7,581円 (本体7,020円)
ASTM F1788 – 19	Standard Guide for In-Situ Burning of Oil Spills on Water: Environmental and Operational Considerations	20190701	7	6,739円 (本体6,240円)
ASTM F1821 – 19	Standard Consumer Safety Specification for Toddler Beds	20190601	11	7,581円 (本体7,020円)
ASTM F1964 – 11(2019)	Standard Test Method for Performance of Pressure Fryers	20190501	13	7,581円 (本体7,020円)
ASTM F2022 – 01(2019)	Standard Test Method for Performance of Booster Heaters	20190501	12	7,581円 (本体7,020円)
ASTM F2067 – 19	Standard Practice for Development and Use of Oil-Spill Trajectory Models	20190701	3	5,896円 (本体5,460円)
ASTM F2087 – 13(2019)	Standard Specification for Packing, Fiberglass, Braided, Rope, and Wick	20190701	3	5,896円 (本体5,460円)
ASTM F2101 – 19	Standard Test Method for Evaluating the Bacterial Filtration Efficiency (BFE) of Medical Face Mask Materials, Using a Biological Aerosol of Staphylococcus aureus	20190701	5	6,739円 (本体6,240円)
ASTM F2123 – 19	Standard Practice for Treestand Instructions	20190515	5	6,739円 (本体6,240円)

ASTM F2140 - 11(2019)	Standard Test Method for Performance of Hot Food Holding Cabinets	20190501	7	6,739円 (本体6,240円)
ASTM F2141 - 07(2019)	Standard Test Method for Performance of Self-Serve Hot Deli Cases	20190501	8	6,739円 (本体6,240円)
ASTM F2142 - 01(2019)	Standard Test Method for Performance of Drawer Warmers	20190501	8	6,739円 (本体6,240円)
ASTM F2201 - 19	Standard Consumer Safety Specification for Utility Lighters	20190501	12	7,581円 (本体7,020円)
ASTM F2223 - 19	Standard Guide for ASTM Standards on Playground Surfacing	20190701	5	6,739円 (本体6,240円)
ASTM F2291 - 19	Standard Practice for Design of Amusement Rides and Devices	20190515	65	11,512円 (本体10,660円)
ASTM F2324 - 13(2019)	Standard Test Method for Pre-rinse Spray Valves	20190501	11	7,581円 (本体7,020円)
ASTM F2467 - 06(2019)	Standard Practice for Measuring Static Sealing Pressure Using Pressure-Indicating Film (PIF) in Transportation Applications	20190501	2	5,896円 (本体5,460円)
ASTM F2468 - 05(2019)	Standard Classification for Specifying Silicone Adhesives and Sealants for Transportation Applications	20190501	5	6,739円 (本体6,240円)
ASTM F2644 - 07(2019)	Standard Test Method for Performance of Commercial Patio Heaters	20190501	7	6,739円 (本体6,240円)
ASTM F2679 - 15(2019)	Standard Specification for 6 mm Projectiles Used with Airsoft Guns	20190515	2	5,896円 (本体5,460円)
ASTM F2748 - 15(2019)	Standard Specification for Airsoft Guns	20190515	6	6,739円 (本体6,240円)
ASTM F2933 - 19	Standard Consumer Safety Specification for Crib Mattresses	20190615	6	6,739円 (本体6,240円)
ASTM F2957 - 13(2019)e1	Standard Specification for Ornamental Aluminum Fence Systems	20190501	4	5,896円 (本体5,460円)
ASTM F2976 - 13(2019)	Standard Practice for Determining the Field Performance of Commercial Kitchen Demand Control Ventilation Systems	20190501	6	6,739円 (本体6,240円)
ASTM F3051 - 14(2019)	Standard Test Method for Performance of Cook-and-Hold Ovens	20190501	11	7,581円 (本体7,020円)
ASTM F3061/F3061M - 19	Standard Specification for Systems and Equipment in Small Aircraft	20190601	23	9,687円 (本体8,970円)
ASTM F3231/F3231M - 19	Standard Specification for Electrical Systems for Aircraft with Combustion Engine Electrical Power Generation	20190601	8	6,739円 (本体6,240円)
ASTM F3346 - 19	Standard Specification for Polyethylene of Raised Temperature/Aluminum/Polyethylene of Raised Temperature (PERT/AL/PE-RT) Composite Pressure Pipe	20190601	10	6,739円 (本体6,240円)

ASTM F3352 - 19	Standard Specification for Isolation Gowns Intended for Use in Healthcare Facilities	20190601	10	6,739円 (本体6,240円)
ASTM F3368 - 19	Standard Guide for Cell Potency Assays for Cell Therapy and Tissue Engineered Products	20190515	7	6,739円 (本体6,240円)
ASTM F3376 - 19	Standard Guide for Core Competencies for Aviation Maintenance Personnel	20190401	6	6,739円 (本体6,240円)
ASTM F3377 - 19	Standard Terminology Relating to Commercial Spaceflight	20190615	1	5,896円 (本体5,460円)

## G. Corrosion, Deterioration, and Degradation of Materials

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM G42 - 11(2019)e1	Standard Test Method for Cathodic Disbonding of Pipeline Coatings Subjected to Elevated Temperatures	20190701	8	6,739円 (本体6,240円)
ASTM G47 - 98(2019)	Standard Test Method for Determining Susceptibility to Stress-Corrosion Cracking of 2XXX and 7XXX Aluminum Alloy Products	20190615	6	6,739円 (本体6,240円)
ASTM G180 - 13(2019)	Standard Test Method for Corrosion Inhibiting Admixtures for Steel in Concrete by Polarization Resistance in Cementitious Slurries	20190715	6	6,739円 (本体6,240円)
ASTM G207 - 11(2019)e1	Standard Test Method for Indoor Transfer of Calibration from Reference to Field Pyranometers	20190601	7	6,739円 (本体6,240円)