

ASTM規格 --- 2019-08 新刊情報 ---

日本規格協会グループ

*ここに掲載している規格は英語版です。JSA Webdesk でご購入いただけます。
*規格の表示は部門別です。

A.Ferrous Metals

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM A370 - 19	Standard Test Methods and Definitions for Mechanical Testing of Steel Products	20190701	50	10,670円 (本体9,880円)
ASTM A867 - 19	Standard Specification for Iron-Silicon Relay Steels	20190801	5	6,739円 (本体6,240円)

B.Nonferrous Metals

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM B29 - 19	Standard Specification for Refined Lead	20190801	4	5,896円 (本体5,460円)
ASTM B373 - 19	Standard Specification for Aluminum Foil for Capacitors	20190701	6	6,739円 (本体6,240円)
ASTM B536 - 19	Standard Specification for Nickel-Iron-Chromium-Silicon Alloys Plate, Sheet, and Strip	20190401	3	5,896円 (本体5,460円)
ASTM B846 - 19a	Standard Terminology for Copper and Copper Alloys	20190801	18	7,581円 (本体7,020円)

C.Cementitious, Ceramic, Concrete, and Masonry materials

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM C25 - 19	Standard Test Methods for Chemical Analysis of Limestone, Quicklime, and Hydrated Lime	20190501	40	9,687円 (本体8,970円)
ASTM C76 - 19a	Standard Specification for Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe	20190701	12	7,581円 (本体7,020円)
ASTM C118 - 19	Standard Specification for Concrete Pipe for Irrigation or Drainage	20190715	4	5,896円 (本体5,460円)
ASTM C191 - 19	Standard Test Methods for Time of Setting of Hydraulic Cement by Vicat Needle	20190801	8	6,739円 (本体6,240円)
ASTM C338 - 93(2019)	Standard Test Method for Softening Point of Glass	20190801	4	5,896円 (本体5,460円)
ASTM C361 - 19a	Standard Specification for Reinforced Concrete Low-Head Pressure Pipe	20190715	29	9,687円 (本体8,970円)

ASTM C361M - 19	Standard Specification for Reinforced Concrete Low-Head Pressure Pipe (Metric)	20190715	26	9,687円 (本体8,970円)
ASTM C412 - 19	Standard Specification for Concrete Drain Tile	20190715	6	6,739円 (本体6,240円)
ASTM C412M - 19	Standard Specification for Concrete Drain Tile (Metric)	20190715	6	6,739円 (本体6,240円)
ASTM C451 - 19	Standard Test Method for Early Stiffening of Hydraulic Cement (Paste Method)	20190801	4	5,896円 (本体5,460円)
ASTM C452 - 19e1	Standard Test Method for Potential Expansion of Portland-Cement Mortars Exposed to Sulfate	20190615	3	5,896円 (本体5,460円)
ASTM C478 - 19	Standard Specification for Circular Precast Reinforced Concrete Manhole Sections	20190715	10	6,739円 (本体6,240円)
ASTM C478M - 19	Standard Specification for Circular Precast Reinforced Concrete Manhole Sections (Metric)	20190715	10	6,739円 (本体6,240円)
ASTM C499 - 09(2019)	Standard Test Method for Facial Dimensions and Thickness of Flat, Rectangular Ceramic Wall and Floor Tile	20190801	2	5,896円 (本体5,460円)
ASTM C505 - 19	Standard Specification for Nonreinforced Concrete Irrigation Pipe with Rubber Gasket Joints	20190715	5	6,739円 (本体6,240円)
ASTM C505M - 19	Standard Specification for Nonreinforced Concrete Irrigation Pipe With Rubber Gasket Joints (Metric)	20190715	5	6,739円 (本体6,240円)
ASTM C506 - 19a	Standard Specification for Reinforced Concrete Arch Culvert, Storm Drain, and Sewer Pipe	20190715	8	6,739円 (本体6,240円)
ASTM C506M - 19a	Standard Specification for Reinforced Concrete Arch Culvert, Storm Drain, and Sewer Pipe (Metric)	20190715	8	6,739円 (本体6,240円)
ASTM C507 - 19a	Standard Specification for Reinforced Concrete Elliptical Culvert, Storm Drain, and Sewer Pipe	20190715	10	6,739円 (本体6,240円)
ASTM C507M - 19a	Standard Specification for Reinforced Concrete Elliptical Culvert, Storm Drain, and Sewer Pipe (Metric)	20190715	11	7,581円 (本体7,020円)
ASTM C566 - 19	Standard Test Method for Total Evaporable Moisture Content of Aggregate by Drying	20190601	3	5,896円 (本体5,460円)
ASTM C586 - 11(2019)	Standard Test Method for Potential Alkali Reactivity of Carbonate Rocks as Concrete Aggregates (Rock-Cylinder Method)	20190801	5	6,739円 (本体6,240円)
ASTM C598 - 93(2019)	Standard Test Method for Annealing Point and Strain Point of Glass by Beam Bending	20190801	5	6,739円 (本体6,240円)
ASTM C609 - 07(2019)	Standard Test Method for Measurement of Light Reflectance Value and Small Color Differences Between Pieces of Ceramic Tile	20190801	5	6,739円 (本体6,240円)

ASTM C650 – 04(2019)	Standard Test Method for Resistance of Ceramic Tile to Chemical Substances	20190801	4	5,896円 (本体5,460円)
ASTM C654 – 19	Standard Specification for Porous Concrete Pipe	20190715	5	6,739円 (本体6,240円)
ASTM C654M – 19	Standard Specification for Porous Concrete Pipe (Metric)	20190715	5	6,739円 (本体6,240円)
ASTM C655 – 19a	Standard Specification for Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe	20190715	7	6,739円 (本体6,240円)
ASTM C655M – 19a	Standard Specification for Reinforced Concrete D-Load Culvert, Storm Drain, and Sewer Pipe (Metric)	20190715	7	6,739円 (本体6,240円)
ASTM C693 – 93(2019)	Standard Test Method for Density of Glass by Buoyancy	20190801	3	5,896円 (本体5,460円)
ASTM C76M – 19a	Standard Specification for Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe (Metric)	20190701	12	7,581円 (本体7,020円)
ASTM C799 – 19	Standard Test Methods for Chemical, Mass Spectrometric, Spectrochemical, Nuclear, and Radiochemical Analysis of Nuclear-Grade Uranyl Nitrate Solutions	20190701	14	7,581円 (本体7,020円)
ASTM C895 – 87(2019)	Standard Test Method for Lead and Cadmium Extracted from Glazed Ceramic Tile	20190801	3	5,896円 (本体5,460円)
ASTM C985 – 19	Standard Specification for Nonreinforced Concrete Specified Strength Culvert, Storm Drain, and Sewer Pipe	20190715	6	6,739円 (本体6,240円)
ASTM C1074 – 19	Standard Practice for Estimating Concrete Strength by the Maturity Method	20190601	10	6,739円 (本体6,240円)
ASTM C1145 – 19	Standard Terminology of Advanced Ceramics	20190701	12	7,581円 (本体7,020円)
ASTM C118M – 19	Standard Specification for Concrete Pipe for Irrigation or Drainage (Metric)	20190715	4	5,896円 (本体5,460円)
ASTM C1195 – 19	Standard Test Method for Absorption of Architectural Cast Stone	20190701	2	5,896円 (本体5,460円)
ASTM C1256 – 93(2019)	Standard Practice for Interpreting Glass Fracture Surface Features	20190801	7	6,739円 (本体6,240円)
ASTM C1279 – 13(2019)	Standard Test Method for Non-Destructive Photoelastic Measurement of Edge and Surface Stresses in Annealed, Heat-Strengthened, and Fully Tempered Flat Glass	20190801	10	6,739円 (本体6,240円)
ASTM C1322 – 15(2019)	Standard Practice for Fractography and Characterization of Fracture Origins in Advanced Ceramics	20190701	50	10,670円 (本体9,880円)
ASTM C1325 – 19	Standard Specification for Fiber-Mat Reinforced Cementitious Backer Units	20190801	5	6,739円 (本体6,240円)
ASTM C1328/C1328M – 19	Standard Specification for Plastic (Stucco) Cement	20190615	4	5,896円 (本体5,460円)

ASTM C1350M – 96(2019)	Standard Test Method for Measurement of Viscosity of Glass Between Softening Point and Annealing Range (Approximately 108 Pa·s to Approximately 1013 Pa·s) by Beam Bending (Metric)	20190801	4	5,896円 (本体5,460円)
ASTM C1378 – 04(2019)	Standard Test Method for Determination of Resistance to Staining	20190801	3	5,896円 (本体5,460円)
ASTM C1417 – 19	Standard Specification for Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design	20190715	7	6,739円 (本体6,240円)
ASTM C1417M – 19	Standard Specification for Manufacture of Reinforced Concrete Sewer, Storm Drain, and Culvert Pipe for Direct Design (Metric)	20190715	8	6,739円 (本体6,240円)
ASTM C1433 – 19	Standard Specification for Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers	20190715	24	9,687円 (本体8,970円)
ASTM C1433M – 19	Standard Specification for Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers (Metric)	20190715	22	9,687円 (本体8,970円)
ASTM C1453 – 19	Standard Test Method for the Determination of Uranium by Ignition and the Oxygen to Uranium (O/U) Atomic Ratio of Nuclear Grade Uranium Dioxide Powders and Pellets	20190701	4	5,896円 (本体5,460円)
ASTM C1499 – 19	Standard Test Method for Monotonic Equibiaxial Flexural Strength of Advanced Ceramics at Ambient Temperature	20190701	13	7,581円 (本体7,020円)
ASTM C1504 – 19	Standard Specification for Manufacture of Precast Reinforced Concrete Three-Sided Structures for Culverts and Storm Drains	20190715	5	6,739円 (本体6,240円)
ASTM C1504M – 19	Standard Specification for Manufacture of Precast Reinforced Concrete Three-Sided Structures for Culverts and Storm Drains (Metric)	20190715	5	6,739円 (本体6,240円)
ASTM C1521 – 19	Standard Practice for Evaluating Adhesion of Installed Weatherproofing Sealant Joints	20190801	7	6,739円 (本体6,240円)
ASTM C1577 – 19a	Standard Specification for Precast Reinforced Concrete Monolithic Box Sections for Culverts, Storm Drains, and Sewers Designed According to AASHTO LRFD	20190715	22	9,687円 (本体8,970円)
ASTM C1620 – 16e1	Standard Specification for Aerosol Polyurethane and Aerosol Latex Foam Sealants	20160101	4	5,896円 (本体5,460円)
ASTM C1628 – 19	Standard Specification for Joints for Concrete Gravity Flow Sewer Pipe, Using Rubber Gaskets	20190715	7	6,739円 (本体6,240円)
ASTM C1765 – 19	Standard Specification for Steel Fiber Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe	20190715	6	6,739円 (本体6,240円)
ASTM C1778 – 19a	Standard Guide for Reducing the Risk of Deleterious Alkali-Aggregate Reaction in Concrete	20190615	11	7,581円 (本体7,020円)
ASTM C1786 – 19	Standard Specification for Segmental Precast Reinforced Concrete Box Sections for Culverts, Storm Drains, and Sewers Designed According to AASHTO LRFD	20190715	12	7,581円 (本体7,020円)
ASTM C1818 – 19	Standard Specification for Synthetic Fiber Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe	20190715	9	6,739円 (本体6,240円)

ASTM C1846/C1846M - 19	Standard Specification for Performance Based Manufacture of Reinforced Concrete Culvert, Storm Drain, and Sewer Pipe	20190701	6	6,739円 (本体6,240円)
ASTM C1876 - 19	Standard Test Method for Bulk Electrical Resistivity or Bulk Conductivity of Concrete	20190615	7	6,739円 (本体6,240円)

D.Miscellaneous Materials

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM D8 - 19	Standard Terminology Relating to Materials for Roads and Pavements	20190801	5	6,739円 (本体6,240円)
ASTM D128 - 98(2019)	Standard Test Methods for Analysis of Lubricating Grease	20190701	11	7,581円 (本体7,020円)
ASTM D452/D452M - 19	Standard Test Method for Sieve Analysis of Surfacing for Asphalt Roofing Products	20190501	4	5,896円 (本体5,460円)
ASTM D975 - 19b	Standard Specification for Diesel Fuel	20190601	28	9,687円 (本体8,970円)
ASTM D1051 - 19	Standard Specification for Rubber Insulating Sleeves	20190801	10	6,739円 (本体6,240円)
ASTM D1424 - 09(2019)	Standard Test Method for Tearing Strength of Fabrics by Falling-Pendulum (Elmendorf-Type) Apparatus	20190701	8	6,739円 (本体6,240円)
ASTM D1777 - 96(2019)	Standard Test Method for Thickness of Textile Materials	20190701	5	6,739円 (本体6,240円)
ASTM D2414 - 19	Standard Test Method for Carbon Black—Oil Absorption Number (OAN)	20190801	9	6,739円 (本体6,240円)
ASTM D2495 - 07(2019)	Standard Test Method for Moisture in Cotton by Oven-Drying	20190701	5	6,739円 (本体6,240円)
ASTM D2513 - 19	Standard Specification for Polyethylene (PE) Gas Pressure Pipe, Tubing, and Fittings	20190801	18	7,581円 (本体7,020円)
ASTM D2887 - 19	Standard Test Method for Boiling Range Distribution of Petroleum Fractions by Gas Chromatography	20190701	35	9,687円 (本体8,970円)
ASTM D2925 - 14(2019)	Standard Test Method for Beam Deflection of "Fiberglass" (Glass-Fiber-Reinforced Thermosetting Resin) Pipe Under Full Bore Flow	20190801	4	5,896円 (本体5,460円)
ASTM D2983 - 19	Standard Test Method for Low-Temperature Viscosity of Automatic Transmission Fluids, Hydraulic Fluids, and Lubricants using a Rotational Viscometer	20190615	23	9,687円 (本体8,970円)
ASTM D3014 - 19	Standard Test Method for Flame Height, Time of Burning, and Loss of Mass of Rigid Thermoset Cellular Plastics in a Vertical Position	20190801	5	6,739円 (本体6,240円)
ASTM D3265 - 19a	Standard Test Method for Carbon Black—Tint Strength	20190801	6	6,739円 (本体6,240円)
ASTM D3493 - 19	Standard Test Method for Carbon Black—Oil Absorption Number of Compressed Sample (COAN)	20190801	4	5,896円 (本体5,460円)

ASTM D3517 - 19	Standard Specification for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pressure Pipe	20190801	13	7,581円 (本体7,020円)
ASTM D3654/D3654M - 06(2019)	Standard Test Methods for Shear Adhesion of Pressure-Sensitive Tapes	20190801	6	6,739円 (本体6,240円)
ASTM D3675 - 19	Standard Test Method for Surface Flammability of Flexible Cellular Materials Using a Radiant Heat Energy Source	20190801	11	7,581円 (本体7,020円)
ASTM D3715/D3715M - 98(2019)	Standard Practice for Quality Assurance of Pressure-Sensitive Tapes	20190801	6	6,739円 (本体6,240円)
ASTM D3759/D3759M - 05(2019)	Standard Test Method for Breaking Strength and Elongation of Pressure-Sensitive Tape	20190801	7	6,739円 (本体6,240円)
ASTM D3764 - 19	Standard Practice for Validation of the Performance of Process Stream Analyzer Systems	20190601	18	7,581円 (本体7,020円)
ASTM D3833/D3833M - 96(2019)	Standard Test Method for Water Vapor Transmission of Pressure-Sensitive Tapes	20190801	3	5,896円 (本体5,460円)
ASTM D3837 - 95(2019)	Standard Practice for Preparing a Solution of Alkali-Soluble Resins	20190701	2	5,896円 (本体5,460円)
ASTM D3839 - 14(2019)	Standard Guide for Underground Installation of "Fiberglass" (Glass-Fiber Reinforced Thermosetting-Resin) Pipe	20190801	12	7,581円 (本体7,020円)
ASTM D3840 - 19	Standard Specification for "Fiberglass" (Glass-Fiber-Reinforced Thermosetting-Resin) Pipe Fittings for Nonpressure Applications	20190801	9	6,739円 (本体6,240円)
ASTM D3885 - 07a(2019)	Standard Test Method for Abrasion Resistance of Textile Fabrics (Flexing and Abrasion Method)	20190701	9	6,739円 (本体6,240円)
ASTM D4003 - 98(2019)e1	Standard Test Methods for Programmable Horizontal Impact Test for Shipping Containers and Systems	20190801	5	6,739円 (本体6,240円)
ASTM D4097 - 19	Standard Specification for Contact-Molded Glass-Fiber-Reinforced Thermoset Resin Corrosion-Resistant Tanks	20190801	16	7,581円 (本体7,020円)
ASTM D4365 - 19	Standard Test Method for Determining Micropore Volume and Zeolite Area of a Catalyst	20190701	6	6,739円 (本体6,240円)
ASTM D4567 - 19	Standard Test Method for Single-Point Determination of Specific Surface Area of Catalysts and Catalyst Carriers Using Nitrogen Adsorption by Continuous Flow Method	20190701	4	5,896円 (本体5,460円)
ASTM D4659 - 19	Standard Test Methods for Polyurethane Raw Materials: Determination of Specific Gravity of Isocyanates	20190801	4	5,896円 (本体5,460円)
ASTM D4729 - 19	Standard Test Method for In Situ Stress and Modulus of Deformation Using the Flat Jack Method	20190601	10	6,739円 (本体6,240円)
ASTM D4772 - 14(2019)	Standard Test Method for Surface Water Absorption of Terry Fabrics (Water Flow)	20190701	10	6,739円 (本体6,240円)

ASTM D4821 – 19	Standard Guide for Carbon Black—Validation of Test Method Precision and Bias	20190801	14	7,581円 (本体7,020円)
ASTM D4851 – 07(2019)e1	Standard Test Methods for Coated and Laminated Fabrics for Architectural Use	20150701	21	9,687円 (本体8,970円)
ASTM D4865 – 19	Standard Guide for Generation and Dissipation of Static Electricity in Petroleum Fuel Systems	20190701	8	6,739円 (本体6,240円)
ASTM D4910/D4910M – 19	Standard Tables of Body Measurements for Children, Infant Sizes – Premie to 24 Months	20190615	7	6,739円 (本体6,240円)
ASTM D4929 – 19	Standard Test Method for Determination of Organic Chloride Content in Crude Oil	20190701	16	7,581円 (本体7,020円)
ASTM D4968 – 19a	Standard Practice for Annual Review of Test Methods and Specifications for Plastics	20190801	15	7,581円 (本体7,020円)
ASTM D5155 – 19	Standard Test Methods for Polyurethane Raw Materials: Determination of the Isocyanate Content of Aromatic Isocyanates	20190801	6	6,739円 (本体6,240円)
ASTM D5158 – 98(2019)	Standard Test Method for Determination of Particle Size of Powdered Activated Carbon by Air-Jet Sieving	20190801	3	5,896円 (本体5,460円)
ASTM D5186 – 19	Standard Test Method for Determination of the Aromatic Content and Polynuclear Aromatic Content of Diesel Fuels By Supercritical Fluid Chromatography	20190601	7	6,739円 (本体6,240円)
ASTM D5204 – 19	Standard Classification System and Basis for Specification for Polyamide-Imide (PAI) Molding and Extrusion Materials	20190801	8	6,739円 (本体6,240円)
ASTM D5264 – 98(2019)	Standard Practice for Abrasion Resistance of Printed Materials by the Sutherland Rub Tester	20190801	3	5,896円 (本体5,460円)
ASTM D5321/D5321M – 19	Standard Test Method for Determining the Shear Strength of Soil-Geosynthetic and Geosynthetic-Geosynthetic Interfaces by Direct Shear	20190701	11	7,581円 (本体7,020円)
ASTM D5375/D5375M – 98(2019)	Standard Test Methods for Liner Removal at High Speeds from Pressure-Sensitive Label Stock	20190801	4	5,896円 (本体5,460円)
ASTM D5453 – 19a	Standard Test Method for Determination of Total Sulfur in Light Hydrocarbons, Spark Ignition Engine Fuel, Diesel Engine Fuel, and Engine Oil by Ultraviolet Fluorescence	20190701	12	7,581円 (本体7,020円)
ASTM D5623 – 19	Standard Test Method for Sulfur Compounds in Light Petroleum Liquids by Gas Chromatography and Sulfur Selective Detection	20190701	6	6,739円 (本体6,240円)
ASTM D5662 – 19	Standard Test Method for Determining Automotive Gear Oil Compatibility with Typical Oil Seal Elastomers	20190701	7	6,739円 (本体6,240円)
ASTM D5684 – 19a	Standard Terminology Relating to Pile Floor Coverings	20190701	5	6,739円 (本体6,240円)
ASTM D5798 – 19b	Standard Specification for Ethanol Fuel Blends for Flexible-Fuel Automotive Spark-Ignition Engines	20190701	11	7,581円 (本体7,020円)

ASTM D5800 – 19	Standard Test Method for Evaporation Loss of Lubricating Oils by the Noack Method	20190701	23	9,687円 (本体8,970円)
ASTM D5865/D5865M – 19	Standard Test Method for Gross Calorific Value of Coal and Coke	20190601	19	7,581円 (本体7,020円)
ASTM D5968 – 19	Standard Test Method for Evaluation of Corrosiveness of Diesel Engine Oil at 121 ° C	20190701	9	6,739円 (本体6,240円)
ASTM D6055 – 96(2019)	Standard Test Methods for Mechanical Handling of Unitized Loads and Large Shipping Cases and Crates	20190801	5	6,739円 (本体6,240円)
ASTM D6111 – 19a	Standard Test Method for Bulk Density And Specific Gravity of Plastic Lumber and Shapes by Displacement	20190801	5	6,739円 (本体6,240円)
ASTM D6114/D6114M – 19	Standard Specification for Asphalt-Rubber Binder	20190701	5	6,739円 (本体6,240円)
ASTM D6121 – 19	Standard Test Method for Evaluation of Load-Carrying Capacity of Lubricants Under Conditions of Low Speed and High Torque Used for Final Hypoid Drive Axles	20190701	21	9,687円 (本体8,970円)
ASTM D6122 – 19b	Standard Practice for Validation of the Performance of Multivariate Online, At-Line, and Laboratory Infrared Spectrophotometer Based Analyzer Systems	20190601	44	10,670円 (本体9,880円)
ASTM D6192/D6192M – 19	Standard Tables of Body Measurements for Girls, Sizes 2 to 20 (Reg & Slim) and Girls Plus	20190501	14	7,581円 (本体7,020円)
ASTM D6195 – 03(2019)	Standard Test Methods for Loop Tack	20190801	5	6,739円 (本体6,240円)
ASTM D6295/D6295M – 98(2019)	Standard Test Method for Dispensability of Light-Duty Pressure-Sensitive Film Tape	20190801	4	5,896円 (本体5,460円)
ASTM D6358 – 19e1	Standard Classification System and Basis for Specification for Poly (Phenylene Sulfide) (PPS) Injection Molding, Extrusion and Blow Molding Materials Using ISO Methods	20190401	8	6,739円 (本体6,240円)
ASTM D6379 – 11(2019)	Standard Test Method for Determination of Aromatic Hydrocarbon Types in Aviation Fuels and Petroleum Distillates—High Performance Liquid Chromatography Method with Refractive Index Detection	20190601	6	6,739円 (本体6,240円)
ASTM D6384 – 19	Standard Terminology Relating to Biodegradability and Ecotoxicity of Lubricants	20190601	3	5,896円 (本体5,460円)
ASTM D6423 – 19	Standard Test Method for Determination of pH of Denatured Fuel Ethanol and Ethanol Fuel Blends	20190701	5	6,739円 (本体6,240円)
ASTM D6462 – 19	Standard Practice for Silt Fence Installation and Maintenance	20190615	4	5,896円 (本体5,460円)
ASTM D6521 – 19	Standard Practice for Accelerated Aging of Asphalt Binder Using a Pressurized Aging Vessel (PAV)	20190701	6	6,739円 (本体6,240円)
ASTM D6591 – 19	Standard Test Method for Determination of Aromatic Hydrocarbon Types in Middle Distillates—High Performance Liquid Chromatography Method with Refractive Index Detection	20190601	10	6,739円 (本体6,240円)

ASTM D6594 – 19	Standard Test Method for Evaluation of Corrosiveness of Diesel Engine Oil at 135 ° C	20190701	8	6,739円 (本体6,240円)
ASTM D6603 – 19	Standard Specification for Labeling of UV-Protective Textiles	20190701	6	6,739円 (本体6,240円)
ASTM D6794 – 19	Standard Test Method for Measuring the Effect on Filterability of Engine Oils After Treatment with Various Amounts of Water and a Long (6 h) Heating Time	20190701	7	6,739円 (本体6,240円)
ASTM D6795 – 19a	Standard Test Method for Measuring the Effect on Filterability of Engine Oils After Treatment with Water and Dry Ice and a Short (30 min) Heating Time	20190701	7	6,739円 (本体6,240円)
ASTM D6930 – 19	Standard Test Method for Settlement and Storage Stability of Emulsified Asphalts	20190701	3	5,896円 (本体5,460円)
ASTM D7031 – 11(2019)	Standard Guide for Evaluating Mechanical and Physical Properties of Wood-Plastic Composite Products	20190715	8	6,739円 (本体6,240円)
ASTM D7216 – 19	Standard Test Method for Determining Automotive Engine Oil Compatibility with Typical Seal Elastomers	20190701	13	7,581円 (本体7,020円)
ASTM D7367 – 19	Standard Test Method for Determining Water Holding Capacity of Fiber Mulches for Hydraulic Planting	20190615	3	5,896円 (本体5,460円)
ASTM D7367 – 19e2	Standard Test Method for Determining Water Holding Capacity of Fiber Mulches for Hydraulic Planting	20190615	3	5,896円 (本体5,460円)
ASTM D7403 – 19	Standard Test Method for Determination of Residue of Emulsified Asphalt by Low Temperature Vacuum Distillation	20190715	6	6,739円 (本体6,240円)
ASTM D7452 – 19	Standard Test Method for Evaluation of the Load Carrying Properties of Lubricants Used for Final Drive Axles, Under Conditions of High Speed and Shock Loading	20190701	30	9,687円 (本体8,970円)
ASTM D7468 – 19	Standard Test Method for Cummins ISM Test	20190701	36	9,687円 (本体8,970円)
ASTM D7484 – 19	Standard Test Method for Evaluation of Automotive Engine Oils for Valve-Train Wear Performance in Cummins ISB Medium-Duty Diesel Engine	20190701	28	9,687円 (本体8,970円)
ASTM D7549 – 19	Standard Test Method for Evaluation of Heavy-Duty Engine Oils under High Output Conditions—Caterpillar C13 Test Procedure	20190701	39	9,687円 (本体8,970円)
ASTM D7963 – 19e1	Standard Test Method for Determination of Contamination Level of Fatty Acid Methyl Esters in Middle Distillate and Residual Fuels Using Flow Analysis by Fourier Transform Infrared Spectroscopy—Rapid Screening Method	20190601	7	6,739円 (本体6,240円)
ASTM D7978 – 14(2019)	Standard Test Method for Determination of the Viable Aerobic Microbial Content of Fuels and Associated Water—Thixotropic Gel Culture Method	20190701	9	6,739円 (本体6,240円)
ASTM D7993 – 15(2019)	Standard Guide for Analyzing Complex Phthalates	20190801	24	9,687円 (本体8,970円)
ASTM D7995 – 19	Standard Test Method for Total Water in Liquid Butane by Liquefied Gas Sampler and Coulometric Karl Fischer Titration	20190715	8	6,739円 (本体6,240円)

ASTM D8070 – 19	Standard Test Method for Screening of Fuels and Fuel Associated Aqueous Specimens for Microbial Contamination by Lateral Flow Immunoassay	20190701	13	7,581円 (本体7,020円)
ASTM D8114 – 19a	Standard Test Method for Measurement of Effects of Automotive Engine Oils on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VIE Spark Ignition	20190701	80	11,512円 (本体10,660円)
ASTM D8159 – 19	Standard Test Method for Automated Extraction of Asphalt Binder from Asphalt Mixtures	20190701	6	6,739円 (本体6,240円)
ASTM D8164 – 19	Standard Guide for Digital Contact Thermometers for Petroleum Products, Liquid Fuels, and Lubricant Testing	20190701	5	6,739円 (本体6,240円)
ASTM D8165 – 19	Standard Test Method for Evaluation of Load-Carrying Capacity of Lubricants Used in Hypoid Final-Drive Axles Operated under Low-Speed and High-Torque Conditions	20190701	18	7,581円 (本体7,020円)
ASTM D8199 – 19	Standard Test Method for Determining the Specific Strength of Hydraulically Applied Fiber Matrix Products for Erosion Control	20190701	3	5,896円 (本体5,460円)
ASTM D8210 – 19a	Standard Test Method for Automatic Determination of Low-Temperature Viscosity of Automatic Transmission Fluids, Hydraulic Fluids, and Lubricants Using a Rotational Viscometer	20190701	13	7,581円 (本体7,020円)
ASTM D8221 – 18ae1	Standard Practice for Determining the Calculated Methane Number (MNC) of Gaseous Fuels Used in Internal Combustion Engines	20181201	10	6,739円 (本体6,240円)
ASTM D8226 – 19	Standard Test Method for Measurement of Effects of Automotive Engine Oils on Fuel Economy of Passenger Cars and Light-Duty Trucks in Sequence VIF Spark Ignition Engine	20190701	82	12,495円 (本体11,570円)
ASTM D8230 – 19	Standard Test Method for Measurement of Volatile Silicon-Containing Compounds in a Gaseous Fuel Sample Using Gas Chromatography with Spectroscopic Detection	20190601	9	6,739円 (本体6,240円)
ASTM D8234 – 19	Standard Test Method for Anions in High Ionic Water by Ion Chromatography using Tandem Suppressed Conductivity and UV Detection	20190701	10	6,739円 (本体6,240円)
ASTM D8235 – 19	Standard Specification for Ethyl Tertiary-Butyl Ether (ETBE) for Blending with Gasolines for Use as Automotive Spark-Ignition Engine Fuel	20190701	5	6,739円 (本体6,240円)
ASTM D8265 – 19	Standard Practices for Electrical Methods for Mapping Leaks in Installed Geomembranes	20190801	6	6,739円 (本体6,240円)
ASTM D8271 – 19	Standard Test Method for the Direct Measurement of Surface Profile of Prepared Concrete	20190801	2	5,896円 (本体5,460円)
ASTM D8274 – 19	Standard Test Method for Determination of Biodiesel (Fatty Acid Methyl Esters) Content in Diesel Fuel Oil by Portable Rapid Mid-Infrared Analyzer	20190701	6	6,739円 (本体6,240円)
ASTM D8275 – 19	Standard Specification for Gasoline-like Test Fuel for Compression-Ignition Engines	20190701	9	6,739円 (本体6,240円)
ASTM D8278 – 19	Standard Specification for Digital Contact Thermometers for Test Methods Measuring Flow Properties of Fuels and Lubricants	20190701	4	5,896円 (本体5,460円)

E.Miscellaneous Subjects

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM E399 - 19	Standard Test Method for Linear-Elastic Plane-Strain Fracture Toughness K_{Ic} of Metallic Materials	20190615	35	9,687円(本体8,970円)
ASTM E561 - 19	Standard Test Method for KR Curve Determination	20190715	16	7,581円(本体7,020円)
ASTM E788 - 97(2019)	Standard Specification for Pipet, Blood Diluting	20190701	4	5,896円(本体5,460円)
ASTM E832 - 81(2019)	Standard Specification for Laboratory Filter Papers	20190701	4	5,896円(本体5,460円)
ASTM E866 - 19	Standard Specification for Corrosion-Inhibiting Adhesive Primer for Aluminum Alloys to Be Adhesively Bonded in Honeycomb Shelter Panels	20190701	5	6,739円(本体6,240円)
ASTM E874 - 19	Standard Practice for Adhesive Bonding of Aluminum Facings to Nonmetallic Honeycomb Core for Shelter Panels	20190701	6	6,739円(本体6,240円)
ASTM E920 - 97(2019)	Standard Specification for Commercially Packaged Laboratory Apparatus	20190701	2	5,896円(本体5,460円)
ASTM E923 - 97(2019)	Standard Specification for Glass Westergren Tube, Reusable	20190701	3	5,896円(本体5,460円)
ASTM E969 - 02(2019)	Standard Specification for Glass Volumetric (Transfer) Pipets	20190701	2	5,896円(本体5,460円)
ASTM E1268 - 19	Standard Practice for Assessing the Degree of Banding or Orientation of Microstructures	20190601	29	9,687円(本体8,970円)
ASTM E1273 - 88(2019)	Standard Specification for Color Coding of Reusable Laboratory Pipets	20190701	2	5,896円(本体5,460円)
ASTM E1403 - 97(2019)	Standard Specification for Laboratory Glass Boiling Flasks	20190701	3	5,896円(本体5,460円)
ASTM E1404 - 94(2019)	Standard Specification for Laboratory Glass Conical Flasks	20190701	3	5,896円(本体5,460円)
ASTM E1522 - 93(2019)	Standard Specification for Autoclavable Protective Coatings on Laboratory Glassware	20190701	2	5,896円(本体5,460円)
ASTM E1570 - 19	Standard Practice for Fan Beam Computed Tomographic (CT) Examination	20190615	5	6,739円(本体6,240円)
ASTM E1677 - 19	Standard Specification for Air Barrier (AB) Material or Assemblies for Low-Rise Framed Building Walls	20190701	6	6,739円(本体6,240円)
ASTM E1730 - 19	Standard Specification for Rigid Foam for Use in Structural Sandwich Panel Cores	20190701	5	6,739円(本体6,240円)

ASTM E1781/E1781M - 19	Standard Practice for Secondary Calibration of Acoustic Emission Sensors	20190701	7	6,739円 (本体6,240円)
ASTM E1793 - 19	Standard Practice for Preparation of Aluminum Alloy for Bonding in Foam and Beam Type Transportable Shelters	20190701	2	5,896円 (本体5,460円)
ASTM E1852 - 19	Standard Test Method for Determination of Low Levels of Antimony in Carbon and Low-Alloy Steel by Graphite Furnace Atomic Absorption Spectrometry	20190615	5	6,739円 (本体6,240円)
ASTM E1870 - 11(2019)	Standard Test Method for Odor and Taste Transfer from Polymeric Packaging Film	20190801	12	7,581円 (本体7,020円)
ASTM E1878 - 97(2019)	Standard Specification for Laboratory Glass Volumetric Flasks, Special Use	20190701	2	5,896円 (本体5,460円)
ASTM E1921 - 19b	Standard Test Method for Determination of Reference Temperature, To, for Ferritic Steels in the Transition Range	20190715	39	9,687円 (本体8,970円)
ASTM E1974 - 19	Standard Specification for Shelter, Electrical Equipment S-250/G	20190701	18	7,581円 (本体7,020円)
ASTM E1976 - 19	Standard Specification for Shelter, Tactical, Nonexpandable	20190701	13	7,581円 (本体7,020円)
ASTM E2058 - 19	Standard Test Methods for Measurement of Material Flammability Using a Fire Propagation Apparatus (FPA)	20190701	30	9,687円 (本体8,970円)
ASTM E2126 - 19	Standard Test Methods for Cyclic (Reversed) Load Test for Shear Resistance of Vertical Elements of the Lateral Force Resisting Systems for Buildings	20190801	15	7,581円 (本体7,020円)
ASTM E2266 - 11(2019)	Standard Guide for Design and Construction of Low-Rise Frame Building Wall Systems to Resist Water Intrusion	20190815	40	9,687円 (本体8,970円)
ASTM E2350 - 19	Standard Guide for Integration of Ergonomics/Human Factors into New Occupational Systems	20190815	9	6,739円 (本体6,240円)
ASTM E2463 - 19	Standard Performance Specification for Cargo Bed Cover (CBC) M105A2 Trailer, Type II	20190701	9	6,739円 (本体6,240円)
ASTM E2518 - 19	Standard Specification for Cargo Bed Cover, Type IV (M923, 5 Ton Cargo Truck/M1083, 5 Ton Medium Tactical Vehicle (MTV)/M1082, 5 Ton MTV Trailer)	20190701	12	7,581円 (本体7,020円)
ASTM E2582 - 19	Standard Practice for Infrared Flash Thermography of Composite Panels and Repair Patches Used in Aerospace Applications	20190701	6	6,739円 (本体6,240円)
ASTM E2625 - 19	Standard Practice for Controlling Occupational Exposure to Respirable Crystalline Silica for Construction and Demolition Activities	20190815	8	6,739円 (本体6,240円)
ASTM E2877 - 12(2019)	Standard Guide for Digital Contact Thermometers	20190501	7	6,739円 (本体6,240円)
ASTM E2882 - 19	Standard Guide for Analysis of Clandestine Drug Laboratory Evidence	20190801	5	6,739円 (本体6,240円)

ASTM E2905/E2905M - 19	Standard Practice for Examination of Mill and Kiln Girth Gear Teeth—Electromagnetic Methods	20190715	9	6,739円 (本体6,240円)
ASTM E2920 - 19	Standard Guide for Recording Occupational Injuries and Illnesses	20190815	5	6,739円 (本体6,240円)
ASTM E2983 - 14(2019)	Standard Guide for Application of Acoustic Emission for Structural Health Monitoring	20190701	4	5,896円 (本体5,460円)
ASTM E3193 - 19	Standard Test Method for Measurement of Lead (Pb) in Dust by Wipe, Paint, and Soil by Flame Atomic Absorption Spectrophotometry (FAAS)	20190101	9	6,739円 (本体6,240円)

F.Materials for Specific Applications

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM F481 - 97(2019)	Standard Practice for Installation of Thermoplastic Pipe and Corrugated Pipe in Septic Tank Leach Fields	20190801	4	5,896円 (本体5,460円)
ASTM F707/F707M - 94(2019)e1	Standard Specification for Modular Gauge Boards	20190801	5	6,739円 (本体6,240円)
ASTM F855 - 19	Standard Specifications for Temporary Protective Grounds to Be Used on De-energized Electric Power Lines and Equipment	20190801	20	7,581円 (本体7,020円)
ASTM F876 - 19a	Standard Specification for Crosslinked Polyethylene (PEX) Tubing	20190801	11	7,581円 (本体7,020円)
ASTM F1210 - 19	Standard Guide for Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Lakes and Large Water Bodies	20190801	3	5,896円 (本体5,460円)
ASTM F1231 - 19	Standard Guide for Ecological Considerations for the Use of Oil Spill Dispersants in Freshwater and Other Inland Environments, Rivers and Creeks	20190801	3	5,896円 (本体5,460円)
ASTM F1370 - 92(2019)e1	Standard Specification for Pressure-Reducing Valves for Water Systems, Shipboard	20190801	10	6,739円 (本体6,240円)
ASTM F1470 - 19	Standard Practice for Fastener Sampling for Specified Mechanical Properties and Performance Inspection	20190801	6	6,739円 (本体6,240円)
ASTM F1506 - 19	Standard Performance Specification for Flame Resistant and Electric Arc Rated Protective Clothing Worn by Workers Exposed to Flames and Electric Arcs	20190801	8	6,739円 (本体6,240円)
ASTM F1737/F1737M - 19	Standard Guide for Use of Oil Spill Dispersant Application Equipment During Spill Response: Boom and Nozzle Systems	20190801	5	6,739円 (本体6,240円)
ASTM F1738 - 19	Standard Test Method for Determination of Deposition of Aerially Applied Oil Spill Dispersants	20190801	5	6,739円 (本体6,240円)
ASTM F1796 - 19	Standard Specification for High Voltage Detectors—Part 1 Capacitive Type to be Used for Voltages Exceeding 600 Volts AC	20190615	6	6,739円 (本体6,240円)
ASTM F1803 - 15(2019)	Standard Specification for Poly (Vinyl Chloride)(PVC) Closed Profile Gravity Pipe and Fittings Based on Controlled Inside Diameter	20190801	6	6,739円 (本体6,240円)

ASTM F1821 - 19e1	Standard Consumer Safety Specification for Toddler Beds	20190601	12	7,581円 (本体7,020円)
ASTM F1827 - 13(2019)	Standard Terminology Relating to Food Service Equipment	20190701	6	6,739円 (本体6,240円)
ASTM F1924 - 19	Standard Specification for Plastic Mechanical Fittings for Use on Outside Diameter Controlled Polyethylene Gas Distribution Pipe and Tubing	20190801	5	6,739円 (本体6,240円)
ASTM F1936 - 19	Standard Specification for Impact Attenuation of Turf Playing Systems as Measured in the Field	20190701	12	7,581円 (本体7,020円)
ASTM F1960 - 19	Standard Specification for Cold Expansion Fittings with PEX Reinforcing Rings for Use with Cross-linked Polyethylene (PEX) and Polyethylene of Raised Temperature (PE-RT) Tubing	20190801	7	6,739円 (本体6,240円)
ASTM F1985 - 99(2019)e1	Standard Specification for Pneumatic-Operated, Globe-Style, Control Valves	20190801	6	6,739円 (本体6,240円)
ASTM F1994 - 99(2019)e1	Standard Test Method for Shipboard Fixed Foam Firefighting Systems	20190801	10	6,739円 (本体6,240円)
ASTM F2057 - 19	Standard Safety Specification for Clothing Storage Units	20190801	10	6,739円 (本体6,240円)
ASTM F2100 - 19	Standard Specification for Performance of Materials Used in Medical Face Masks	20190801	4	5,896円 (本体5,460円)
ASTM F2174 - 02(2019)	Standard Practice for Verifying Acoustic Emission Sensor Response	20190801	4	5,896円 (本体5,460円)
ASTM F2207 - 06(2019)	Standard Specification for Cured-in-Place Pipe Lining System for Rehabilitation of Metallic Gas Pipe	20190801	21	9,687円 (本体8,970円)
ASTM F2231 - 02(2019)	Standard Test Method for Charpy Impact Test on Thin Specimens of Polyethylene Used in Pressurized Pipes	20190801	3	5,896円 (本体5,460円)
ASTM F2291 - 19e1	Standard Practice for Design of Amusement Rides and Devices	20190515	65	11,512円 (本体10,660円)
ASTM F2477 - 19	Standard Test Methods for in vitro Pulsatile Durability Testing of Vascular Stents	20190601	10	6,739円 (本体6,240円)
ASTM F2509 - 15(2019)	Standard Specification for Field-assembled Anodeless Riser Kits for Use on Outside Diameter Controlled Polyethylene and Polyamide-11 (PA11) Gas Distribution Pipe and Tubing	20190801	3	5,896円 (本体5,460円)
ASTM F2677 - 08a(2019)	Standard Specification for Electrically Insulating Aprons	20190801	3	5,896円 (本体5,460円)
ASTM F2687 - 13(2019)	Standard Practice for Life Cycle Cost Analysis of Commercial Food Service Equipment	20190701	11	7,581円 (本体7,020円)
ASTM F2717 - 14(2019)	Standard Guide for Development of an Independent Third-Party Verification of Reference Materials	20190701	2	5,896円 (本体5,460円)

ASTM F2725 - 19	Standard Guide for European Union's Registration, Evaluation, and Authorization of Chemicals (REACH) Supply Chain Information Exchange	20190701	46	10,670円 (本体9,880円)
ASTM F2801 - 19	Standard Practice for Paintball Player Safety Briefing	20190701	2	5,896円 (本体5,460円)
ASTM F2939 - 13(2019)	Standard Specification for High Voltage Phasing Testers	20190801	5	6,739円 (本体6,240円)
ASTM F2942 - 19	Standard Guide for in vitro Axial, Bending, and Torsional Durability Testing of Vascular Stents	20190601	15	7,581円 (本体7,020円)
ASTM F3164 - 19	Standard Specification for Eye Protectors for Racket Sports (Racquetball, Squash, Tennis)	20190701	9	6,739円 (本体6,240円)
ASTM F3202 - 19a	Standard Specification for Solid Wall Poly (Vinyl Chloride) PVC Fittings for Joining Corrugated Wall High Density Polyethylene (PE) and Polypropylene (PP) Piping	20190801	5	6,739円 (本体6,240円)
ASTM F3226/F3226M - 19	Standard Specification for Metallic Press-Connect Fittings for Piping and Tubing Systems	20190801	9	6,739円 (本体6,240円)
ASTM F3367 - 19a	Standard Practice for Simplified Methods for Addressing High-Intensity Radiated Fields (HIRF) and Indirect Effects of Lightning on Aircraft	20190801	8	6,739円 (本体6,240円)
ASTM F3374 - 19	Standard Guide for Active Fixation Durability of Endovascular Prostheses	20190601	10	6,739円 (本体6,240円)
ASTM F3383 - 19	Standard Test Method for Filament Bind of Single Fibers in Synthetic Turf	20190515	10	6,739円 (本体6,240円)
ASTM F3386/F3386M - 19	Standard Specification for Detonation Flame Arresters	20190801	10	6,739円 (本体6,240円)

G. Corrosion, Deterioration, and Degradation of Materials

規格番号	原文表題	出版年月日	ページ数	定価(本体価格)
ASTM G179 - 04(2019)	Standard Specification for Metal Black Panel and White Panel Temperature Devices for Natural Weathering Tests	20190701	5	6,739円 (本体6,240円)