

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS A 4706 : 2021

(JSMA/JSA)

Windows

ICS 91.060.50

Reference number : JIS A 4706 : 2021 (E)

PROTECTED BY COPYRIGHT

15 S

A 4706 : 2021

Date of Establishment: 1966-05-01

Date of Revision: 2021-02-22

Date of Public Notice in Official Gazette: 2021-02-22

Investigated by: Japanese Industrial Standards Committee
Standards Board for ISO area
Technical Committee on Architecture

JIS A 4706 : 2021, First English edition published in 2021-10

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2021

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

HN

PROTECTED BY COPYRIGHT

Contents

	Page
1	Scope 1
2	Normative references 1
3	Terms and definitions 2
4	Grades 3
5	Performance 3
6	Appearance and construction 7
6.1	Appearance 7
6.2	Construction 8
7	Dimensions 8
7.1	Width and height of window 8
7.2	Depth dimensions of window frame 8
7.3	Dimensional tolerances and permissible dimensional difference between opposite sides 9
8	Materials 9
9	Test and calculation methods 10
9.1	General 10
9.2	Opening and closing force test 10
9.3	Repeated opening and closing test 10
9.4	Wind pressure resistance test 11
9.5	Airtightness test 11
9.6	Watertightness test 11
9.7	Mechanical deformation test of edge rail 11
9.8	Sound insulation test 12
9.9	Heat insulation test and calculation 13
9.10	Solar heat gain calculation 13
10	Inspections 13
10.1	Type inspection 13
10.2	Delivery inspection 14
11	Designation of product 14
12	Marking 16
13	Notes on handling, maintenance and control 16
Annex A (normative)	Displacement measuring points and calculation method for wind pressure resistance test 17

Annex B (informative) List of technically significant revisions from the
previous edition 22

Foreword

This Japanese Industrial Standard has been revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan Sash Manufacturers Association (JSMA)/Japanese Standards Association (JSA) with a draft being attached, based on the provision of Article 12, paragraph (1) of the Industrial Standardization Act applied mutatis mutandis pursuant to the provision of Article 16 of the said Act. This edition replaces the previous edition (**JIS A 4706:2015**), which has been technically revised.

However, **JIS A 4706: 2015** may be applied in the **JIS** mark certification based on the relevant provisions of Article 30, paragraph (1), etc. of the Industrial Standardization Act until 21 February 2022.

This **JIS** document is protected by the Copyright Act.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, published patent application or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, published patent application or utility model rights.

Blank

Windows

1 Scope

This Japanese Industrial Standard specifies requirements for the swing and sliding windows (hereafter referred to as windows) to be installed mainly at the exterior wall of buildings. It is not applicable to roof windows.

A list of technically significant revisions from the previous edition with reasons is given in Annex B.

2 Normative references

Part or all of the provisions of the following standards, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

- JIS A 1416 *Acoustics — Method for laboratory measurement of airborne sound insulation of building elements*
- JIS A 1492 *Measurement of thermal transmittance for projecting windows and other roof windows*
- JIS A 1513 *Windows and doorsets — General rule for test method*
- JIS A 1515 *Windows and doorsets — Wind resistance test*
- JIS A 1516 *Windows and doorsets — Air permeability test*
- JIS A 1517 *Windows and doorsets — Watertightness test under dynamic pressure*
- JIS A 1519 *Windows and doorsets — Determination of opening and closing forces*
- JIS A 1522 *Windows and doorsets — Mechanical deformation test of edge rail*
- JIS A 1530 *Windows and doors — Resistance to repeated opening and closing — Test method*
- JIS A 2102-1 *Thermal performance of windows and doors — Calculation of thermal transmittance — Part 1 : General*
- JIS A 2102-2 *Thermal performance of windows and doors — Calculation of thermal transmittance — Part 2 : Numerical method for frames*
- JIS A 2103 *Thermal performance of windows and doors — Calculation of solar heat gain coefficient*
- JIS A 4710 *Windows and doorsets — Thermal resistance test*
- JIS A 5558 *Unplasticized polyvinyl chloride (PVC-U) profiles for fabrication of windows and doors*
- JIS G 3302 *Hot-dip zinc-coated steel sheet and strip*