



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS B 0161 : 1999

(ISO 6811 : 1998)

**Spherical plain bearings—
Vocabulary**

ICS 01.040.21; 21.100.10

Descriptors : bearings, plain bearings, sliding bearings, vocabulary

Reference number : JIS B 0161 : 1999 (E)

Foreword

This translation has been made based on the original Japanese Industrial Standard established by the Minister of International Trade and Industry through deliberations at the Japanese Industrial Standards Committee in accordance with the Industrial Standardization Law:

Date of Establishment: 1999-01-20

Date of Public Notice in Official Gazette: 1999-01-20

Investigated by: Japanese Industrial Standards Committee
Divisional Council on Machine Elements

JIS B 0161 : 1999, First English edition published in 2002-05

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2002

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

Spherical plain bearings—Vocabulary

Introduction This Japanese Industrial Standard has been prepared based on ISO 6811 *Spherical plain bearings—Vocabulary* published in 1998 without modifying the technical contents.

1 Scope This Standard presents general terms and definitions relevant to the field of spherical plain bearings (hereafter referred to as “bearings”).

2 Principles and rules followed

2.1 Constitution of the vocabulary The vocabulary comprises

- a) terms, and definitions;
- b) figures;
- c) alphabetical index.

2.2 Constitution of terms and definitions The terms and definitions are given in groups and subgroups, arranged in systematic order.

A two-digit serial number is assigned to each group, e.g. 01, 02, etc.

Each group is divided into subgroups, to each of which is assigned a four-digit serial number, the first two digits being those of the group. Each entry (a term with its definition) is assigned a six-digit index number, the first four digits being those of the subgroup.

A term printed in **bold** typeface for the first entry in a definition is defined in another entry in this Standard.

2.3 Constitution of figures Each figure gives the index numbers of relevant terms.

A figure usually shows only one example of the several existing forms of a bearing or part. In most cases the figures are simplified and leave out unnecessary details.

2.4 Constitution of the index The alphabetical index refers to all terms and the index number of the entry in clause 3 where the term is defined.

3 Terms and definitions Terms and definitions are as follows: