



JAPANESE  
INDUSTRIAL  
STANDARD

Translated and Published by  
Japanese Standards Association

---

---

**JIS B 9946** : 2019

(JOA/JSA)

**Ozone treatment apparatus for  
water and wastewater including  
other oxidation uses—  
Specifications of apparatus and  
measurement methods for ozone  
concentration**

---

ICS 13.060.25;13.060.30

Reference number : **JIS B 9946 : 2019 (E)**

Date of Establishment: 2011-11-21

Date of Revision: 2019-08-20

Date of Public Notice in Official Gazette: 2019-08-20

Investigated by: Japanese Industrial Standards Committee  
Standards Board for ISO area

---

JIS B 9946:2019, First English edition published in 2021-05

Translated and published by: Japanese Standards Association  
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

---

In the event of any doubts arising as to the contents,  
the original JIS is to be the final authority.

© JSA 2021

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KK/AT

## Contents

	Page
Introduction .....	1
1 Scope .....	1
2 Normative references .....	1
3 Terms and definitions .....	1
4 Configuration .....	3
5 Specifications and requirements .....	6
6 Ozone resistant materials .....	10
7 Energy consumption control of treatment apparatus .....	11
8 Ozone concentration control in the treatment apparatus and its surroundings .....	11
9 Ozone concentration measurement methods .....	13
10 Regular maintenance and inspection .....	21
Annex A (normative) Calculation of generated ozone amount .....	23
Annex B (informative) Additional notes on requirements for ozone generation unit and ozone contact unit .....	24
Annex C (normative) Characteristic curve between ozone generator-input power and generated ozone concentration .....	27
Annex D (normative) Method for ozone leakage identification .....	29
Annex E (informative) Additional notes on ozone concentration measurement .....	31
Annex F (informative) Notes on regular maintenance and inspection .....	37

## Foreword

This Japanese Industrial Standard has been revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by The Japan Ozone Association (JOA)/Japanese Standards Association (JSA) with a draft being attached, based on the provision of Article 12, paragraph (1) of the Industrial Standardization Act applied mutatis mutandis pursuant to the provision of Article 16 of the said Act. This edition replaces the previous edition (**JIS B 9946:2011**), which has been technically revised.

This **JIS** document is protected by the Copyright Act.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, published patent application or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, published patent application or utility model rights.

NOTE Based on Article 9 of the Supplementary Provisions to the Unfair Competition Prevention Act etc., any submission of proposal, or employment of procedures such as deliberation by the Japanese Industrial Standards Committee under the previous Industrial Standardization Act shall be deemed to have been conducted pursuant to the provision of Article 12, paragraph (1) of the revised Industrial Standardization Act.

# **Ozone treatment apparatus for water and wastewater including other oxidation uses—Specifications of apparatus and measurement methods for ozone concentration**

## **Introduction**

This Japanese Industrial Standard was established in 2011 and has been revised at this time mainly to respond to the advance in technology of ozone resistant materials and the increased availability of ozone treatment apparatus.

No corresponding International Standard has been established at this point.

Persons using this Standard should be familiar with properties and proper handling of artificially-generated ozone and its relevant apparatus, as well as any applicable regulations. Due attention should also be paid to health of workers during ozone measurements.

## **1 Scope**

This Standard stipulates general specification items (performance requirements) for ozone treatment apparatus (hereafter referred to as treatment apparatus) used in such areas as industrial water and wastewater, sewage water and drinking water, as well as the methods of ozone concentration measurement.

This Standard is applicable to treatment apparatuses with a rated ozone generation capacity (total generation capacity if the apparatus consists of a series of ozone-generating processes) of 0.5 kg/h or greater.

The method for calculation of this capacity is provided in Annex A.

**NOTE** A treatment apparatus is used for the purposes of destruction of organic substances and trace toxic substances, disinfection, and decolouring and deodourizing. The apparatus consists of a series of processes or units, including ozone generation, ozone contact, and ozone destruction at ozone concentration control points (hereafter referred to as process control points) where ozone concentrations are properly measured and controlled.

## **2 Normative references**

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS B 7957 *Continuous analyzers for ozone and oxidants in ambient air*

JIS B 8265 *Construction of pressure vessel—General principles*

JIS K 0804 *Gas detector tube measurement system (Length-of-stain type)*

## **3 Terms and definitions**

For the purpose of this Standard, the following terms and definitions apply.