

Translated and Published by Japanese Standards Association

JIS C 2552:2014

(JEMA/JSA)

Cold-rolled non-oriented electrical steel strip and sheet delivered in the fully-processed state

ICS 29.030

 $Reference\ number:\ JIS\ C\ 2552:2014\ (E)$ 

C 2552:2014

Date of Establishment: 1963-03-01

Date of Revision: 2014-02-20

Date of Public Notice in Official Gazette: 2014-02-20

Investigated by: Japanese Industrial Standards Committee

Standards Board

Technical Committee on Iron and Steel

JIS C 2552:2014, First English edition published in 2014-10

Translated and published by: Japanese Standards Association Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents, the original JIS is to be the final authority.

© JSA 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

# Contents

		Page		
Intr	oduction ·····	1		
1	Scope	1		
2	Normative referen	ices1		
3	Terms and definit	ions2		
4	Classification			
5	Designation of steel strips			
6 6.1 6.2 6.3 6.4 6.5	General requirements5Production process5Form of supply5Delivery condition6Surface condition6Suitability for cutting6			
7 7.1 7.2 7.3	Technical requirements 7 Magnetic properties 7 Geometric characteristics and tolerances 7 Technological characteristics 10			
8 8.1 8.2 8.3 8.4 8.5	Inspection and testing       10         General       10         Selection of samples       10         Preparation of test specimens       11         Test methods       12         Retests       13			
9	Marking, labelling and packaging13			
10	Complaints			
11	Information to be	supplied by the purchaser13		
12	Test report ······	14		
Ann	ex A (informative)	The maximum specific total loss at maximum magnetic flux density 1.0 T and frequency 50 Hz15		
Ann	ex B (informative)	Steel names of corresponding International Standards $\cdots \cdot 17$		
Annex C (informative)		Calculation of density values19		
Annex JA (normative)		Alternating bend test and the specification of test apparatus		

$\alpha$	2552	$\Omega \Lambda$	1 1
$\mathbf{C}$	ZOOZ	20	14

Annex JB (informative)	Comparison table between JIS and corresponding			
	International Standard			

## **Foreword**

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry, through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of The Japan Electrical Manufacturers' Association (JEMA)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently **JIS C 2552**:2000 is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

# Cold-rolled non-oriented electrical steel strip and sheet delivered in the fully-processed state

JIS C 2552:2014

#### Introduction

This Japanese Industrial Standard has been prepared based on the third edition of **IEC 60404-8-4** published in 2013 with some modifications of the technical contents to correspond to the mainstream technique in Japan.

The portions with dotted underlines are the matters in which the contents of the corresponding International Standard have been modified. A list of modifications with the explanations is given in Annex JB.

## 1 Scope

This Standard defines the grades of cold-rolled non-oriented electrical steel strip and sheet with insulation on both sides in nominal thicknesses of 0.35 mm, 0.47 mm, 0.50 mm, 0.65 mm and 1.00 mm (hereafter referred to as "steel strip"). In particular, it gives general requirements, magnetic properties, geometric characteristics, tolerances, technological characteristics, as well as inspection procedures.

This Standard applies to steel strips supplied in the fully annealed condition (hereafter referred to as "fully-processed state") in sheets or coils intended for the construction of magnetic circuits.

NOTE: The International Standard corresponding to this Standard and the symbol of degree of correspondence are as follows:

IEC 60404-8-4:2013 Magnetic materials—Part 8-4: Specifications for individual materials—Cold-rolled non-oriented electrical steel strip and sheet delivered in the fully-processed state (MOD)

The symbols which denote the degree of correspondence in the contents between the relevant International Standard and **JIS** are IDT (identical), MOD (modified), and NEQ (not equivalent) according to **ISO/IEC Guide 21-1**.

### 2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS C 2550-1 Test methods for electrical steel strip and sheet—Part 1: Methods of measurement of the magnetic properties of electrical steel strip and sheet by means of an Epstein frame

NOTE: Corresponding International Standard: IEC 60404-2 Magnetic materials—Part 2: Methods of measurement of the magnetic properties of electrical steel strip and sheet by means of an Epstein frame (MOD)