



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS C 3662-7 : 2010

(JCMA)

**Polyvinyl chloride insulated cables of
rated voltages up to and including
450/750 V—Part 7: Flexible cables
screened and unscreened with two
or more conductors**

ICS 29.060.20

Reference number : JIS C 3662-7 : 2010 (E)

Date of Establishment: 2003-10-20

Date of Revision: 2010-10-20

Date of Public Notice in Official Gazette: 2010-10-20

Investigated by: Japanese Industrial Standards Committee
Standards Board

Technical Committee on Electricity Technology

JIS C 3662-7:2010, First English edition published in 2012-05

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KK/AT

Contents

	Page
Introduction.....	1
1 General.....	1
1.1 Scope.....	1
1.2 Normative references	1
2 Oil resistant, polyvinyl chloride sheathed, screened and unscreened flexible cable.....	4
2.1 Code designation	4
2.2 Rated voltage	4
2.3 Construction	4
2.4 Tests	6
2.5 Guide to use	6
Annex A (normative) Code designation	13
Annex JA (informative) Comparison table between JIS and corresponding International Standard	15

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry, through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by the Japanese Electric Wire & Cable Makers' Association (JCMA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently **JIS C 3662-7:2003** is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public.

JIS C 3662 series consists of the following 7 parts under the general title “*Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V*”:

Part 1: General requirements

Part 2: Test methods

Part 3: Non-sheathed cables for fixed wiring

Part 4: Sheathed cables for fixed wiring

Part 5: Flexible cables (cords)

Part 6: Lift cables and cables for flexible connections

Part 7: Flexible cables screened and unscreened with two or more conductors

Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V—Part 7: Flexible cables screened and unscreened with two or more conductors

Introduction

This Japanese Industrial Standard has been prepared based on Edition 1.1 of **IEC 60227-7** published in 2003 with some modifications of the technical contents so as to make the test requirements clearer.

The portions underlined with dots are the matters in which the contents of the corresponding International Standard have been modified. A list of modifications with the explanations is given in Annex JA.

1 General

1.1 Scope

This Standard specifies the polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V, more specifically, oil-resistant flexible cables screened or unscreened of rated voltages 300/500 V, with two or more conductors. All cables comply with the appropriate requirements given in **JIS C 3662-1** and each individual type of cable complies with the particular requirements of this Standard.

NOTE : The International Standard corresponding to this Standard and the symbol of degree of correspondence are as follows.

IEC 60227-7:2003 *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V—Part 7: Flexible cables screened and unscreened with two or more conductors* (MOD)

The symbols which denote the degree of correspondence in the contents between the relevant International Standard and **JIS** are IDT (identical), MOD (modified), and NEQ (not equivalent) according to **ISO/IEC Guide 21-1**.

1.2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. For standards indicated below, only the editions of the indicated year shall be applied and any revisions (including amendments) made thereafter shall not be applied.

JIS C 3660-1-1:2003 *Common test methods for insulating and sheathing materials of electric and optical cables—Part 1-1: Methods for general application—Measurement of thickness and overall dimensions—Tests for determining the mechanical properties*