



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS C 5101-2 : 2023

(JSA)

**Fixed capacitors for use in electronic
equipment — Part 2: Sectional specifica-
tion: Fixed metallized polyethylene-
terephthalate film dielectric DC capacitors**

ICS 31.060.30

Reference number: JIS C 5101-2 : 2023 (E)

PROTECTED BY COPYRIGHT

18 S

Date of Establishment: 1998-07-20

Date of Revision: 2023-11-20

Date of Public Notice in Official Gazette: 2023-11-20

Developed by: Japanese Standards Association

Investigated by: JIS Development Committee on Electronics

JIS C 5101-2 : 2023, First English edition published in 2025-01

Translated and published by: Japanese Standards Association
Mita Avanti, 3-11-28, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2025

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

HN

Contents

	Page
Introduction	1
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Preferred ratings and characteristics	3
4.1 Preferred characteristics	3
4.2 Preferred values of ratings	3
5 Test and measurement procedures, and performance requirements	4
5.1 Visual examination and check of dimensions	4
5.2 Electrical tests	4
5.3 Robustness of terminations	8
5.4 Resistance to soldering heat	8
5.5 Solderability	8
5.6 Rapid change of temperature	9
5.7 Vibration	9
5.8 Bump (repetitive shock)	10
5.9 Shock	10
5.10 Climatic sequence	11
5.11 Damp heat, steady state	12
5.12 Endurance	12
5.13 Charge and discharge	13
5.14 Component solvent resistance	14
5.15 Solvent resistance of the marking	14
6 Marking	15
6.1 General	15
6.2 Marking of capacitors and packaging	15
6.3 Marking of capacitors	15
6.4 Marking of packaging	15
6.5 Additional marking	15
7 Information to be given in a detail specification	15
7.1 General	15
7.2 Outline drawing and dimensions	16
7.3 Mounting	16
7.4 Rating and characteristics	16
7.5 Marking	16

8	Quality assessment procedures	17
8.1	Primary stage of manufacture	17
8.2	Structurally similar capacitors	17
8.3	Certified records of released lots	17
8.4	Qualification approval procedures	17
8.5	Quality conformance inspection	25
Annex X (informative) Cross-references to JIS C 5101-2 : 2009		27
Bibliography		29
Annex JA (informative) Comparison table between JIS and corresponding In- ternational Standard		30

Foreword

This Japanese Industrial Standard has been revised by the Minister of Economy, Trade and Industry based on the provision of Article 14, paragraph (1) of the Industrial Standardization Act applied *mutatis mutandis* pursuant to the provision of Article 16 of the said Act in response to a proposal for revision of Japanese Industrial Standard with a draft being attached, submitted by Japanese Standards Association (JSA), an accredited standards development organization. This edition replaces the previous edition (**JIS C 5101-2** : 2009), which has been technically revised.

This **JIS** document is protected by the Copyright Act.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, published patent application or utility model rights. The relevant Minister is not responsible for identifying any of such patent rights, published patent application or utility model rights.

JIS C 5101 series consists of the following parts under the general title Fixed capacitors for use in electronic equipment:

JIS C 5101-1 *Part 1: Generic specification*

JIS C 5101-2 *Part 2: Sectional specification: Fixed metallized polyethylene-terephthalate film dielectric DC capacitors*

JIS C 5101-2-1 *Part 2-1: Blank detail specification: Fixed metallized polyethylene-terephthalate film dielectric d.c. capacitors — Assessment levels E and EZ*

JIS C 5101-3 *Part 3: Sectional specification — Surface mount fixed tantalum electrolytic capacitors with manganese dioxide solid electrolyte*

JIS C 5101-3-1 *Part 3-1: Blank detail specification — Surface mount fixed tantalum electrolytic capacitors with manganese dioxide solid electrolyte — Assessment level EZ*

JIS C 5101-4 *Part 4: Sectional specification — Fixed aluminium electrolytic capacitors with solid (MnO₂) and non-solid electrolyte*

JIS C 5101-4-1 *Part 4-1: Blank detail specification — Fixed aluminium electrolytic capacitors with non-solid electrolyte — Assessment level EZ*

JIS C 5101-4-2 *Part 4-2: Blank detail specification — Fixed aluminium electrolytic capacitors with solid (MnO₂) electrolyte — Assessment level EZ*

JIS C 5101-8 *Part 8: Sectional specification: Fixed capacitors of ceramic dielectric, Class 1*

JIS C 5101-8-1 *Part 8-1: Blank detail specification: Fixed capacitors of ceramic dielectric, Class 1 Assessment level EZ*

JIS C 5101-9 *Part 9: Sectional specification: Fixed capacitors of ceramic dielectric, Class 2*

JIS C 5101-9-1 *Part 9-1: Blank detail specification: Fixed capacitors of ceramic dielectric, Class 2 Assessment level EZ*

JIS C 5101-11 *Part 11: Sectional specification — Fixed polyethylene-terephthalate film dielectric metal foil d.c. capacitors*

JIS C 5101-11-1 *Part 11-1: Blank detail specification — Fixed polyethylene-terephthalate film dielectric metal foil d.c. capacitors — Assessment level EZ*

JIS C 5101-13 *Part 13: Sectional specification — Fixed polypropylene film dielectric metal foil d.c. capacitors*

JIS C 5101-13-1 *Part 13-1: Blank detail specification — Fixed polypropylene film dielectric metal foil d.c. capacitors — Assessment levels E and EZ*

JIS C 5101-14 *Part 14: Sectional specification — Fixed capacitors for electromagnetic interference suppression and connection to the supply mains*

JIS C 5101-14-1 *Part 14-1: Blank detail specification — Fixed capacitors for electromagnetic interference suppression and connection to the supply mains — Assessment level DZ*

JIS C 5101-14-2 *Part 14-2: Blank detail specification — Fixed capacitors for electromagnetic interference suppression and connection to the supply mains — Safety tests only*

JIS C 5101-15 *Part 15: Sectional specification: Fixed tantalum capacitors with non-solid or solid electrolyte*

JIS C 5101-15-1 *Part 15: Blank detail specification: Fixed tantalum capacitors with non-solid electrolyte and foil electrode Assessment level E*

JIS C 5101-15-2 *Part 15: Blank detail specification: Fixed tantalum capacitors with non-solid electrolyte and porous anode Assessment level E*

JIS C 5101-15-3 *Part 15: Blank detail specification: Fixed tantalum capacitors with solid electrolyte and porous anode Assessment level E*

JIS C 5101-16 *Part 16: Sectional specification — Fixed metallized polypropylene film dielectric DC capacitors*

JIS C 5101-16-1 *Part 16-1 : Blank detail specification : Fixed metallized polypropylene film dielectric d.c. capacitors — Assessment levels E and EZ*

JIS C 5101-17 *Part 17 : Sectional specification — Fixed metallized poly-*

JIS C 5101-16-1 *Part 16-1: Blank detail specification: Fixed metallized polypropylene film dielectric d.c. capacitors — Assessment levels E and EZ*

JIS C 5101-17 *Part 17: Sectional specification — Fixed metallized polypropylene film dielectric AC and pulse capacitors*

JIS C 5101-17-1 *Part 17-1: Blank detail specification: Fixed metallized polypropylene film dielectric a.c. and pulse capacitors — Assessment levels E and EZ*

JIS C 5101-18 *Part 18: Sectional specification — Fixed aluminium electrolytic surface mount capacitors with solid (MnO₂) and non-solid electrolyte*

JIS C 5101-18-1 *Part 18-1: Blank detail specification — Fixed aluminium electrolytic surface mount capacitors with solid (MnO₂) electrolyte — Assessment level EZ*

JIS C 5101-18-2 *Part 18-2: Blank detail specification — Fixed aluminium electrolytic surface mount capacitors with non-solid electrolyte — Assessment level EZ*

JIS C 5101-20 *Part 20: Sectional specification — Fixed metallized polyphenylene sulfide film dielectric surface mount d.c. capacitors*

JIS C 5101-20-1 *Part 20-1: Blank detail specification — Fixed metallized polyphenylene sulfide film dielectric surface mount d.c. capacitors — Assessment level EZ*

JIS C 5101-21 *Part 21: Sectional specification — Fixed surface mount multilayer capacitors of ceramic dielectric, Class 1*

JIS C 5101-21-1 *Part 21-1: Blank detail specification: Fixed surface mount multilayer capacitors of ceramic dielectric, Class 1 — Assessment level EZ*

JIS C 5101-22 *Part 22: Sectional specification — Fixed surface mount multilayer capacitors of ceramic dielectric, Class 2*

JIS C 5101-22-1 *Part 22-1: Blank detail specification: Fixed surface mount multilayer capacitors of ceramic dielectric, Class 2 — Assessment level EZ*

JIS C 5101-23 *Part 23: Sectional specification — Fixed metallized polyethylene naphthalate film dielectric surface mount d.c. capacitors*

JIS C 5101-23-1 *Part 23-1: Blank detail specification — Fixed surface mount metallized polyethylene naphthalate film dielectric DC capacitors — Assessment level EZ*

JIS C 5101-24 *Part 24: Sectional specification — Fixed tantalum electrolytic surface mount capacitors with conductive polymer solid electrolyte*

JIS C 5101-24-1 *Part 24-1: Blank detail specification — Surface mount fixed tantalum electrolytic capacitors with conductive polymer solid electrolyte — Assessment level EZ*

JIS C 5101-25 *Part 25: Sectional specification — Fixed aluminium electrolytic surface mount capacitors with conductive polymer solid electrolyte*

JIS C 5101-25-1 *Part 25-1: Blank detail specification — Surface mount fixed aluminium electrolytic capacitors with conductive polymer solid electrolyte — Assessment level EZ*

JIS C 5101-26 *Part 26: Sectional specification — Fixed aluminium electrolytic capacitors with conductive polymer solid electrolyte*

JIS C 5101-26-1 *Part 26-1: Blank detail specification — Fixed aluminium electrolytic capacitors with conductive polymer solid electrolyte — Assessment level EZ*

Fixed capacitors for use in electronic equipment — Part 2: Sectional specification: Fixed metallized polyethylene- terephthalate film dielectric DC capacitors

Introduction

This Japanese Industrial Standard has been prepared based on **IEC 60384-2 : 2021**, Edition 5, to refer to the latest edition of the parent standard **JIS C 5101-1** cited in this Standard, with changes in the relevant clause numbers in which the technical content has been modified.

The dotted underlines indicate changes from the corresponding International Standard. Cross-references showing the correspondence of clause numbers, etc. between this Standard and the previous edition is given in Annex X for reference. A list of technical modifications with the explanations is given in Annex JA.

1 Scope

This Standard specifies requirements for fixed capacitors for direct current, with metallized electrodes and polyethylene-terephthalate dielectric for use in electronic equipment.

These capacitors have a possibility of “self-healing properties” depending on conditions of use. They are primarily intended for applications where the AC component is small with respect to the rated voltage. Two performance grades of capacitors are covered: grade 1 for long-life application and grade 2 for general application.

NOTE The phrase “applications where the AC component is small with respect to the rated voltage” refers to applications where the peak AC voltage does not exceed the rated DC voltage.

Capacitors for electromagnetic interference suppression and surface mount fixed metallized polyethylene-terephthalate film dielectric DC capacitors are not included, but are covered by **JIS C 5101-14** and **IEC 60384-19**, respectively.

The object of this Standard is to prescribe preferred ratings and characteristics and to select from the parent standard **JIS C 5101-1** the appropriate quality assessment procedures, tests and measuring methods, and to give general performance requirements for this type of capacitor. Test severities and requirements prescribed in detail specifications referring to this sectional specification are of equal or higher performance level, because lower performance levels are not permitted.

NOTE The International Standard corresponding to this Standard and the symbol of degree of correspondence are as follows.

IEC 60384-2 : 2021 *Fixed capacitors for use in electronic equipment — Part 2: Sectional specification — Fixed metallized polyethylene-terephthalate film dielectric DC capacitors* (MOD)