

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS D 4215 : 1995

Rims for motorcycles

ICS 43.040.50

Descriptors : motor cycles, wheel rims

Reference number : JIS D 4215 : 1995 (E)

D 4215 : 1995

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of International Trade and Industry through deliberations at Japanese Industrial Standards Committee in accordance with the Industrial Standardization Law:

Date of Establishment: 1962-02-01

Date of Revision: 1995-02-01

Date of Public Notice in Official Gazette: 1995-02-01

Investigated by: Japanese Industrial Standards Committee
Divisional Council on Aircraft and
Automobiles

JIS D 4215:1995, First English edition published in 1999-11

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

PROTECTED BY COPYRIGHT

Rims for Motorcycles

1. Scope

This Japanese Industrial Standard specifies rims for motorcycles, hereafter referred to as the "rims".

Remark 1 : Normative references are as follows :

JIS D 0201-General Rules of Electroplating for Automobile Parts

JIS D 0202-General Rules of Coating Films for Automobile Parts

JIS D 4102-Wheels/Rims -- Classification, Designation and Marking

JIS H 8601-Anodic Oxide Coatings on Aluminium and Aluminium Alloys

Remark 2 : Corresponding International Standards are as follows :

ISO/DIS 3911 Wheels/rims for pneumatic tyres — Nomenclature, designation, and marking

ISO 4249/3-1990 Motorcycle tyres and rims (Code-designated series) -- Part 3 : Rims

ISO 6054/2-1990 Motorcycle tyres and rims (Code-designated series) -- diameter codes 4 to 12 — Part 2 : Rims

2. Classification

Rims shall be classified as given in Table 1.

Table 1. Class

Class	Symbol	Type	Attached figure	Remark
Deep center rim	DC	WM	Attached Fig. 1	Cylindrical bead seat
		MT	Attached Fig. 2.1	5° taper bead seat
			Attached Fig. 3.1	
		LF	Attached Fig. 4.1	