

JAPANESE INDUSTRIAL STANDARD

Translated and Published by Japanese Standards Association

JIS E 5402-1:2015

(JARI/JSA)

Rolling stock — Solid wheel — Part 1: Quality requirements

ICS 45.060.01;77.140.99

Reference number: JIS E 5402-1: 2015 (E)

E 5402-1:2015

Date of Establishment: 1998-07-25

Date of Revision: 2015-01-20

Date of Public Notice in Official Gazette: 2015-01-20

Investigated by: Japanese Industrial Standards Committee

Standards Board

Technical Committee on Railways and Rolling Stock

JIS E 5402-1: 2015, First English edition published in 2024-10

Translated and published by: Japanese Standards Association Mita Avanti, 3-11-28, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents, the original JIS is to be the final authority.

© JSA 2024

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan HN

Contents

		Page
Intro	duction ·····	·· 1
1	Scope	
	-	
2	Normative references ·····	
2A	Types ····	3
3 3.1 3.2 3.3	Information to be supplied by the purchaser General C-series wheels S-series wheels	·· 3 ·· 3 ·· 4
4	Classification	11
5 5.1 5.2 5.3 5.4 5.5 5.6 5.7 6 6.1 6.2 6.3 6.4 6.5 6.6	Requirements Chemical composition Mechanical properties Appearance and soundness Machining allowances and dimensional tolerances Residual imbalance Residual stress Marking Manufacture Steelmaking process Removal of defective sections Identification of the wheels during manufacture Heat treatment Machining and correction of imbalance	12 12 13 13 13 13 15 15 16 16 16
6.7	Removal of surface defects · · · · · · · · · · · · · · · · · · ·	
6.8 7	Shot peening	18
7.1 7.2 7.3 7.4 7.5	Responsibilities and type of inspection Manufacturing inspection Inspection of the characteristics of the wheels Submission for inspection by the purchaser Certification	18 18 19 20 20
7.6	Number of wheels to be tested and test pieces	
7.7 7.8 7.9	Sampling and preparation of samples and test pieces	25

E 5402-1:2015

7.10	Conclusion of the inspection · · · · · · · 27
8	Delivery
8.1	Protection against rust and corrosion during transport ········27
8.2	Protection against mechanical damage during transport ··················27
Anne	x A (normative) Procedure for shot peening web surfaces of wheels28
Anne	x B (informative) Bibliography
Anne	x JA (informative) Comparison table between JIS and corresponding
	International Standard · · · · · 34

Foreword

This Japanese Industrial Standard has been revised by the Minister of Land, Infrastructure, Transport and Tourism through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan Association of Rolling Stock Industries (JARI)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14. Consequently **JIS E 5402-1**: 2005 is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public, or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public, or utility model rights.

JIS E 5402 series consists of the following 2 parts under the general title *Rolling stock* — *Solid wheel*:

JIS E 5402-1 Part 1: Quality requirements

JIS E 5402-2 Part 2: Dimensional and balancing requirements

Blank

Rolling stock — Solid wheel — Part 1: Quality requirements

JIS E 5402-1:2015

Introduction

This Japanese Industrial Standard has been prepared based on **ISO 1005-6**: 1994, Edition 2, with some modifications of the technical contents to align with the actual situation in Japan.

The vertical lines on both sides and dotted underlines indicate changes from the corresponding International Standard. A list of modifications with the explanations is given in Annex JA.

1 Scope

- 1.1 This Standard specifies requirements for the manufacture and supply of rolled, forged, or cast solid wheels (hereafter referred to as wheels) of unalloyed steels for rolling stock in accordance with Table 1, <u>Table 1A</u>, and Clause 4.
- 1.2 In addition to the requirements of this Standard, the requirements of **JIS G 0404** are applicable.
 - NOTE The International Standard corresponding to this Standard and the symbol of degree of correspondence are as follows.

ISO 1005-6: 1994 Railway rolling stock material — Part 6: Solid wheels for tractive and trailing stock — Technical delivery conditions (MOD)

In addition, symbols which denote the degree of correspondence in the contents between the relevant International Standard and **JIS** are IDT (identical), MOD (modified), and NEQ (not equivalent) according to **ISO/IEC Guide 21-1**.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. For standards with the year indication, only the editions of the indicated year shall be applied and the revisions (including amendments) made thereafter shall not be applied. For those without the indication of the year, the most recent editions (including amendments) shall be applied.

JIS B 1101 Slotted head screws

JIS B 1181 Hexagon nuts and hexagon thin nuts

JIS E 5402-2 Rolling stock — Solid wheel — Part 2: Dimensional and balancing requirements

NOTE Corresponding International Standard: ISO 1005-8: 1986 Railway rolling stock material — Part 8: Solid wheels for tractive and trailing stock — Dimensional and balancing requirements (MOD)