

# JIS

JAPANESE  
INDUSTRIAL  
STANDARD

Translated and Published by  
Japanese Standards Association

---

JIS G 2303 : 1998

**Ferrochromium**

---

ICS 77.100

**Descriptors** : ferrochromium, ferro-alloys, chromium-containing alloys

**Reference number** : JIS G 2303 : 1998 (E)

G 2303 : 1998

## Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of International Trade and Industry through deliberations at Japanese Industrial Standards Committee in accordance with the Industrial Standardization Law. Consequently **JIS G 2303 : 1986** is replaced with **JIS G 2303 : 1998**.

Date of Establishment: 1950-07-28

Date of Revision: 1998-02-20

Date of Public Notice in Official Gazette: 1998-02-20

Investigated by: Japanese Industrial Standards Committee

Divisional Council on Iron and Steel

---

JIS G 2303:1998, First English edition published in 1999-02

Translated and published by: Japanese Standards Association  
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

---

In the event of any doubts arising as to the contents,  
the original JIS is to be the final authority.

© JSA 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

PROTECTED BY COPYRIGHT

# Ferrochromium

**Introduction** This revision is carried out for the purpose of compliance with corresponding International Standard.

The Annex to this Standard is prepared based on **ISO 5448**, *Ferrochromium—Specification and conditions of delivery* issued as the first edition in 1981 without changing the technical contents and structure, and can be applied in place of the provisions in the text of this Standard.

The “Informative reference” underlined with dotted line in this Annex is the item which does not exist in the original International Standard.

**1 Scope** This Japanese Industrial Standard specifies the ferrochromium to be used mainly as additive of alloy composition for manufacturing of iron and steel.

**2 Normative references** The following standards contain provisions which, through reference in this Standard, constitute provisions of this Standard. The most recent editions of the standards indicated below shall be applied.

JIS G 1301 *General rules for chemical analysis of ferroalloys*

JIS G 1313 *Methods for chemical analysis of ferrochromium*

JIS G 1351 *Method for X-ray fluorescence spectrometric analysis of ferroalloys*

JIS G 1501 *General rules for sampling of ferroalloys*

JIS G 1601 *Methods of sampling for chemical analysis of ferroalloys (Part 1 : Ferromanganese, ferrosilicon, ferrochromium, ferrosilicomanganese and ferrosilicochromium)*

JIS G 1641 *Methods of sampling for size analysis of ferroalloys and size determination*

**3 Classification and symbol** The class and symbol shall be as given in Table 1.