

Translated and Published by Japanese Standards Association

 $JIS \ G \ 3454$: 2017

(JISF)

Carbon steel pipes for pressure service

ICS 23.040.10;77.140.75

 $Reference\ number:\ JIS\ G\ 3454:2017\ (E)$

G 3454:2017

Date of Establishment: 1962-03-01

Date of Revision: 2017-08-21

Date of Public Notice in Official Gazette: 2017-08-21

Investigated by: Japanese Industrial Standards Committee

Standards Board for ISO area

Technical Committee on Metal and Inorganic

Materials

JIS G 3454:2017, First English edition published in 2017-10

Translated and published by: Japanese Standards Association Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents, the original JIS is to be the final authority.

© JSA 2017

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

Contents

| | Page |
|--|---|
| Introduction1 | |
| 1 | Scope1 |
| 2 | Normative references1 |
| 3 | Classification and symbols ———————————————————————————————————— |
| 4 | Manufacturing process |
| 5 | Chemical composition3 |
| 6 6.1 6.2 6.3 | Mechanical properties3Tensile strength, yield point or proof stress, and elongation3Flattening resistance4Bendability5 |
| 7 | Zinc-coating test characteristics 5 |
| 8 | Hydraulic test characteristics and nondestructive test characteristics 5 |
| 9 9.1 9.2 | Dimensions, mass and dimensional tolerances 6 Dimensions and unit mass 6 Dimensional tolerances 6 |
| 10 | Appearance 8 |
| 11 | Supplementary quality requirements |
| 12 12.1 12.2 12.3 12.4 | Tests 9 Chemical analysis 9 Mechanical tests 9 Zinc-coating test 11 Hydraulic test and nondestructive test 11 |
| 13 13.1 13.2 | Inspection and reinspection 12 Inspection 12 Reinspection 12 |
| 14 | Marking |
| 15 | Report |
| Anne | x JA (normative) Supplementary quality requirements14 |
| Annex JB (informative) Comparison table between JIS and corresponding International Standards | |

G 3454: 2017

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by The Japan Iron and Steel Federation (JISF) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14. Consequently **JIS G 3454**:2012 is replaced with this Standard.

However, **JIS** G **3454**:2012 may be applied in the **JIS** mark certification based on the relevant provisions of Article 19 Clause 1, etc. of the Industrial Standardization Law until August 20, 2018.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

Carbon steel pipes for pressure service

JIS G 3454: 2017

Introduction

This Japanese Industrial Standard has been prepared based on **ISO 9329-1**:1989, Edition 1, **ISO 9330-1**:1990, Edition 1, with some modifications of the technical contents.

The vertical lines on both sides and dotted underlines indicate changes from the corresponding International Standard. A list of modifications with the explanations is given in Annex JB.

1 Scope

This Standard specifies the carbon steel pipes (hereafter referred to as pipes) used for pressure service at temperatures up to about 350 °C. It is not applicable to pipes for high pressure service ¹⁾. The pipes covered by this Standard are those of outside diameters 10.5 mm (nominal diameter 6A or 1/8B) to 660.4 mm (nominal diameter 650A or 26B).

Supplementary quality requirements that can be specified by the purchaser upon agreement with the manufacturer are provided in Annex JA.

NOTE: The International Standards corresponding to this Standard and the symbol of degree of correspondence are as follows.

ISO 9329-1:1989 Seamless steel tubes for pressure purposes—Technical delivery conditions—Part 1: Unalloyed steels with specified room temperature properties

ISO 9330-1:1990 Welded steel tubes for pressure purposes—Technical delivery conditions—Part 1: Unalloyed steel tubes with specified room temperature properties (Overall evaluation: MOD)

In addition, symbols which denote the degree of correspondence in the contents between the relevant International Standard and **JIS** are IDT (identical), MOD (modified), and NEQ (not equivalent) according to **ISO/IEC Guide 21-1**.

Note 1) Pipes for high pressure service are specified in **JIS G 3455**.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS G 0320 Standard test method for heat analysis of steel products

JIS G 0404 Steel and steel products—General technical delivery requirements

JIS G 0415 Steel and steel products—Inspection documents

JIS G 0582 Automated ultrasonic examination of steel pipes and tubes

JIS G 0583 Automated eddy current examination of steel pipes and tubes