

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS G 3462 : 2023

(JISF)

**Alloy steel tubes for boiler and heat
exchanger**

ICS 23.040.10 ; 27.060.30 ; 77.140.10 ; 77.140.75

Reference number : JIS G 3462 : 2023 (E)

G 3462 : 2023

Date of Establishment: 1962-03-01

Date of Revision: 2023-12-20

Date of Public Notice in Official Gazette: 2023-12-20

Developed by: The Japan Iron and Steel Federation

Investigated by: The Japan Iron and Steel Federation, Standardization
Center

JIS G 3462 : 2023, First English edition published in 2024-03

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2024

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

HN

PROTECTED BY COPYRIGHT

Contents

| | Page |
|---------------------------------------------------------------------------------------------|------|
| Introduction | 1 |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 2 |
| 4 Symbols of grade | 2 |
| 5 Manufacturing method | 3 |
| 6 Chemical composition | 3 |
| 7 Mechanical properties | 4 |
| 7.1 Tensile strength, yield point or proof stress, and elongation | 4 |
| 7.2 Flattening resistance | 5 |
| 7.3 Flaring property | 6 |
| 7.4 Reverse flattening resistance | 6 |
| 8 Selection of hydraulic test characteristics or non-destructive test characteristics | 6 |
| 9 Dimensions, unit masses and dimensional tolerances | 7 |
| 9.1 Dimensions and unit masses | 7 |
| 9.2 Dimensional tolerances | 8 |
| 10 Appearance | 10 |
| 11 Supplementary quality requirements | 10 |
| 12 U-bent tubes | 10 |
| 13 Tests | 11 |
| 13.1 Chemical analysis | 11 |
| 13.2 Mechanical tests | 11 |
| 13.3 Hydraulic test | 13 |
| 13.4 Non-destructive test | 14 |
| 14 Inspection and reinspection | 14 |
| 14.1 Inspection | 14 |
| 14.2 Reinspection | 15 |
| 15 Marking | 15 |
| 16 Information to be supplied by the purchaser | 15 |
| 17 Report | 15 |
| Annex JA (normative) Supplementary quality requirements | 17 |

| | | |
|------------------------|---------------------------------------------------------------------------------|----|
| Annex JB (normative) | U-bent tubes | 19 |
| Annex JC (informative) | Comparison table between JIS and corresponding International Standards | 22 |

Foreword

This Japanese Industrial Standard has been revised by the Minister of Economy, Trade and Industry based on the provision of Article 14, paragraph (1) of the Industrial Standardization Act applied mutatis mutandis pursuant to the provision of Article 16 of the said Act in response to a proposal for revision of Japanese Industrial Standard with a draft being attached, submitted by The Japan Iron and Steel Federation (JISF), an accredited standards development organization. This edition replaces the previous edition (**JIS G 3462** : 2019), which has been technically revised.

However, **JIS G 3462** : 2019 may be applied in the **JIS** mark certification based on the relevant provisions of Article 30, paragraph (1), etc. of the Industrial Standardization Act until 19 December 2024.

This **JIS** document is protected by the Copyright Act.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, published patent application or utility model rights. The relevant Minister is not responsible for identifying any of such patent rights, published patent application or utility model rights.

Blank

Alloy steel tubes for boiler and heat exchanger

Introduction

This Japanese Industrial Standard has been prepared based on **ISO 9329-2** : 1997, Edition 1, and **ISO 9330-2** : 1997, Edition 1, with some modifications of the technical contents.

Annex JA and Annex JB are unique to **JIS** and not given in the corresponding International Standards. The vertical lines on both sides and dotted underlines indicate changes from the corresponding International Standards. A list of modifications with the explanations is given in Annex JC.

1 Scope

This Standard specifies requirements for the alloy steel tubes used for exchanging heat between the inside and outside of the tube (hereafter referred to as tubes), such as water tubes, smoke tubes, superheater tubes, tubes used for air preheater, etc. of boilers, and heat exchanger tubes, condenser tubes, catalyser tubes, etc. used in chemical and petroleum industries. It is not applicable to the steel tubes for fired heater and steel heat exchanger tubes for low temperature service.

NOTE 1 This Standard is generally applicable to tubes of outside diameters 15.9 mm to 139.8 mm.

NOTE 2 The International Standards corresponding to this Standard and the symbol of degree of correspondence are as follows.

ISO 9329-2 : 1997 *Seamless steel tubes for pressure purposes — Technical delivery conditions — Part 2 : Unalloyed and alloyed steels with specified elevated temperature properties*

ISO 9330-2 : 1997 *Welded steel tubes for pressure purposes — Technical delivery conditions — Part 2 : Electric resistance and induction welded unalloyed and alloyed steel tubes with specified elevated temperature properties (overall evaluation : MOD)*

In addition, symbols which denote the degree of correspondence in the contents between the relevant International Standards and **JIS** are IDT (identical), MOD (modified), and NEQ (not equivalent) according to **ISO/IEC Guide 21-1**.

2 Normative references

Part or all of the provisions of the following standards, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS G 0201 *Glossary of terms used in iron and steel (Heat treatment)*

JIS G 0202 *Glossary of terms used in iron and steel (Testing)*