

Translated and Published by Japanese Standards Association

 $JIS\ G\ 3532^{\,:\,2011}$

(JWPA)

Low carbon steel wires

ICS 77.140.65

Reference number: JIS G 3532: 2011 (E)

G 3532:2011

Date of Establishment: 1954-01-30

Data of Revision: 2011-02-21

Date of Public Notice in Official Gazette: 2011-02-21

Investigated by: Japanese Industrial Standards Committee

Standards Board

Technical Committee on Iron and Steel

JIS G 3532: 2011, First English edition published in 2012-04

Translated and published by: Japanese Standards Association 4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents, the original JIS is to be the final authority.

© JSA 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan KA/SW

Page

Contents

Introd	luction · · · · · 1
1	Scope1
2	Normative references ······1
3	Terms and definitions ······1
4	Classification, symbol and applicable wire diameter ······3
5	Material ······4
6	Manufacturing method ·······4
7 7.1 7.2 7.3 7.4 7.5	Mechanical properties for ordinary low carbon steel wire SWM-B
7.6	Mechanical properties for cold-reduced steel wires for the reinforcement of concrete and the manufacture of welded fabric SWM-C, SWM-R and SWM-I
8	Shape, dimension, mass and their tolerances ·······7
8.1	Shape and dimension of plain wires
8.2 8.3	Shape of deformed low carbon steel wires ····································
8.4	Rib height and rib inclination of deformed low carbon steel wires ············ 10
9	Surface conditions · · · · · 10
10	Appearance
11 11.1 11.2 11.3 11.4 11.5 11.6	Test 10 Sampling method of test pieces 10 Tensile test 11 Bend test 11 Torsion test 11 Measurement of wire diameter for plain wires 11 Measurement of mass for deformed low carbon steel wires 11
12	Inspection ···········12

G 3532:2011

13	Designation of wires ·····	12
14	Marking	12
15	Report	12
Anne	x JA (normative) Rib height, rib spacing and rib inclination of deformed low carbon steel wire	13
Anne	x JB (informative) Comparison table between JIS and corresponding International Standard	14

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan Wire Products Association (JWPA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently JIS G 3532: 2000 is replaced with this Standard.

However, JIS G 3532: 2000 may be applied in the JIS mark certification based on the relevant provisions of Article 19 Clause 1, etc. of the Industrial Standardization Law until August 20th, 2011.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public or utility model right. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public, or utility model right.

Low carbon steel wires

JIS G 3532:2011

Introduction

This Japanese Industrial Standard has been prepared based on the first edition of ISO 10544 published in 1992 with some modifications of the technical contents.

The portions given sidelines or dotted underlines are the matters in which the contents of the corresponding International Standard have been modified. A list of modifications with the explanations is given in Annex JB. And, Annex JA is the matter not stated in the original International Standard.

1 Scope

This Standard specifies the ordinary low carbon steel wire, low carbon steel wire for nail manufacturing, annealed low carbon steel wire and cold-reduced steel wire designed for the reinforcement of concrete or for use in welded fabric (hereafter referred to as "wire").

NOTE: The International Standard corresponding to this Standard and the symbol of degree of correspondence are as follows.

ISO 10544: 1992 Cold-reduced steel wire for the reinforcement of concrete and the manufacture of welded fabric (MOD)

In addition, symbols which denote the degree of correspondence in the contents between the relevant International Standard and JIS are IDT (identical), MOD (modified), and NEQ (not equivalent) according to ISO/IEC Guide 21-1.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS A 5508 Nails

JIS G 3505 Low carbon steel wire rods

JIS Z 2241 Metallic materials—Tensile testing—Method of test at room temperature

NOTE: Corresponding International Standard: ISO 6892-1 Metallic materials—Tensile testing—Part 1: Method of test at room temperature (MOD)

3 Terms and definitions

For the purposes of this Standard, the following terms and definitions apply.