



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS G 5705 : 2018
(JPFA/JSA)
Malleable iron castings

ICS 77.080.10;77.140.80

Reference number : JIS G 5705 : 2018 (E)

Date of Establishment: 2000-02-20

Date of Revision: 2018-08-20

Date of Public Notice in Official Gazette: 2018-08-20

Investigated by: Japanese Industrial Standards Committee

Standards Board for ISO area

Technical Committee on Metal and Inorganic
Materials

JIS G 5705:2018, First English edition published in 2019-01

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2019

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

AT

Contents

	Page
Introduction	1
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Grade	3
5 Manufacture	5
6 Mechanical properties	5
6.1 Tensile strength, 0.2 % proof strength and elongation	5
6.2 Brinell hardness	5
6.3 Impact resistance	5
7 Shape, dimensions and dimensional tolerances	8
8 Appearance	8
9 Carbon residue ratio	9
10 Internal soundness	9
11 Sampling of test pieces	9
11.1 General requirements	9
11.2 Number of test pieces	9
11.3 Tensile test pieces	9
11.4 Choice of tensile test pieces	10
11.5 Test pieces for Brinell hardness test	11
11.6 Test pieces for carbon residue analysis	11
12 Test methods	11
12.1 Tensile test	11
12.2 Brinell hardness test	11
12.3 Impact test	11
12.4 Carbon residue analysis	11
12.5 Test for internal soundness	11
13 Retests	12
13.1 Need for retests	12
13.2 Tests to be invalid	12
13.3 Unsatisfactory test results	12
13.4 Steps to take in the case of tensile test failure due to heat treatment of the test piece	12

14	Inspection	12
15	Marking	13
16	Report	13
Annex JA (informative)	Comparison table of symbols of grade among JIS, International Standard and other foreign standards.....	14
Annex JB (informative)	Comparison table between JIS and corresponding International Standard	16

Foreword

This Japanese Industrial Standard has been revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan Pipe Fittings Association (JPFA)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently **JIS G 5705:2000** is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

Malleable iron castings

Introduction

This Japanese Industrial Standard has been prepared based on the **ISO 5922:2005**, Edition 2 with some modifications of the technical contents.

The vertical lines on both sides and dotted underlines indicate changes from the corresponding International Standard. A list of modifications with the explanations is given in Annex JB.

1 Scope

This Standard specifies requirements for whiteheart malleable cast iron, blackheart malleable cast iron and pearlitic malleable cast iron, used in the manufacture of castings. Classification is given for each type of malleable cast iron on the basis of mechanical properties. This Standard is applicable only to malleable cast iron cast into sand moulds or moulds of comparable thermal diffusivity.

NOTE The International Standard corresponding to this Standard and the symbol of degree of correspondence are as follows.

ISO 5922:2005 *Malleable cast iron* (MOD)

In addition, symbols which denote the degree of correspondence in the contents between the relevant International Standard and **JIS** are IDT (identical), MOD (modified), and NEQ (not equivalent) according to ISO/IEC Guide 21-1.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

- | | |
|--------------|---|
| JIS B 0403 | <i>Castings—System of dimensional tolerances and machining allowances</i> |
| JIS B 2051 | <i>Malleable iron and ductile iron valves</i> |
| JIS B 2239 | <i>Cast iron pipe flanges</i> |
| JIS B 2301 | <i>Screwed type malleable cast iron pipe fittings</i> |
| JIS G 0201 | <i>Glossary of terms used in iron and steel (Heat treatment)</i> |
| JIS G 0202 | <i>Glossary of terms used in iron and steel (Testing)</i> |
| JIS G 1211-3 | <i>Iron and steel—Determination of carbon content—Part 3: Infrared absorption method after combustion</i> |
| JIS Z 2241 | <i>Metallic materials—Tensile testing—Method of test at room temperature</i> |
| JIS Z 2242 | <i>Method for Charpy pendulum impact test of metallic materials</i> |
| JIS Z 2243-1 | <i>Brinell hardness test—Part 1: Test method</i> |

NOTE Corresponding International Standard: ISO 6506-1 *Metallic materials—Brinell hardness test—Part 1: Test method*