

Translated and Published by Japanese Standards Association

$JIS \; K \; 0102 \text{--}1^{\,:\, \text{2021}}$

Testing methods for industrial water and industrial wastewater — Part 1: Test methods for general physics and chemistries

Date of Establishment: 2021-05-20

Date of Public Notice in Official Gazette: 2021-05-20

Investigated by: Japanese Industrial Standards Committee

Standards Board for ISO area

Technical Committee on Chemical Products and

Analytical Methods

JIS K 0102-1 : 2021, First English edition published in 2022-10

Translated and published by: Japanese Standards Association Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

> In the event of any doubts arising as to the contents, the original JIS is to be the final authority.

© JSA 2022

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

Contents

Page

1	Scope1
2	Normative references ······1
3	Terms and definitions
$\begin{array}{c} 4 \\ 4.1 \\ 4.2 \\ 4.3 \\ 4.4 \\ 4.5 \\ 4.6 \\ 4.7 \\ 4.8 \end{array}$	General requirements1Chemical analysis1Absorptiomentry1Repeatability1Water used for tests1Reagents used for tests3Implements used for tests and methods for washing them4Management of quality of test results5
5	Flow rate
6 6.1 6.2 6.3	Temperature5General5Temperature5Water temperature6
7	Appearance ·····7
8	Transparency
9 9.1 9.2	Turbidity ····································
9.3 9.4 9.5	Visual-sensation turbidity 10 Transmitted-light turbidity 12 Scattered-light turbidity 14 Integrating-sphere turbidity 16
9.3 9.4 9.5 10 10.1 10.2 10.3 10.4	Visual-sensation turbidity 10 Transmitted-light turbidity 12 Scattered-light turbidity 14 Integrating-sphere turbidity 16 Chromaticity 18 General 18 Method using the stimulus values and chromaticity coordinates 18 Platinum-cobalt chromaticity 21 Method using the three wavelengths 22
$\begin{array}{c} 9.3 \\ 9.4 \\ 9.5 \\ 10 \\ 10.1 \\ 10.2 \\ 10.3 \\ 10.4 \\ 11 \\ 11.1 \\ 11.2 \\ 11.3 \\ 12 \end{array}$	Visual-sensation turbidity 10 Transmitted-light turbidity 12 Scattered-light turbidity 14 Integrating-sphere turbidity 16 Chromaticity 18 General 18 Method using the stimulus values and chromaticity coordinates 18 Platinum-cobalt chromaticity 21 Method using the three wavelengths 22 Odour and threshold odour number (TON) 23 General 23 Odour 23 Threshold odour number (TON) 24 NH

13	Electrical conductivity	31
$14 \\ 14.1 \\ 14.2 \\ 14.3 \\ 14.4 \\ 14.5 \\ 14.6$	Suspended matter and evaporation residue General General Suspended matter Suspended matter Soluble evaporation residue Ignition residue Ignition loss General Suspended matter S	36 37 39 39 40 42
$15 \\ 15.1 \\ 15.2 \\ 15.3$	Acid consumption General Acid consumption (pH 4.8) Acid consumption (pH 8.3)	43 43 43 47
$16 \\ 16.1 \\ 16.2 \\ 16.3 \\ 16.4$	Alkali consumption ······ General ······ Alkali consumption (pH 8.3) ······ Alkali consumption (pH 4.8) ······ Alkali consumption (free acid) ·····	49 49 50 54 56
17 17.1 17.2 17.3 17.4	Chemical oxygen demand (COD) General General General Oxygen demand by acidic potassium permanganate (COD _{Mn}) General Oxygen demand by alkaline potassium permanganate (COD _{OH}) General Oxygen demand by potassium dichromate (COD _{Cr}) General	59 59 60 63 66
18 19 19.1 19.2 19.3	Biochemical oxygen demand (BOD)	72 81 81 81 86
20 21 21.1 21.2 21.3 21.4 21.5	Total oxygen demand (TOD) 8 Dissolved oxygen 9 General 9 Iodometry 9 Miller's modification 9 Membrane electrode method 9 Optical sensor method 10	37 90 91 95 96 00
22 22.1 22.2 22.3 22.4 22.5	Hexane extracts 10 General 10 Sampling 10 Extraction method 10 Extraction by extraction container 11	06 06 08 12
0.0	Collecting-concentration and extraction	13

23.1	General				
23.2	Diethyl- <i>p</i> -phenylenediammonium (DPD) colorimetry116				
23.3	Diethyl- <i>p</i> -phenylenediammonium (DPD) absorptiometry120				
23.4	<i>o</i> -Tolidine colorimetry ······122				
23.5	Iodometry ·······125				
23.6	6 DPD-ammonium iron (II) sulfate titrimetry1				
23.7	Amperometric tit	ration			
24	Total carbonate \cdot				
24.1	General				
24.2	Strontium chlorid	le-hydrochloric acid titration method ······135			
24.3	Infrared analytics	al method ······140			
25	Chlorine demand				
26	Hydroxide ion \cdots				
Annex	A (informative)	Expression of chromaticity by dominate wavelength (or complementary wavelength) and excitation purity145			
Annex	B (informative)	Temperature correction factor for conversion of elec- trical conductivity			
Annex	c C (informative)	Method for determining salt concentration from elec- trical conductivity, and relationship between eleva- tion and barometric pressure ······152			
Annex	x D (informative)	Nonvolatile mineral oils, and nonvolatile animal and vegetable oils and fats154			
Annex	x E (informative)	Normative references ······157			
Annex	x F (informative)	Comparison table between JIS and corresponding In- ternational Standards161			

Foreword

This Japanese Industrial Standard has been established by the Minister of Economy, Trade and Industry, through deliberations at the Japanese Industrial Standards Committee in accordance with the Industrial Standardization Act.

This **JIS** document is protected by the Copyright Act.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, published patent application or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, published patent application or utility model rights.

JIS K 0102 series consists of the following 5 parts under the general title *Testing methods for industrial water and industrial wastewater* —:

Part 1: Test methods for general physics and chemistries

Part 2: Anion and cation analysis (to be published)

Part 3: Metal analysis (to be published)

Part 4: Organic analysis (to be published)

Part 5 : Methods for acute toxicity test by fish, bacterial test, and biological test (to be published)

Testing methods for industrial water and industrial wastewater — Part 1 : Test methods for general physics and chemistries

1 Scope

This Japanese Industrial Standard specifies the general physical and chemical analysis methods for industrial water and for wastewater discharged from factories (including workplaces) (hereafter referred to as industrial wastewater). Unless otherwise specified in the specific test method subclause, tests given in this Standard are applicable to both industrial water and industrial wastewater.

For test methods in this Standard for which a corresponding International Standard exists, the number of the International Standard and the symbol of degree of its correspondence with **JIS** are shown in relevant test clauses.

Where modifications have been made to the technical contents of the corresponding International Standard, the modifications and their explanations are given in Annex F.

2 Normative references

Part or all of the provisions of the standards listed in Annex E, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated in the said annex shall be applied.

3 Terms and definitions

For the purpose of this Standard, the terms and definitions given in **JIS K 0211** and **JIS K 0215** apply.

4 General requirements

4.1 Chemical analysis

General requirements of chemical analysis are provided in JIS K 0050.

4.2 Absorptiomentry

General requirements of absorptiometry are provided in JIS K 0115.

4.3 Repeatability

The repeatability of each test method is indicated by the approximate value of the coefficient of variation (%) obtained by performing repetitive tests using the standard solution to be used in the dynamic range of that test method.

4.4 Water used for tests

The water to be used for the tests described in this Standard shall be of A1 to A4 specified in **JIS K 0557**, unless otherwise specified in the particular test clause. Dis-