



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS K 1571 : 2010

(JWPA/JSA)

**Wood preservatives—Performance
requirements and their test methods
for determining effectiveness**

ICS 71.100.50

Reference number : JIS K 1571 : 2010 (E)

K 1571 : 2010

Date of Establishment: 1998-10-20

Date of Revision: 2010-09-21

Date of Public Notice in Official Gazette: 2010-09-21

Investigated by: Japanese Industrial Standards Committee
Standards Board
Technical Committee on Chemical Products

JIS K 1571:2010, First English edition published in 2012-09

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

NH/AT

PROTECTED BY COPYRIGHT

Contents

	Page
Introduction	1
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Performance requirements	2
5 Test methods	3
5.1 Preparation of sample	3
5.2 Antiseptic performance	3
5.3 Termite proofing performance	17
5.4 Iron corrosion property	28
6 Record of test results	32
6.1 Antiseptic performance	33
6.2 Termite proofing performance	35
6.3 Iron corrosion property	37
Annex A (normative) Antiseptic performance test and termite proofing performance test for limited use	39

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan Wood Preserving Association (JWPA)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently **JIS K 1571**:2004 is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public.

Wood preservatives—Performance requirements and their test methods for determining effectiveness

Introduction

This Japanese Industrial Standard was established in 1998 and has gone through two revisions to this day. The last revision involved change of the standard name and standard structure, and addition of performance requirement items.

No corresponding International Standard has been established at this point.

1 Scope

This Standard specifies the performance requirements for wood preservatives, and the test methods for antiseptic performance, termite proofing performance and iron corrosion property of wood preservatives. However, the test methods for antiseptic and termite proofing performance of wood preservatives to be used in the limited service conditions shall be in accordance with Annex A.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS A 5009 *Vermiculites*

JIS A 5508 *Nails*

JIS K 0557 *Water used for industrial water and wastewater analysis*

JIS K 1570 *Wood Preservatives*

JIS K 6741 *Unplasticized poly (vinyl chloride) (PVC-U) pipes*

JIS K 8284 *Diammonium hydrogen citrate (Reagent)*

JIS K 8824 *D(+)-Glucose (Reagent)*

JIS K 8848 *Hexane (Reagent)*

JIS K 8962 *Potassium sulfate (Reagent)*

JIS P 3801 *Filter paper (for chemical analysis)*

JIS R 1250 *Common bricks*

JIS T 6605 *Dental stone*

JIS Z 9041-1 *Statistical interpretation of data—Part 1: Statistical presentation of data*

3 Terms and definitions

For the purposes of this Standard, the terms and definitions given in **JIS K 1570** and the following apply.