



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS K 2436 : 2007

(JAIA/JSA)

Naphthalene for industrial use

ICS 71.080.15

Reference number : JIS K 2436 : 2007 (E)

K 2436 : 2007

Date of Establishment: 1978-10-01

Date of Revision: 2007-11-20

Date of Public Notice in Official Gazette: 2007-11-20

Investigated by: Japanese Industrial Standards Committee
Standards Board
Technical Committee on Chemical Analysis

JIS K 2436:2007, First English edition published in 2008-05

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

NH/AT

PROTECTED BY COPYRIGHT

Contents

	Page
Introduction.....	1
1 Scope.....	1
2 Normative references	1
3 Classification.....	1
4 Quality	2
5 Test method.....	2
5.1 General matters	2
5.2 Sampling and preparation of sample	2
5.3 Solidifying point	3
5.4 Purity	4
5.5 Impurities	5
5.6 Sulfuric acid colouring test method.....	10
5.7 Nonvolatile matter content	11
5.8 Determination method for moisture content	13
6 Inspection	13
7 Marking.....	14
Annex A (normative) Sampling method.....	15

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry, through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by The Japan Aromatic Industry Association, Inc. (JAIA)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently **JIS K 2436**:1990 is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have technical properties. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have the said technical properties.

Naphthalene for industrial use

Introduction

This Japanese Industrial Standard has been revised for the purpose of avoiding the duplication of standard and the like by quoting the Japanese Industrial Standards as much as possible relating to the general test methods common to chemical products as well as the deletion of specifications relating to anthracene and carbazole from the former standard.

The corresponding International Standard has not yet been established at this point.

1 Scope

This Standard specifies naphthalene for industrial use.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS C 3105 *Hard-drawn copper stranded conductors*

JIS K 0050 *General rules for chemical analysis*

JIS K 0068 *Test methods for water content of chemical products*

JIS K 0114 *General rules for gas chromatographic analysis*

JIS K 2435-1 *Benzene • Toluene • Xylene—Part 1: Benzene*

JIS K 8040 *Acetone for pesticide residue and polychlorinated biphenyl analysis (Reagent)*

JIS K 8125 *Calcium chloride (for U-tube) (Reagent)*

JIS K 8279 *Quinoline (Reagent)*

JIS K 8305 *meta-Cresol (Reagent)*

JIS K 8552 *Cobalt (II) nitrate hexahydrate (Reagent)*

JIS K 8798 *Phenol (Reagent)*

JIS K 8949 *Sodium sulfide nonahydrate (Reagent)*

JIS K 8951 *Sulfuric acid (Reagent)*

JIS M 8100 *Particulate materials—General rules for methods of sampling*

JIS Z 8401 *Guide to the rounding of numbers*

3 Classification

Naphthalene for industrial use shall be classified into refined naphthalene and 95 % naphthalene.