



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS K 3920 : 2009
(JFPA/JSA)

Test methods for floor polishes

ICS 71.100.99;97.080

Reference number : JIS K 3920 : 2009 (E)

Date of Establishment: 1991-11-01

Date of Revision: 2009-05-20

Date of Public Notice in Official Gazette: 2009-05-20

Investigated by: Japanese Industrial Standards Committee
Standards Board

Technical Committee on Consumer Life Products

JIS K 3920:2009, First English edition published in 2010-11

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

NH/AT

Contents

| | Page |
|--|------|
| Introduction..... | 1 |
| 1 Scope..... | 1 |
| 2 Normative references | 1 |
| 3 Terms and definition..... | 2 |
| 4 Test item | 3 |
| 5 Common items | 4 |
| 6 Sample..... | 5 |
| 6.1 Outline | 5 |
| 6.2 Definition of a lot | 5 |
| 6.3 Conditioning of sample | 5 |
| 7 Preparation of test pieces..... | 5 |
| 7.1 Outline | 5 |
| 7.2 Test substrate | 5 |
| 7.3 Apparatus | 5 |
| 7.4 Preparation of substrate..... | 6 |
| 7.5 Preparation of coating with gauze | 6 |
| 8 pH value..... | 6 |
| 8.1 Outline | 6 |
| 8.2 Preparation of sample..... | 6 |
| 8.3 Operation | 6 |
| 9 Viscosity | 6 |
| 9.1 Outline | 6 |
| 9.2 Apparatus | 7 |
| 9.3 Operation | 7 |
| 10 Density | 7 |
| 10.1 Outline | 7 |
| 10.2 Density hydrometer method..... | 8 |
| 10.3 Pycnometer | 8 |
| 11 Non-volatile matter | 10 |
| 11.1 Outline | 10 |
| 11.2 Apparatus | 10 |
| 11.3 Operation | 11 |
| 11.4 Calculation..... | 11 |
| 12 Flash point..... | 11 |

| | | |
|------|--------------------------------------|----|
| 12.1 | Outline | 11 |
| 12.2 | Operation | 11 |
| 13 | Storage stability | 12 |
| 13.1 | Outline | 12 |
| 13.2 | Apparatus | 12 |
| 13.3 | Operation | 12 |
| 13.4 | Evaluation | 13 |
| 14 | Freeze thaw stability | 13 |
| 14.1 | Outline | 13 |
| 14.2 | Apparatus | 13 |
| 14.3 | Operation | 13 |
| 14.4 | Evaluation | 13 |
| 15 | Glossiness | 13 |
| 15.1 | Outline | 13 |
| 15.2 | Apparatus | 13 |
| 15.3 | Preparation of test | 14 |
| 15.4 | Operation | 15 |
| 15.5 | Calculation | 15 |
| 16 | Heel mark resistance | 16 |
| 16.1 | Outline | 16 |
| 16.2 | Apparatus | 16 |
| 16.3 | Operation | 17 |
| 16.4 | Evaluation | 17 |
| 17 | Coefficient of static friction | 17 |
| 17.1 | Outline | 17 |
| 17.2 | Apparatus | 18 |
| 17.3 | Test piece | 18 |
| 17.4 | Operation | 18 |
| 17.5 | Results | 19 |
| 18 | Water resistance | 19 |
| 18.1 | Outline | 19 |
| 18.2 | Apparatus | 19 |
| 18.3 | Test piece | 19 |
| 18.4 | Operation | 19 |
| 18.5 | Evaluation | 20 |
| 19 | Detergent resistance | 20 |
| 19.1 | Outline | 20 |
| 19.2 | Apparatus | 20 |
| 19.3 | Reagents | 21 |
| 19.4 | Standard washing liquid | 21 |
| 19.5 | Test piece | 21 |

| | | |
|------|--|----|
| 19.6 | Operation | 21 |
| 19.7 | Calculation..... | 22 |
| 19.8 | Evaluation | 22 |
| 20 | Removability | 22 |
| 20.1 | Outline | 22 |
| 20.2 | Apparatus | 22 |
| 20.3 | Reagents..... | 23 |
| 20.4 | Standard release agent | 23 |
| 20.5 | Test piece | 23 |
| 20.6 | Operation | 23 |
| 20.7 | Evaluation | 24 |
| 21 | Levelling property | 24 |
| 21.1 | Outline | 24 |
| 21.2 | Apparatus | 24 |
| 21.3 | Operation | 24 |
| 21.4 | Evaluation | 24 |
| 22 | Recoating property | 25 |
| 22.1 | Outline | 25 |
| 22.2 | Apparatus | 25 |
| 22.3 | Operation | 25 |
| 22.4 | Evaluation | 25 |
| 23 | Adhesiveness | 26 |
| 23.1 | Outline | 26 |
| 23.2 | Apparatus | 26 |
| 23.3 | Test piece | 26 |
| 23.4 | Operation | 26 |
| 23.5 | Evaluation | 27 |
| 24 | Analysis of emitted component from coating | 27 |
| 24.1 | Outline | 27 |
| 24.2 | Apparatus | 27 |
| 24.3 | Operation | 28 |
| 24.4 | Result | 28 |
| 25 | Antibacterial activity | 28 |
| 25.1 | Outline | 28 |
| 25.2 | Apparatus | 28 |
| 25.3 | Species | 28 |
| 25.4 | Test piece | 28 |
| 25.5 | Preparation of pour-plate culture medium | 28 |
| 25.6 | Operation | 29 |
| 25.7 | Evaluation | 29 |
| 26 | Test report | 30 |

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan Floor Polish Manufacturers' Association (JFPA)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently **JIS K 3920:2001** has been replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have technical properties. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have the said technical properties.

Test methods for floor polishes

Introduction

This Japanese Industrial Standard was established in 1991 and to this day has gone through only one revision, which took place in 2001. The revision at this time is to respond to the increased need for modification of the contents and addition of the test methods caused by environmental changing.

The corresponding International Standard has not yet been published at this moment.

1 Scope

This Standard specifies the test methods for floor polishes¹⁾.

Note ¹⁾ The floor polishes, herein, mean the chemical products for protection and beauty of floors in those used for cleaning, which form a film after drying and are capable of being removed easily by physical and chemical method when needed later. Those are also called floor waxes.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) shall be applied.

JIS A 1901 *Determination of the emission of volatile organic compounds and aldehydes for building products—Small chamber method*

JIS A 5705 *Floorcovering—PVC*

JIS B 7410 *Liquid-in-glass thermometers for testing of petroleum product*

JIS B 7525 *Density hydrometers*

JIS G 4303 *Stainless steel bars*

JIS H 4160 *Aluminium and aluminium alloy foils*

JIS K 0050 *General rules for chemical analysis*

JIS K 2249 *Crude petroleum and petroleum products—Determination of density and petroleum measurement tables based on a reference temperature (15 centigrade degrees)*

JIS K 2265-2 *Determination of flash point—Part 2: Rapid equilibrium closed cup method*

JIS K 5600-2-4 *Testing methods for paints—Part 2: Characteristics and stability of paints—Section 4: Density*

JIS K 5601-1-2 *Testing methods for paint components—Part 1: General rule—Section 2: Determination of non-volatile matter content*

JIS K 7117-1 *Plastics—Resins in the liquid state or as emulsions or dispersions—Determination of apparent viscosity by the Brookfield Test method*