

# JIS

JAPANESE  
INDUSTRIAL  
STANDARD

Translated and Published by  
Japanese Standards Association

---

---

**JIS K 6250** : 2019

(JRMA/JSA)

**Rubber—General procedures for  
preparing and conditioning test  
pieces for physical test methods**

---

ICS 83.060

Reference number : **JIS K 6250 : 2019 (E)**

K 6250 : 2019

Date of Establishment: 1993-02-01

Date of Revision: 2019-06-20

Date of Public Notice in Official Gazette: 2019-06-20

Investigated by: Japanese Industrial Standards Committee  
Standards Board for ISO area  
Technical Committee on Chemical Products and  
Analytical Methods

---

JIS K 6250:2019, First English edition published in 2020-03

Translated and published by: Japanese Standards Association  
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

---

In the event of any doubts arising as to the contents,  
the original JIS is to be the final authority.

© JSA 2020

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KK/AT

PROTECTED BY COPYRIGHT

## Contents

	Page
Introduction .....	1
1 Scope .....	1
2 Normative references .....	2
3 Terms and definitions .....	2
4 General .....	2
5 Identification of sample and test piece .....	2
6 Standard laboratory conditions .....	3
6.1 Standard laboratory temperature .....	3
6.2 Standard laboratory humidity .....	3
7 Storage of samples and test pieces .....	3
8 Sampling/preparation of test pieces .....	4
8.1 Test piece thickness .....	4
8.2 Thickness adjustment .....	4
8.3 Test piece cutters .....	6
8.4 Sampling/preparation of disc test piece from product .....	8
8.5 Preparation of test pieces by moulding .....	8
9 Conditioning .....	9
9.1 General .....	9
9.2 Conditioning for subnormal or elevated temperatures .....	9
10 Measurement of dimensions of test pieces .....	9
10.1 General .....	9
10.2 Method A .....	10
10.3 Method B .....	11
10.4 Method C .....	11
10.5 Method D .....	11
11 Conditions of test .....	11
11.1 Duration of test .....	11
11.2 Laboratory temperature and humidity .....	12
12 Test chambers .....	13
12.1 General requirements .....	13
12.2 Chambers operating at elevated temperatures .....	14
12.3 Chambers operating at subnormal temperatures .....	14
13 Test report .....	15

Annex A (normative) Conditioning times for vulcanized or thermoplastic rubber test pieces .....	16
Annex JA (informative) Outline of physical property tests of rubber .....	19
Bibliography .....	30
Annex JB (informative) Comparison table between JIS and corresponding International Standard .....	33

## Foreword

This Japanese Industrial Standard has been revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by The Japan Rubber Manufacturers Association (JRMA)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14. Consequently **JIS K 6250:2006** is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

Blank

# Rubber—General procedures for preparing and conditioning test pieces for physical test methods

## Introduction

This Japanese Industrial Standard has been prepared based on **ISO 23529:2016**, Edition 3, with some modifications of the technical contents, by adding notes on the preparation methods of test pieces.

The vertical lines on both sides and dotted underlines indicate changes from the corresponding International Standard. A list of modifications with the explanations is given in Annex JB.

## 1 Scope

This Standard specifies the storage, conditioning and test conditions (temperature/humidity/time), and marking, preparation and dimension measurement methods of rubber test pieces for use in physical tests. Special conditions, applicable to a particular test or material or simulating a particular climatic environment, are not included, nor are special requirements for testing whole products.

In this Standard, rubber is used as a general term of vulcanized rubber, thermoplastic rubber, raw rubber and unvulcanized rubber (compound).

NOTE 1 Annex JA summarises test items, measuring items for evaluation and outline of test required in physical tests of rubber.

NOTE 2 The International Standard corresponding to this Standard and the symbol of degree of correspondence are as follows.

ISO 23529:2016 *Rubber—General procedures for preparing and conditioning test pieces for physical test methods* (MOD)

In addition, symbols which denote the degree of correspondence in the contents between the relevant International Standard and **JIS** are IDT (identical), MOD (modified), and NEQ (not equivalent) according to **ISO/IEC Guide 21-1**.

**WARNING 1** Persons using this Standard should be familiar with normal laboratory practice. This Standard does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user of this Standard to establish appropriate safety and health practices.

**WARNING 2** Certain procedures specified in this Standard might involve the use or generation of substances, or the generation of waste, that could constitute a local environmental hazard. Ensure compliance with any national regulatory conditions on safe handling and disposal after use.