

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS K 6254 : 2016

(JRMA/JSA)

**Rubber, vulcanized or
thermoplastic—Determination of
stress-strain properties**

ICS 83.060

Reference number : **JIS K 6254 : 2016 (E)**

K 6254 : 2016

Date of Establishment: 1993-02-01

Date of Revision: 2016-08-22

Date of Public Notice in Official Gazette: 2016-08-22

Investigated by: Japanese Industrial Standards Committee
Standards Board for ISO area
Technical Committee on Chemical Products and
Analytical Methods

JIS K 6254:2016, First English edition published in 2017-03

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2017

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

NH/AT

PROTECTED BY COPYRIGHT

Contents

	Page
Introduction.....	1
1 Scope.....	1
2 Normative references	1
3 Terms and definitions	2
4 Types of test	3
5 Compression test	3
5.1 Methods of compression test	3
5.2 Test apparatus and materials	4
5.3 Calibration of test apparatus.....	5
5.4 Test pieces	5
5.5 Number of test pieces	5
5.6 Time-lapse between vulcanization and testing	5
5.7 Conditioning	5
5.8 Test temperature	6
5.9 Test methods	6
5.10 Expression of test results	7
5.11 Test report	9
5.12 Precision for Methods A and D	10
6 Tensile test	10
6.1 Test apparatus	10
6.2 Calibration of test apparatus.....	10
6.3 Test pieces	10
6.4 Number of test pieces	12
6.5 Time-lapse between vulcanization and testing	12
6.6 Conditioning	12
6.7 Test temperature	12
6.8 Test methods	12
6.9 Expression of test results	13
6.10 Test report	13
Annex A (informative) Influence of test piece geometry	15
Annex B (informative) Extrapolation of results to non-standard test pieces and non-standard test conditions	19
Annex C (normative) Calibration schedule	22
Annex D (informative) Precision for Methods A and D	24

Annex JA (informative) Comparison table between JIS and corresponding
International Standard 27

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by The Japan Rubber Manufacturers Association (JRMA)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently **JIS K 6254:2010** is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

Rubber, vulcanized or thermoplastic— Determination of stress-strain properties

Introduction

This Japanese Industrial Standard has been prepared based on the fourth edition of **ISO 7743** published in 2011 with some modifications of the technical contents, mainly the addition of the tensile deformation requirements that are not given in the said corresponding **ISO** Standard.

The vertical lines on both sides of the text and dotted underlines indicate changes from the corresponding International Standard. A list of modifications with the explanations is given in Annex JA.

1 Scope

This Standard specifies methods for determination of the stress-strain properties of vulcanized or thermoplastic rubber using a standard test piece, a product or a part of a product to measure the compression force or tensile force.

NOTE : The International Standard corresponding to this Standard and the symbol of degree of correspondence are as follows.

ISO 7743:2011 *Rubber, vulcanized or thermoplastic—Determination of compression stress-strain properties* (MOD)

In addition, symbols which denote the degree of correspondence in the contents between the relevant International Standard and **JIS** are **IDT** (identical), **MOD** (modified), and **NEQ** (not equivalent) according to **ISO/IEC Guide 21-1**.

WARNING Persons using this Standard should be familiar with normal laboratory practice. This Standard does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. For standards with the year indication, only the editions of the indicated year shall be applied and the revisions (including amendments) made thereafter shall not be applied. For those without the indication of the year, the most recent edition (including amendments) shall be applied.

JIS K 6200 *Rubber—Vocabulary*

JIS K 6250 *Rubber—General procedures for preparing and conditioning test pieces for physical test methods*

NOTE : Corresponding International Standard: ISO 23529 *Rubber—General procedures for preparing and conditioning test pieces for physical test methods* (MOD)