



JAPANESE  
INDUSTRIAL  
STANDARD

Translated and Published by  
Japanese Standards Association

---

---

**JIS K 6266** : 2007  
(JRMA/JSA)

**Rubber, vulcanized or thermoplastic—  
Determination of resistance to  
weathering**

---

ICS 83.060

Reference number : JIS K 6266 : 2007 (E)

K 6266 : 2007

Date of Establishment: 1996-03-01

Date of Revision: 2007-10-20

Date of Public Notice in Official Gazette: 2007-10-22

Investigated by: Japanese Industrial Standards Committee  
Standards Board  
Technical Committee on Chemical Products

---

JIS K 6266:2007, First English edition published in 2008-08

---

Translated and published by: Japanese Standards Association  
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

---

In the event of any doubts arising as to the contents,  
the original JIS is to be the final authority.

© JSA 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

NH/AT

## Contents

	Page
Introduction.....	1
1    Scope.....	1
2    Normative references .....	1
3    Terms and definitions .....	3
4    Principle .....	4
5    Types of tests .....	5
6    Direct weathering exposure test .....	5
6.1    Purpose.....	5
6.2    Test equipment .....	5
6.3    Test piece .....	6
6.4    Test methods .....	7
6.5    Assessment of test piece after exposure .....	9
6.6    Expression of results.....	12
6.7    Record .....	13
7    Weathering using glass-filtered daylight exposure test .....	14
7.1    Purpose.....	14
7.2    Test equipment .....	14
7.3    Test piece .....	15
7.4    Test methods .....	15
7.5    Assessment of test pieces after exposure.....	16
7.6    Expression of results.....	17
7.7    Record .....	17
8    Weathering by daylight using Fresnel mirrors.....	17
8.1    Purpose.....	17
8.2    Test equipment .....	17
8.3    Test piece .....	17
8.4    Test methods .....	17
8.5    Assessment of test piece after exposure .....	18
8.6    Expression of results.....	18
8.7    Record .....	18
9    Open-flame carbon-arc test .....	18
9.1    Purpose.....	18
9.2    Test equipment .....	18
9.3    Test piece .....	21
9.4    Test methods .....	21

9.5	Measurement of radiant exposure .....	24
9.6	Assessment of test piece after exposure .....	24
9.7	Expression of results .....	24
9.8	Record .....	24
10	Xenon-arc test .....	25
10.1	Purpose .....	25
10.2	Test equipment .....	25
10.3	Test piece .....	27
10.4	Test methods .....	27
10.5	Measurement of radiant exposure .....	29
10.6	Assessment of test piece after exposure .....	29
10.7	Expression of results .....	29
10.8	Record .....	29
11	Fluorescent UV lamp test .....	29
11.1	Purpose .....	29
11.2	Test equipment .....	29
11.3	Test piece .....	32
11.4	Test methods .....	32
11.5	Measurement of radiant exposure .....	32
11.6	Assessment of test piece after exposure .....	32
11.7	Expression of results .....	32
11.8	Record .....	32
Annex A (informative)	Weathering reference materials .....	33
Annex B (informative)	Some properties which may be determined to assess change after exposure .....	36
Annex JA (informative)	General matters of resistance to weathering test .....	37
Annex JB (informative)	Degradation properties of weathering reference materials .....	41
Annex JC (informative)	Sheltered exposure test .....	58
Annex JD (informative)	Comparison table between JIS and corresponding International Standard .....	62

## **Foreword**

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by The Japan Rubber Manufacturers Association (JRMA)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently **JIS K 6266**:1996 is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have technical properties. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have the said technical properties.

# Rubber, vulcanized or thermoplastic— Determination of resistance to weathering

## Introduction

This Japanese Industrial Standard has been prepared based on the second edition of ISO 4665 published in 2006 with some modifications of the technical contents.

The portions given sidelines or dotted underlines are the matters in which the contents of the original International Standard have been modified. A list of modifications with the explanations is given in Annex JD.

**Warning :** Persons using this Standard should be familiar with normal laboratory practice. This Standard does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices.

## 1 Scope

This Standard specifies the natural weathering exposure test and the laboratory light source exposure test of vulcanized rubber and thermoplastic rubber (hereafter referred to as "vulcanized rubber") in addition to the determination method of changes in colour, appearance and physical properties (resistance to weathering) resulting from exposure.

NOTE : The International Standard corresponding to this Standard is as follows.

ISO 4665:2006 *Rubber, vulcanized or thermoplastic—Resistance to weathering* (MOD)

In addition, symbols which denote the degree of correspondence in the contents between the relevant International Standard and JIS are IDT (identical), MOD (modified), and NEQ (not equivalent) according to ISO/IEC Guide 21.

## 2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS K 5600-4-4 *Testing methods for paints—Part 4: Visual characteristics of film—Section 4: Colorimetry (Principles)*

NOTE : Corresponding International Standard: ISO 7724-1:1984 *Paints and varnishes—Colorimetry Part 1: Principles* (IDT)

JIS K 5600-4-5 *Testing methods for paints—Part 4: Visual characteristics of film—Section 5: Colorimetry (Measurement)*

NOTE : Corresponding International Standard: ISO 7724-2:1984 *Paints and varnishes—Colorimetry Part 2: Colour measurement* (IDT)