

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS K 6741 : 2016

(JPPFA/JPIF/JSA)

**Unplasticized poly(vinyl chloride)
(PVC-U) pipes**

ICS 23.040.20;83.140.30

Reference number : **JIS K 6741 : 2016 (E)**

K 6741 : 2016

Date of Establishment: 1954-07-20

Date of Revision: 2016-10-20

Date of Public Notice in Official Gazette: 2016-10-20

Investigated by: Japanese Industrial Standards Committee
Standards Board for ISO area
Technical Committee on Chemical Products and
Analytical Methods

JIS K 6741 : 2016, First English edition published in 2017-02

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2017

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

NH/AT

PROTECTED BY COPYRIGHT

Contents

	Page
Introduction.....	1
1 Scope.....	1
2 Normative references	1
3 Terms and definitions	3
4 Classification and symbols	3
5 Performance.....	4
6 Appearance and shape	5
6.1 Appearance	5
6.2 Shape	5
7 Dimensions and tolerances	6
7.1 Outside diameter and wall thickness of pipes, and their tolerances	6
7.2 Length of pipes	9
7.3 Dimensions of socket.....	9
8 Materials	9
8.1 Material of pipes	9
8.2 Material of rubber ring.....	9
9 Test methods	9
9.1 Performance tests	9
9.2 Appearance and shape	14
9.3 Dimensions	14
9.4 Expression of test results	14
10 Inspection.....	14
11 Marking.....	16
11.1 Colour of pipes	16
11.2 Marking on pipes	16
11.3 Handling precautions	16
Annex JA (normative) Impact resistance test method for impact-resistant unplasticized poly(vinyl chloride) (PVC-U) pipes.....	21
Annex JB (informative) Comparison table between JIS and corresponding International Standards	25

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan PVC Pipe and Fittings Association (JPPFA)/The Japan Plastics Industry Federation (JPIF)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14. Consequently **JIS K 6741**:2007 is replaced with this Standard.

However, **JIS K 6741**:2007 may be applied in the **JIS** mark certification based on the relevant provisions of Article 19 Clause 1, etc. of the Industrial Standardization Law until October 19, 2017.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

Unplasticized poly(vinyl chloride) (PVC-U) pipes

Introduction

This Japanese Industrial Standard has been prepared based on the first editions of **ISO 1452-1** and **ISO 1452-2** published in 2009, the second edition of **ISO 3633** published in 2002, and the second edition of **ISO 4435** published in 2003 with some modifications of the technical contents including addition of requirements concerning product dimensions and performance and their test methods that are widely used in Japan.

Sidelines or dotted underlines indicate changes from the corresponding International Standards. A list of modifications with explanations is given in Annex JB.

1 Scope

This Standard specifies the unplasticized poly(vinyl chloride) (PVC-U) pipes and impact-resistant unplasticized poly(vinyl chloride) (PVC-U) pipes (hereafter referred to as pipes) used mainly for piping to convey general fluids. Among these pipes, however, the unplasticized poly(vinyl chloride) (PVC-U) pipes for water supply are specified in **JIS K 6742**.

NOTE : The International Standards corresponding to this Standard and the symbol of degree of correspondence between **JIS** and the International Standards are as follows.

ISO 1452-1:2009 *Plastics piping systems for water supply and for buried and above-ground drainage and sewerage under pressure—Unplasticized poly(vinyl chloride) (PVC-U)—Part 1: General*

ISO 1452-2:2009 *Plastics piping systems for water supply and for buried and above-ground drainage and sewerage under pressure—Unplasticized poly(vinyl chloride) (PVC-U)—Part 2: Pipes*

ISO 3633:2002 *Plastics piping systems for soil and waste discharge (low and high temperature) inside buildings—Unplasticized poly(vinyl chloride) (PVC-U)*

ISO 4435:2003 *Plastics piping systems for non-pressure underground drainage and sewerage—Unplasticized poly(vinyl chloride) (PVC-U) (overall evaluation: MOD)*

In addition, symbols which denote the degree of correspondence in the contents between the relevant International Standards and **JIS** are IDT (identical), MOD (modified), and NEQ (not equivalent) according to **ISO/IEC Guide 21-1**.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. For standards with the year indication, only the editions of the indicated year shall be applied and the revisions (including amendments)