

JIS

JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS L 1059-2 : 2009

(JTETC/JSA)

**Testing methods for crease recovery of
textiles — Part 2: Evaluation of the
wrinkle recovery of fabrics —
Appearance method**

ICS 59.080.30

Reference number : JIS L 1059-2 : 2009 (E)

PROTECTED BY COPYRIGHT

10 S

L 1059-2 : 2009

Date of Establishment: 1998-08-20

Date of Revision: 2009-06-20

Date of Public Notice in Official Gazette: 2009-06-22

Investigated by: Japanese Industrial Standards Committee

Standards Board

Technical Committee on Consumer Life Products

JIS L 1059-2 : 2009, First English edition published in 2010-08

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

NH/HN

PROTECTED BY COPYRIGHT

Contents

		Page
Introduction	1
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Principle	2
5	Apparatus	2
5.1	Wrinkle tester	2
5.2	Three-dimensional wrinkle recovery replicas	2
5.3	Specimen hanger with clip	2
5.4	Viewing apparatus	2
6	Test conditions	3
7	Specimen	3
7.1	Sampling of specimen	3
7.2	Conditioning of specimens	4
8	Procedure	4
9	Evaluation	4
10	Expression of results	5
11	Test report	6
Annex JA (informative)	Measuring method for wrinkle recovery by sun-ray method	7
Annex JB (informative)	Comparison table between JIS and corresponding International Standard	11

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan Textile Evaluation Technology Council (JTETC)/ Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently, **JIS L 1059-2:1998** is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have technical properties. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have the said technical properties.

JIS L 1059 series consists of the following 2 parts under the general title “*Testing methods for crease recovery of textiles*”:

Part 1: Determination of the recovery from creasing of a horizontally folded specimen by measuring the angle of recovery

Part 2: Evaluation of the wrinkle recovery of fabrics — Appearance method

Testing methods for crease recovery of textiles — Part 2 : Evaluation of the wrinkle recovery of fabrics — Appearance method

Introduction

This Japanese Industrial Standard has been prepared based on the first edition of **ISO 9867** published in 1991 with some modifications of the technical contents to correspond to the usage situation and quality improvement in Japan.

The portions given sidelines or dotted underlines are the matters in which the contents of the original International Standard have been modified. A list of modifications with the explanations is given in Annex JB.

1 Scope

This Standard specifies the evaluation method of the appearance of fabrics after induced wrinkling to textiles.

NOTE : The International Standard corresponding to this Standard and the symbol of degree of correspondence are as follows.

ISO 9867 : 1991 *Textiles — Evaluation of the wrinkle recovery of fabrics — Appearance method* (MOD)

In addition, symbols which denote the degree of correspondence in the contents between the relevant International Standard and **JIS** are **IDT** (identical), **MOD** (modified), and **NEQ** (not equivalent) according to **ISO/IEC Guide 21**.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent edition of the standard (including amendments) indicated below shall be applied.

JIS L 0105 *General principles of physical testing methods for textiles*

NOTE : Corresponding International Standard : **ISO 139 : 2005** *Textiles — Standard atmospheres for conditioning and testing* (MOD)

JIS L 0208 *Glossary of terms used in textile industry — Testing*

3 Terms and definitions

For the purposes of this Standard, the terms and definitions given in **JIS L 0105** and