



JAPANESE  
INDUSTRIAL  
STANDARD

Translated and Published by  
Japanese Standards Association

---

---

**JIS L 1086** : 2013

(JTETC/ANNA/JSA)

**Testing methods for fusible  
interlining fabrics and laminated  
fabrics**

---

ICS 59.080.30

Reference number : **JIS L 1086 : 2013 (E)**

L 1086 : 2013

Date of Establishment: 1983-03-01

Date of Revision: 2013-02-20

Date of Public Notice in Official Gazette: 2013-02-20

Investigated by: Japanese Industrial Standards Committee  
Standards Board

Technical Committee on Consumer Life Products

---

JIS L 1086:2013, First English edition published in 2014-07

Translated and published by: Japanese Standards Association  
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

---

In the event of any doubts arising as to the contents,  
the original JIS is to be the final authority.

© JSA 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

AT

PROTECTED BY COPYRIGHT

## Contents

	Page
Introduction.....	1
1 Scope.....	1
2 Normative references .....	1
3 Terms and definitions .....	1
4 Sampling and preparation of sample and test specimen, and procedure of making composite test piece.....	2
4.1 Sampling and preparation of sample and test specimen .....	2
4.2 Procedure of making composite test piece .....	2
5 Testing location.....	2
6 Items to be tested .....	2
7 Test methods .....	3
7.1 Width .....	3
7.2 Length .....	3
7.3 Mass per unit area .....	3
7.4 Thickness .....	3
7.5 Density .....	4
7.6 Dot density .....	4
7.7 Crease recovery (Monsanto method).....	4
7.8 Amount of free formaldehyde .....	6
7.9 Dimensional change .....	6
7.10 Peel strength .....	6
7.11 Change of appearance after washing with water or dry cleaning .....	8
8 Test report .....	8
Annex A (informative) Determination of the rate of dimensional change due to ironing or press treatment at the time of adhesion.....	9
Annex B (informative) Discolouration to chlorine bleaching and scorching .....	10

## Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry, through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan Textile Evaluation Technology Council (JTETC)/All Nippon Nonwovens Association (ANNA)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently **JIS L 1086:2007** is replaced with this Standard and **JIS L 1089:2007** has been withdrawn and replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

# Testing methods for fusible interlining fabrics and laminated fabrics

## Introduction

This Japanese Industrial Standard was established in 1983 and has gone through three revisions to this day. The last revision was made in 2007, and it has been revised for the purpose of corresponding to the current status of use and harmonizing with the revised normative references.

Further, no International Standard corresponding to this Standard has been established at this point.

## 1 Scope

This Standard specifies the testing methods for fusible interlining fabrics, bonded fabrics and laminated fabrics.

This Standard describes the determination of dimensional change due to ironing or press treatment at the time of adhesion in Annex A and the discolouration to chlorine bleaching and scorching in Annex B for reference.

## 2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS K 3302 *Laundry bar soaps*

JIS K 8625 *Sodium carbonate*

JIS L 0105 *General principles of physical testing methods for textiles*

JIS L 0208 *Glossary of terms used in textile industry—Testing*

JIS L 0217 *Care labelling of textile goods*

JIS L 0860 *Test methods for colour fastness to dry cleaning*

JIS L 1041 *Test methods for resin finished textiles*

JIS L 1057 *Testing methods for dimensional change by ironing of woven and knitted fabrics*

JIS L 1096 *Testing methods for woven and knitted fabrics*

JIS Z 8401 *Guide to the rounding of numbers*

## 3 Terms and definitions

For the purposes of this Standard, the terms and definitions given in **JIS L 0208** and the following apply.

### 3.1 fusible interlining fabric

woven, knitted and nonwoven interlining fabric to which thermoplastic adhesive has been applied beforehand