

Translated and Published by Japanese Standards Association

JIS R 3224-3:2018

(FGMAJ/JSA)

Glass in buildings—Insulating glass—Part 3: Gas concentration and gas leakage

ICS 81.040.20

Reference number : JIS R 3224-3:2018(E)

R 3224-3:2018

Date of Establishment: 2018-07-20

Date of Public Notice in Official Gazette: 2018-07-20

Investigated by: Japanese Industrial Standards Committee

Standards Board for ISO area

Technical Committee on Architecture

JIS R 3224-3:2018, First English edition published in 2019-05

Translated and published by: Japanese Standards Association Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents, the original JIS is to be the final authority.

© JSA 2019

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KK/AT

Contents

	Page
Introd	luction 1
1	Scope1
2	Normative references — 1
3	Terms and definitions
4 4.1 4.2	Requirements 3 Approach 1 3 Approach 2 3
5 5.1 5.2	Principle 4 Approach 1 4 Approach 2 4
6 6.1 6.2 6.3	Test apparatus 4 Approach 1 4 Approach 2 4 Test apparatus (not by Approach 1 or Approach 2) 5
7 7.1 7.2 7.3	Reagents and materials 6 Approach 1 6 Approach 2 6 Dry gas concentration (not by Approach 1 or Approach 2) 6
8 8.1 8.2 8.3	Test specimens 7 Approach 1 7 Approach 2 8 Test specimens (not by Approach 1 or Approach 2) 9
9 9.1 9.2 9.3	Procedure 9 Approach 1 9 Approach 2 10 Procedure (not by Approach 1 or Approach 2) 12
10 10.1 10.2	Accuracy of test method 12 Approach 1 12 Approach 2 12
11 11.1 11.2	Test report 13 Approach 1 13 Approach 2 13
Annex	A (normative) Conditioning and calibration of gas chromatograph for Approach 1

R 3224-3 : 2018

	Requirements for gases other than argon, sulfur nexafluoride and air used for Approach 2	17
Annex C (informative)	Relationship between artificial and natural ageing with regard to thermal and sound insulation	19
Annex D (informative)	Determination of gas leakage rate by gas chromatography for Approach 2	20
Annex JA (informative)	Conditioning and calibration of gas chromatograph	30
Annex JB (informative)	Comparison table between JIS and corresponding International Standard	32

Foreword

This Japanese Industrial Standard has been established by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee according to the proposal for establishment of Japanese Industrial Standard submitted by Flat Glass Manufactures Association of Japan (FGMAJ)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

JIS R 3224 series consists of the following 2 parts under the general title "Glass in buildings—Insulating glass":

- Part 1: Durability of edge seals by climate tests
- Part 3: Gas concentration and gas leakage

Glass in buildings—Insulating glass— Part 3: Gas concentration and gas leakage

JIS R 3224-3:2018

Introduction

This Japanese Industrial Standard has been prepared based on **ISO 20492-3**:2010, Edition 1, with some modifications of the technical contents, which are considered necessary in view of situations in Japan.

The vertical lines on both sides and dotted underlines indicate changes from the corresponding International Standard. A list of modifications with the explanations is given in Annex JB.

1 Scope

This Standard specifies the test methods of gas concentration and gas leakage for insulating glass. The two methods designated as Approach 1, which is intended for use in markets such as North America, and Approach 2, which is intended for use in markets such as Europe.

NOTE The International Standard corresponding to this Standard and the symbol of degree of correspondence are as follows.

ISO 20492-3:2010 Glass in buildings—Insulating glass—Part 3: Gas concentration and gas leakage (MOD)

In addition, symbols which denote the degree of correspondence in the contents between the relevant International Standard and **JIS** are IDT (identical), MOD (modified), and NEQ (not equivalent) according to **ISO/IEC Guide 21-1**.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS K 0114 General rules for gas chromatography

JIS R 3209 Insulating glass

JIS R 3224-1 Glass in buildings—Insulating glass—Part 1: Durability of edge seals by climate tests

NOTE Corresponding International Standard: ISO 20492-1 Glass in buildings— Insulating glass—Part 1: Durability of edge seals by climate tests (MOD)

ISO 16293-1 Glass in building—Basic soda lime silicate glass products—Part 1:

Definitions and general physical and mechanical properties

ISO 20492-4 Glass in buildings—Insulating glass—Part 4: Methods of test for the physical attributes of edge seals