

Translated and Published by Japanese Standards Association

 $JIS\ S\ 2147:2017$

(JIA)

Portable gas cookers with LPG cartridge

ICS 97.040.20

Reference number : JIS S 2147 : 2017 (E)

S 2147: 2017

Date of Establishment: 1991-07-01

Date of Revision: 2017-08-21

Date of Public Notice in Official Gazette: 2017-08-21

Investigated by: Japanese Industrial Standards Committee

Standards Board for ISO area

Technical Committee on Consumer Life Products

JIS S 2147:2017, First English edition published in 2018-04

Translated and published by: Japanese Standards Association Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents, the original JIS is to be the final authority.

© JSA 2018

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

HT/AT

Contents

	Page
Intro	duction 1
1	Scope
2	Normative references
3	Terms and definitions ————————————————————————————————————
4	Performance 3
5 5.1 5.2 5.3 5.4 5.5 5.6 5.7 5.8 5.9 5.10 5.11	Construction 8 General 8 Appliance valve 11 Nozzles 11 Burner 11 Air adjuster 11 Trivet 12 Drip pan 12 Water receiver, net, iron plate, dedicated pot, rice cooker pot, and oven tray 12 Electric ignition device 12 Pressure sensitive safety device 12 Pressure sensitive safety device (applicable only to appliances provided with burner safety shut-off device) 13 Overheat prevention device (applicable to appliances equipped with
5.12	Overheat prevention device (applicable to appliances equipped with overheat prevention device)
6 7	Materials
7.1 7.2 7.3 7.4	Test conditions
7.5 7.6 7.7 7.8	Pressure resistance test of gas passage
7.9 7.10 7.11 7.12	Temperature rise test

S 2147:2017

7.13	Activation performance test of burner safety shut-off device (applicable	
	only to appliances provided with burner safety shut-off device)	35
7.14	Activation performance test of overheat prevention device (applicable to	
	appliances equipped with overheat prevention device)	36
7.15	Repeated use test	36
7.16	Rice cooking performance test (applicable to rice cookers)	38
7.17	Practical performance test of appliance	38
7.18	Heat resistance test of functional parts ······	39
8	Inspection ·····	40
9	Marking	41
9.1	Marking on product ·····	41
9.2	Instruction marking	··· 41
10	Instruction manual	42

Foreword

This Japanese Industrial Standard has been revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by Japan Gas Appliances Inspection Association (JIA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently **JIS S 2147**:2009 is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

Portable gas cookers with LPG cartridge

JIS S 2147 : 2017

Introduction

This Japanese Industrial Standard was established in 1991 and has been revised three times since then. Cooking appliances used with gas cylinders that are built into the appliance as one of its components or as an accessory to it, are largely divided into those comprising a trivet at their top surface so that the food is heated in a pot or the like placed on the trivet, and those without a trivet and comprising instead a net, a griddle, or a rice cooker pot, etc. at their top surface on which the food is directly placed to be boiled or cooked in other ways. In this revision, the latter type of appliances have been newly incorporated into the scope, and their performance and structural criteria added.

No corresponding International Standard has been established at this point.

1 Scope

This Standard specifies the portable cookers (hereafter referred to as the appliance) used with a cylinder filled with liquefied petroleum gas (hereafter referred to as gas) which is built into the appliance either as one of its components or as an accessory to it.

A cylinder as referred to in this Standard is that containing gas which meets the exemption requirements of the High Pressure Gas Safety Act, and either bearing a marking showing compliance with **JIS S 2148** or specified on the marking on an appliance covered by this Standard as a cylinder to be used.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS B 1501 Rolling bearings—Balls

JIS C 3101 Hard-drawn copper wires for electrical purposes

JIS C 3102 Annealed copper wires for electrical purposes

JIS G 3314 Hot-dip aluminium-coated steel sheet and strip

JIS G 3446 Stainless steel tubes for machine and structural purposes

JIS G 3459 Stainless steel pipes

JIS G 4303 Stainless steel bars

JIS G 4304 Hot-rolled stainless steel plate, sheet and strip

JIS G 4305 Cold-rolled stainless steel plate, sheet and strip

JIS G 4308 Stainless steel wire rods

JIS G 4313 Cold rolled stainless steel strip for springs

JIS G 4314 Stainless steel wires for springs