

# JAPANESE INDUSTRIAL STANDARD

Translated and Published by Japanese Standards Association

 $JIS\ S\ 3031^{\,:\,2025}$ 

(JHIA)

General rules for test methods of oil burning appliances

**ICS** 27.060.10;97.100.40

Reference number: JIS S 3031: 2025 (E)

Date of Establishment: 1982-03-01

Date of Revision: 2025-05-20

Date of Public Notice in Official Gazette: 2025-05-20

Investigated by: Japanese Industrial Standards Committee

Standards Board for ISO area

Technical Committee on Consumer Life Products

JIS S 3031: 2025, First English edition published in 2025-11

Translated and published by: Japanese Standards Association Mita Avanti, 3-11-28, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents, the original JIS is to be the final authority.

© JSA 2025

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan HN

# Contents

	Page
Intro	duction ······ 1
1	Scope
2	Normative references · · · · · · · · · · · · · · · · · · ·
3	Terms and definitions ····································
4	Type and application of tests
4.1 4.2	Application of tests to appliances
5	Measurement instruments for tests ······ 3
6	Combustion test · · · · · · 4
6.1	General conditions ····· 4
6.2	Temperature rise test of each part ·······13
6.3	Combustion state and operating performance tests · · · · · · · · · · · · · · · · · ·
6.4	Measurement method of warm air temperature ······15
6.5	Measurement method of hot air temperature ······16
6.6	Measurement method of exhaust temperature and supply air tempera-
	ture
6.7	Measurement method for determination of the ratio of carbon monoxide
	to carbon dioxide (CO/CO <sub>2</sub> ) in flue gas ······19
6.8	Draft measurement method ······················22
6.9	Measurement method of smoke density · · · · · · 23
6.10	Odour test ······23
6.11	Heat output test
6.12	Calculation method of thermal efficiency
6.13	Measurement method of heating rate
6.14	Measurement method of extinguishing time ······36
6.15	Measurement method of fuel consumption rate ······36
7	Rich fuel combustion test ··································
8	Wick adjuster maximum combustion test ·······37
9	Natural draft combustion test ··································
10	Excess fuel combustion test ··································
11	Inclination test ···········38
11.1	Inclined combustion test ·······38
11.2	10-degree inclination test ············38
11.3	30-degree inclination test ·······38

12	Heat reflection test ·····	38
13 13.1 13.2 13.3	Tip-over test Tensile tip-over test Tip-over fuel leakage test Tip-over extinguishing test	··38
14	Humidifying capacity test ·····	40
15 $15.1$ $15.2$	Over heat shut off device activation test  Air heating type appliances  Water heating type appliances	40
16	Semi-choking resistance test ······	40
17 17.1 17.2	Hot water supply temperature test  Hot water supply temperature test  Temperature test of water circulating from the bathtub to the bathtub water heater	·· 41
18	Temperature control test ·····	42
19 19.1 19.2	Empty water cutoff performance test	$\cdot \cdot 42$
20	Wind resistance test ·····	43
21 21.1 21.2 21.3	Wind velocity resistance test  Test in general  Method A  Method B	·· 46 ·· 47
22	Wind pressure resistance test ······	50
23	Airtightness test ·····	51
24 24.1 24.2 24.3	Electric ignition test  Method A (for dry cell igniter)  Method B (for piezoelectric igniter)  Method C (for igniter using a general household power supply)	··51 ··51
25 25.1 25.2 25.3	Power consumption test  Rated frequency and rated voltage  Method A  Method B	0.52 $0.52$
26 26.1 26.2	Noise test Test in general Noise level measurement method	52
27	Power interruption resistance test ······	·· <b>5</b> 3
28	Insulation test ······	54

28.1 28.2	Insulation resistance test ·································	
29 29.1 29.2 29.3	Vibration test  Test in general  Instantaneous vibration  Gradually increasing vibration	…54 …55
30	Flammability test of falling combustibles ······	···56
31 31.1 31.2	Leakage test	56
32 32.1 32.2	Pressure resistance test  Method A (fuel tank)  Method B (appliance)	56
33	Load test ····	···56
34	Heat resistance test ·····	···57
35 35.1 35.2 35.3 35.4 35.5	Low temperature resistance test  Test in general  Combustion test  Ignition performance test  Blower starting test  Performance test of piezoelectric igniter	···57 ···58 ···59 ···59
36	Oil resistance test ·····	···59
37	Moisture resistance test ·····	59
38 38.1 38.2	Water pouring test  Method A (air heating type appliances)  Method B (cooking appliances)	···60
39	Water spray resistance test	
40 40.1 40.2	Corrosion resistance test  Dissimilar metal-to-metal current test of pressure type fuel tanks  Salt spray test	62
41 41.1 41.2 41.3	Drop tests  Drop test of fuel tank  Drop test of vacuum tank cap  Drop test of vacuum tank fill cap	···64 ···64
42 42.1 42.2	Repeated operation tests	65
43	Radiant efficiency test	65

44	Activation test of oxygen depletion safety shut off device ······	$\cdots 67$
44.1	Closed room test ·····	
44.2	Insufficient air supply test ·····	
44.3 44.4	Detection part fault test of oxygen depletion safety shut off device  Notice functional device for incomplete combustion test of oxygen deple-	
44.5	tion safety shut off device	
45	Dust proof test ·····	69
45.1	Dust generators ·····	
45.2	Dust ····	
45.3	Test method ·····	69
46	Closed room test with 18 % of $O_2$	
46.1	Laboratory ·····	
46.2	Test method ·····	$\cdots 70$
47	Fitting test ·····	$\cdots 71$
48	Boiling overflow test · · · · · · · · · · · · · · · · · · ·	$\cdots 71$
49	Down draft test ·····	$\cdots 71$
50	Test of safety compromised by exhaust pipe disconnection ······	$\cdots 72$
51	Activation test of room temperature controller	$\cdots 73$
51.1	Test apparatus · · · · · · · · · · · · · · · · · · ·	$\cdots 73$
51.2	Test conditions	
51.3	Test method ·····	$\cdots 73$
52	Unexpected flame loss resistance test ······	$\cdots 73$
53	Timer test ·····	
53.1	Timer operation test ·····	
53.2	Timer repeatability test ······	$\cdots 74$
54	Combustion air safety device test ······	$\cdots 74$
55	Down draft pressure device test ·····	$\cdots 74$
56	Water flow proving indication device test ·····	$\cdots 75$
57	Prevent freezing device test ·····	$\cdots 75$
58	Unattended appliance automatic shut off device test ······	$\cdots 75$
59	Fire-extinguishing device activation test at the time of oil supply of vacuum tank · · · · · · · · · · · · · · · · · · ·	···75
60	Construction test ·····	75
61	Material test ·····	76
62	Processing method test ······	76

63	Appearance test ······76
64	Accessory test · · · · · · · · · · · · · · · · · · ·
65	Exhaust terminal and/or concentric supply and exhaust pipe test $\cdots \cdots 76$
66	Marking test
67	Instruction manual test ·························76
Anney	A (normative) Installation of appliances

#### Foreword

This Japanese Industrial Standard has been revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by JAPAN HEATING APPLIANCES INSPECTION ASSOCIATION (JHIA) with a draft being attached, based on the provision of Article 12, paragraph (1) of the Industrial Standardization Act applied mutatis mutandis pursuant to the provision of Article 16 of the said Act. This edition replaces the previous edition (JIS S 3031: 2009), which has been technically revised.

This **JIS** document is protected by the Copyright Act.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, published patent application or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, published patent application or utility model rights.

# General rules for test methods of oil burning appliances

JIS S 3031: 2025

#### Introduction

This Japanese Industrial Standard was established in 1982 and has gone through five revisions up to the present. This revision has been undertaken to ensure compliance of the separation distances used in tests of oil burning appliances with the Ministerial Order Establishing Standards concerning the Enactment of Ordinances on the Position, Structure, and Management of Designated Fire-Using Equipment, etc., and the Handling of Designated Fire-Using Appliances, etc., under Fire and Disaster Management Agency Notification No. 8 of 2023, which has revised the standards concerning the separation distances for designated fire-using equipment, etc. and designated fire-using appliances, etc.

No corresponding International Standard has been established at this point.

#### 1 Scope

This Standard specifies test methods for measuring performance of oil burning appliances (hereafter referred to as appliances) fuelled by kerosene, diesel fuel or fuel oil and used for cooking, space heating and hot water supply.

#### 2 Normative references

Part or all of the provisions of the following standards, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

- JIS A 9504 Man made mineral fibre thermal insulation materials

  JIS B 7505-1 Aneroid pressure gauges Part 1: Bourdon tube pressure gauges

  JIS C 1102-2 Direct acting indicating analogue electrical measuring instruments and their accessories Part 2: Special requirements for ammeters and voltmeters

  JIS C 1102-3 Direct acting indicating analogue electrical measuring instruments and their accessories Part 3: Special requirements for wattmeters and varmeters

  JIS C 1509-1 Electroacoustics Sound level meters Part 1: Specifications
- JIS C 1602 Thermocouples
- JIS C 3102 Annealed copper wires for electrical purposes
- JIS C 4034-1 Rotating electrical machines Part 1: Rating and performance
- JIS C 8515 Primary batteries Physical and electrical specifications
- JIS G 3459 Stainless steel pipes