



JAPANESE  
INDUSTRIAL  
STANDARD

Translated and Published by  
Japanese Standards Association

---

---

JIS T 9261 : 2011

**Assistive products—Commode chairs**

---

ICS 11.180.20

Reference number : JIS T 9261 : 2011 (E)

PROTECTED BY COPYRIGHT

16 S

Date of Establishment: 2011-03-22

Date of Public Notice in Official Gazette: 2011-03-22

Investigated by: Japanese Industrial Standards Committee  
Standards Board

Technical Committee on Support for Aged and  
Handicapped Persons

---

JIS T 9261 : 2011, First English edition published in 2011-11

Translated and published by: Japanese Standards Association  
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

---

In the event of any doubts arising as to the contents,  
the original JIS is to be the final authority.

© JSA 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KA/SW

## Contents

|  | Page |
|--|------|
| 1 Scope .....  | 1    |
| 2 Normative references .....   | 1    |
| 3 Terms and definitions .....  | 1    |
| 4 Name of each part .....  | 2    |
| 5 Design, appearance and construction according to risk management .....                                     | 2    |
| 5.1 Design according to risk management .....  | 2    |
| 5.2 Appearance .....   | 2    |
| 5.3 Construction .....   | 3    |
| 6 Performance .....  | 3    |
| 7 Test conditions .....  | 4    |
| 7.1 Environment of laboratory .....  | 4    |
| 7.2 Test apparatus .....   | 5    |
| 7.3 Tolerances .....   | 5    |
| 8 Test .....   | 6    |
| 8.1 General .....  | 6    |
| 8.2 Stability test .....   | 6    |
| 8.3 Static strength test .....   | 9    |
| 8.4 Impact resistance test .....   | 14   |
| 8.5 Durability test .....  | 17   |
| 8.6 Drop impact resistance test .....  | 20   |
| 8.7 Slip resistance test .....   | 20   |
| 8.8 Test of check for prevention of neck part from trapped (when backrest<br>and armrest are provided) ..... | 21   |
| 9 Inspection .....   | 22   |
| 10 Marking .....   | 23   |
| 11 Instruction manual .....  | 23   |
| Annex A (informative) Consideration on design .....  | 24   |

## Foreword

This translation has been made based on the original Japanese Industrial Standard established by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee in accordance with the Industrial Standardization Law.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public or utility model right which have technical properties. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public or utility model right which have the said technical properties.

## Assistive products—Commode chairs

### 1 Scope

This Japanese Industrial Standard specifies the commode chairs equipped with the tank for sewage storage used in the place other than the lavatory. Those having the function of water supply and drainage are excluded.

### 2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS K 6253 *Rubber, vulcanized or thermoplastic—Determination of hardness*

JIS T 0102 *Glossary of terms used in assistive products for persons with disabilities*

### 3 Terms and definitions

For the purposes of this Standard, the terms and definitions given in JIS T 0102, and the following terms and definitions apply.

#### 3.1 backrest

component to support the human body, which is the plane sustaining the force horizontally acting on it

#### 3.2 armrest

component to support the arm

#### 3.3 seat

component to support the human body, which is the plane sustaining the force vertically acting on it during the period other than excretion

#### 3.4 toilet seat

component to support the human body, which is the plane sustaining the force vertically acting on it mainly during excretion

#### 3.5 sewage storage tank

component to storage the sewage

#### 3.6 lid

component to cover the toilet seat

#### 3.7 leg

component constructed to sustain the forces acting on toilet seat, seat and backrest