

# JAPANESE INDUSTRIAL STANDARD

Translated and Published by Japanese Standards Association

JIS T 9268: 2013

Assistive products —Raised toilet seats

ICS 11.180.20

Reference number: JIS T 9268: 2013 (E)

T 9268: 2013

Date of Establishment: 2013-03-21

Date of Public Notice in Official Gazette: 2013-03-21

Investigated by: Japanese Industrial Standards Committee

Standards Board

Technical Committee on Support for Aged

and Handicapped Persons

JIS T 9268: 2013, First English edition published in 2013-11

Translated and published by: Japanese Standards Association 4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents, the original JIS is to be the final authority.

© JSA 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan MT

## Contents

	I	Page
1	Scope	. 1
2	Normative references	. 1
3	Terms and definitions	. 1
4	Name of each part	
5	Types	. 2
6	General requirements	. 3
6.1	Risk management-based design	. 3
6.2	Appearance	. 3
6.3	Construction	. 3
7	Performances	. 4
7.1	Performance of top-mounted type	. 4
7.2	Performance of insertion type	. 4
7.3	Performance of adjustable height type	. 4
8	Test conditions	. 4
8.1	General	. 4
8.2	Sand bags	. 5
8.3	Weights	
8.4	Plates	
8.5	Test board	. 5
9	Test methods	. 5
9.1	Top-mounted type	
9.2	Insertion type	
9.3	Adjustable height type	21
10	Tests	28
11	Marking	29
12	Operation manual	29
Annex	x A (informative) Items to be considered in design	30

T 9268: 2013

# Foreword

This translation has been made based on the original Japanese Industrial Standard established by the Minister of Economy, Trade and Industry, through deliberations at the Japanese Industrial Standards Committee in accordance with the Industrial Standardization Law.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

# Assistive products—Raised toilet seats

JIS T 9268: 2013

#### 1 Scope

This Japanese Industrial Standard specifies the toilet seat with adjustable height seat surface to assist standing and sitting, and the toilet seat having the hoisting and lowering mechanism to assist standing and sitting (hereafter referred to as "raised toilet seats"). However, it excludes the Japanese squat-sitting conversion type toilet seat and the toilet whose bowl itself is hoisted and lowered.

#### 2 Normative references

The following standards contain provisions that, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

JIS K 6253-3 Rubber, vulcanized or thermoplastic—Determination of hardness— Part 3: Durometer method

JIS T 0102 Glossary of terms used in assistive products for persons with disabilities

#### 3 Terms and definitions

For the purpose of this Standard, the terms and definitions given in **JIS T 0102** and the following apply.

#### 3.1 toilet seat

component used as the surface that supports a user's body and the working force mainly at the time of excretion

#### 3.2 top-mounted type

raised toilet seat that is placed on a toilet seat, or directly on a toilet bowl when there is no toilet seat

#### 3.3 insertion type

raised toilet seat that is inserted between a toilet seat and a toilet bowl

## 3.4 adjustable height type

raised toilet seat that is used by hoisting and lowering

#### 3.5 opening

opening part of a raised toilet seat or a toilet seat

#### 3.6 toilet seat installation part

portion on which an adjustable height type toilet seat is mounted