

Translated and Published by Japanese Standards Association

JIS Z 2320-1:2017

(JSNDI/JSA)

Non-destructive testing—Magnetic particle testing—Part 1: General principles

ICS 19.100

Reference number: **JIS Z 2320-1**: **2017** (**E**)

Z 2320-1:2017

Date of Establishment: 2007-01-20

Date of Revision: 2017-03-21

Date of Public Notice in Official Gazette: 2017-03-21

Investigated by: Japanese Industrial Standards Committee

Standards Board for ISO area Technical Committee on Safety

JIS Z 2320-1:2017, First English edition published in 2017-09

Translated and published by: Japanese Standards Association Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents, the original JIS is to be the final authority.

© JSA 2017

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KK/AT

Contents

		Page
Intro	duction ·····	1
1	Scope	
2	Normative refere	nces 1
3	Terms and defini	tions $\cdots \cdots 2$
4	Qualification and	certification of testing personnel2
5		onmental requirements2
6	•	ę3
7		on3
8 8.1 8.2 8.3	Magnetization	
9 9.1 9.2 9.3	Detection media 9 Properties and selection of media 9 Testing of detection media 10 Application of detection media 10	
10	Viewing conditions	
11	Overall performance test ··················11	
12.1 12.2 12.3 12.4	Interpretation and recording of indications, and information related to discontinuities 11 Interpretation of indications 11 Verification of false indications 11 Interpretation of indications by discontinuities 12 Recording of indications 12	
13	Demagnetization	
14	Cleaning	
15	Test report ·······	13
achieve specified tangential		Example for determination of currents required to achieve specified tangential field strengths for various magnetization techniques ————————————————————————————————————
Annex JA (normative)		Standard test nieces and reference blocks

Annex JB (informative)	Comparison table between JIS and corresponding
	International Standard 30

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by The Japanese Society for Non-Destructive Inspection (JSNDI)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14. Consequently **JIS Z 2320-1**:2007 is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

JIS Z 2320 series consists of the following 3 parts under the general title "Non-destructive testing—Magnetic particle testing":

Part 1: General principles

Part 2: Detection media

Part 3: Equipment

Non-destructive testing—Magnetic particle testing—Part 1: General principles

JIS Z 2320-1:2017

Introduction

This Japanese Industrial Standard has been prepared based on **ISO 9934-1**:2015, Edition 2, with some modifications of the technical contents in order to correspond to the needs of users in Japan.

The vertical lines on both sides and dotted underlines indicate changes from the corresponding International Standard. A list of modifications with the explanations is given in Annex JB.

1 Scope

This Standard specifies general principles for the magnetic particle testing of ferromagnetic materials. Magnetic particle testing is primarily applicable to the detection of surface-breaking discontinuities, particularly cracks. It can also detect discontinuities just below the surface but its sensitivity diminishes rapidly with depth. This Standard specifies the surface preparation of the part to be tested, magnetization techniques, requirements and application of the detection media, and the recording and interpretation of results. Acceptance criteria are not defined. Additional requirements for the particular items are defined in product standards (see relevant standards).

NOTE: The International Standard corresponding to this Standard and the symbol of degree of correspondence are as follows.

ISO 9934-1:2015 Non-destructive testing—Magnetic particle testing— Part 1: General principles (MOD)

In addition, symbols which denote the degree of correspondence in the contents between the relevant International Standard and **JIS** are IDT (identical), MOD (modified), and NEQ (not equivalent) according to **ISO/IEC Guide 21-1**.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

- JIS C 2504 Soft magnetic irons
- JIS G 0431 Steel products—Employer's qualification system for non-destructive testing (NDT) personnel
- JIS Z 2300 Terms and definitions of nondestructive testing
- JIS Z 2305 Non-destructive testing—Qualification and certification of NDT personnel
 - NOTE: Corresponding International Standard: ISO 9712 Non-destructive testing—Qualification and certification of NDT personnel (MOD)