

Translated and Published by Japanese Standards Association

JIS Z 3110:2017

(JWES)

Non-destructive testing of welded joints—Methods of radiographic testing for X- and gamma-ray techniques with digital detectors

ICS 25.160.40

Reference number : JIS Z 3110 : 2017 (E)

Z 3110:2017

Date of Establishment: 2017-09-20

Date of Public Notice in Official Gazette: 2017-09-20

Investigated by: Japanese Industrial Standards Committee

Standards Board for ISO area

Technical Committee on Metal and Inorganic

Materials

JIS Z 3110:2017, First English edition published in 2018-07

Translated and published by: Japanese Standards Association Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents, the original JIS is to be the final authority.

© JSA 2018

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

NH/AT

Contents

		Pag	ge
Introd	luction ·····		L
1	Scope		
2	•	ences 1	
3		nitions 2	
4	Symbols and ab	breviated terms ·······6	;
5 5.1 5.2	Classification of radiographic techniques and compensation principles		
6		ations and requirements8	
6.1		nst ionizing radiation ······ 8	
6.2		tion and stage of manufacture9	
6.3 6.4		weld in the radiograph9 radiographs9	
6.5		radiographs	
6.6	Overlap of digital images ———————————————9		
6.7	Types and positions of image quality indicators and penetrameters9		
6.8	Minimum image quality (IQI) values		
6.9		fication	
7	Recommended t	echniques for making digital radiographs12	:
7.1	Test arrangements ————————————————————————————————————		
7.2	Choice of tube voltage and radiation source ······19		
7.3		s and metal screens ······21	
7.4	_	am	
7.5	Reduction of scattered radiation		
7.6 7.7	Source-to-object distance ————————————————————————————————————		
7.8	Maximum area for a single exposure		
7.9		30	
7.10	O	g conditions and storage of digital radiographs32	
8	Test report		
Annex	-	Recommended number of exposures which give an acceptable examination of a circumferential butt weld34	
Annex	B (normative)	Minimum IQI values	,
Annes	C (normative)	Determination of basic spatial resolution SR,	₹

Z 3110 : 2017

Annex D (normative) D	etermination of minimum grey values for CR practice $\cdots 52$
Annex E (informative)	Grey values, general remarks58
Annex JA (informative)	Notes on application of digital radiographic testing 60
Bibliography	63
Annex JB (informative)	Comparison table between JIS and corresponding
	International Standard64

Foreword

This Japanese Industrial Standard has been established by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee according to the proposal for establishment of Japanese Industrial Standard submitted by The Japan Welding Engineering Society (JWES) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

Non-destructive testing of welded joints— Methods of radiographic testing for X- and gamma-ray techniques with digital detectors

JIS Z 3110:2017

Introduction

This Japanese Industrial Standard has been prepared based on **ISO 17636-2**:2013, Edition 1, with some modifications of the technical contents.

The vertical lines on both sides and dotted underlines indicate changes from the corresponding International Standard. A list of modifications with the explanations is given in Annex JB.

1 Scope

This Standard specifies radiographic testing of metallic welds using X- and gammaray techniques with digital detectors. When the digital radiography is applied, its similarity to and difference from the film radiography, which are detailed in Annex JA, should be paid attention to.

NOTE The International Standard corresponding to this Standard and the symbol of degree of correspondence are as follows.

ISO 17636-2:2013 Non-destructive testing of welds—Radiographic testing— Part 2: X- and gamma-ray techniques with digital detectors (MOD)

In addition, symbols which denote the degree of correspondence in the contents between the relevant International Standard and **JIS** are IDT (identical), MOD (modified), and NEQ (not equivalent) according to **ISO/IEC Guide 21-1**.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. The most recent editions of the standards (including amendments) indicated below shall be applied.

- JIS Z 2300 Terms and definitions of nondestructive testing
- JIS Z 2305 Non-destructive testing—Qualification and certification of NDT personnel
 - NOTE Corresponding International Standard: ISO 9712 Non-destructive testing—Qualification and certification of NDT personnel (MOD)
- JIS Z 2306 Radiographic image quality indicators for non-destructive testing
- JIS Z 2307 Determination of the image unsharpness value using duplex wire-type image quality indicators
 - NOTE Corresponding International Standard: ISO 19232-5 Non-destructive testing—Image quality of radiographs—Part 5: Determination of the image unsharpness value using duplex wire-type image quality indicators (MOD)