



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS Z 4560 : 2018

(JSNDI/JSA)

**Apparatus for industrial gamma
radiography**

ICS 19.100

Reference number : JIS Z 4560 : 2018 (E)

Date of Establishment: 1991-03-01

Date of Revision: 2018-01-22

Date of Public Notice in Official Gazette: 2018-01-22

Investigated by: Japanese Industrial Standards Committee
Standards Board for ISO area
Technical Committee on Safety

JIS Z 4560:2018, First English edition published in 2018-08

Translated and published by: Japanese Standards Association
Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2018

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

HT/AT

Contents

	Page
Introduction	1
1 Scope	1
2 Normative references	1
3 Terms and definitions	3
4 Classification	5
4.1 Categories of radiation source containers according to locations of source assembly when apparatus is in service	5
4.2 Classification of radiation source containers according to their mobility	8
5 Design/performance/structure	8
5.1 General design requirements	8
5.2 Gamma-ray source	9
5.3 Shielding efficiency	9
5.4 Shutter	10
5.5 Safety device	10
5.6 Handling facilities	11
5.7 Security of source holder	11
5.8 Security of remote control	12
5.9 Attachment of exposure head or beam limiter	12
5.10 Length of control-cable sheath	12
5.11 Resistance to normal service condition.....	12
6 Tests	17
6.1 Performance of tests	17
6.2 Endurance test (see 5.11.2).....	18
6.3 Projection resistance test (see 5.11.3).....	20
6.4 Tests for radiation source container	21
6.5 Tensile test for source assembly and connectors (see 5.11.4.9)	27
6.6 Tests for remote control	28
6.7 Tests for projection sheath and exposure head or beam limiter (see 5.11.4.11)	30
7 Marking	31
7.1 Radiation source container.....	31
7.2 Source holder or source assembly	32
8 Identification of gamma-ray source in radiation source container.....	32
9 Accompanying documents	32
9.1 Documents	32

9.2	Descriptions and technical characteristics of apparatus for industrial gamma radiography	33
9.3	Certificates of manufacturer	34
9.4	Instructions for use	34
9.5	Inspection, maintenance and repair procedures	34
9.6	Instructions for disposal	34
10	Supplementary documents for laboratories to conduct conformity study	35
11	Quality-assurance programme	35
	Annex JA (informative) Comparison table between JIS and corresponding International Standard	36

Foreword

This Japanese Industrial Standard has been revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee as the result of proposal for revision of Japanese Industrial Standard submitted by The Japanese Society for Non-destructive Inspection (JSNDI)/Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14.

Consequently **JIS Z 4560**:1991 is replaced with this Standard.

This **JIS** document is protected by the Copyright Law.

Attention is drawn to the possibility that some parts of this Standard may conflict with patent rights, applications for a patent after opening to the public or utility model rights. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying any of such patent rights, applications for a patent after opening to the public or utility model rights.

Apparatus for industrial gamma radiography

Introduction

This Japanese Industrial Standard has been prepared based on ISO 3999:2004, Edition 2, with some modifications of the technical contents to correspond to the International Standard and the related laws and regulations in Japan, which have been revised since the previous revision of this Standard.

The vertical lines on both sides and dotted underlines indicate changes from the corresponding International Standard. A list of modifications with the explanations is given in Annex JA.

1 Scope

This Standard specifies the performances, design and test methods of industrial gamma-ray apparatus used for the gamma-ray radiography (hereafter referred to as apparatus for industrial gamma radiography). When items are controlled by laws and regulations in Japan, they are to be complied with.

NOTE : The International Standard corresponding to this Standard and the symbol of degree of correspondence are as follows.

ISO 3999:2004 *Radiation protection—Apparatus for industrial gamma radiography—Specifications for performance, design and tests* (MOD)

In addition, symbols which denote the degree of correspondence in the contents between the relevant International Standard and JIS are IDT (identical), MOD (modified), and NEQ (not equivalent) according to ISO/IEC Guide 21-1.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this Standard. For standards with the year indication, only the editions of the indicated year shall be applied and the revisions (including amendments) made thereafter shall not be applied. For those without the indication of the year, the most recent edition (including amendments) shall be applied.

JIS C 60068-2-6 *Environmental testing—Part 2-6: Tests—Test Fc: Vibration (sinusoidal)*

NOTE : Corresponding International Standard: IEC 60068-2-6 *Environmental testing—Part 2-6: Tests—Test Fc: Vibration (sinusoidal)*

JIS C 60068-2-47 *Environmental testing—Part 2-47: Tests—Mounting of specimens for vibration, impact and similar dynamic tests*

NOTE : Corresponding International Standard: IEC 60068-2-47 *Environmental testing—Part 2-47: Tests—Mounting of specimens for vibration, impact and similar dynamic tests*